

CATALOG : AUGUST 1, 2001

#Q8/01

PRICE \$9.95

QUALITY

**FAST
DELIVERY**

ECONOMY

An independent supplier of top quality replacement parts!



**WHITE
DIAMOND**

BEDDING & QUILTING:

- **Needles**
- **Binder heads**
- **Machine Parts**
- **Scissors**
- **Supplies**
- **Accessories**

- GRIBETZ
 - EMCO
 - MAMMUT
 - UNITED MATTRESS
 - CASH
 - SINGER
 - UNION SPECIAL
 - JUKI
 - PORTER
 - PEGASUS
 - WILLCOX & GIBBS
 - SIRUBA
 - U.S. BLINDSTITCH
 - GALKIN
 - RIMOLDI
 - SPUHL
 - STEPPEX
 - MECCA
- And Many More...



Featuring...

...performance beyond the ordinary

**Diamond
Needle
Corp.**



**WHITE
DIAMOND**

60 COMMERCE ROAD
CARLSTADT NJ 07072
info@diamondneedle.com



TELEPHONE
(201) 507-1771
TOLL-FREE
(800) 221-5818



(800) 833-3363
(DOMESTIC)
(201) 507-1715
(INTERNATIONAL)

Diamond Needle Corp.

60 COMMERCE ROAD
CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



performance beyond the ordinary

August 1, 2001

To All of Our Customers and Friends;

Through the support of our valued customers worldwide, we are able to present this second edition catalog of bedding machine needles, binders, parts and supplies. We have greatly expanded our line of quality products which are economically priced and shipped promptly from our huge stock.

Our ORGAN brand needles provide you with exceptional value. They're excellent quality, available in the widest variety of types, sizes and finishes to suit every sewing application. We also maintain a vast inventory to assure you prompt delivery at all times. They save you money too!

You will also notice our expanded line of EW parts for Gribetz, United, Cash, Porter, Spuhl, Singer, Union Special and many other sewing machines. If you do not see what you need, please call us because we're always adding more items to our line. We also value your suggestions of additional items that we should supply to serve you better.

We recognize the importance of your support. Please feel free to call us anytime with your recommendations as to how we can improve our products and service. Our success depends on serving you, our customers, as best we may.

Very truly yours,

A handwritten signature in cursive script that reads 'Abe Silberstein'.
Abe Silberstein
President

POLICY

TERMS: Qualified accounts, approved by our credit department, are allowed Net 30 days. (See credit application on page 61) We also accept payment by most major Credit Cards, C.O.D. or Prepayment.

SALES TAX: We are only responsible for NYS sales tax.

F.O.B., New York, NY: All items are sold F.O.B., New York, NY 10001.

METHOD OF SHIPMENT: Unless specified otherwise, we reserve the right to determine the best method of shipment. All items in this can and will be shipped by UPS unless otherwise requested.

GUARANTEE: Your satisfaction! DIAMOND NEEDLE CORPORATION stands behind every item we sell.

PART NUMBERS: Every item in this book has it's own part number, please use it. Errors, no matter who is at fault, only profit the freight company.

MINIMUM ORDERS: In order to keep our prices low, we require a minimum order of \$25.00 excluding freight and sales tax. By observing this minimum you will help us continue to serve you efficiently and economically. A service charge of \$5.00 will be added to orders under \$25.00. Please avoid the service charge by increasing your order by an extra box of needles or some other item that you'll always need... thank you.

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



ORGAN NEEDLES



A SEWING MACHINE IS ONLY AS GOOD AS THE NEEDLE IN IT!

The Organ Needle Company works closely with all of Japan's sewing machine builders to design and manufacture needles for optimal performance. A machine builder cannot afford to buy an inferior needle at any price!

Next time you order replacement needles for your best machines, order the needles your machine builder uses. When you buy **ORGAN** needles for their outstanding performance you get their *low price* as a bonus.

Would any machine builder jeopardize his reputation by supplying an inferior needle with his machine? How much could he save, .10 or .20 per needle, \$1.00 or \$2.00 per machine? The price of a needle is not a factor to him -- *PERFORMANCE is the factor!* Price is an added benefit, a bonus you always get with every box of **ORGAN** needles.

ORGAN needles are supplied with every new machine from:
BROTHER, JUKI, MITSUBISHI, YAMATO, KANSAI, PEGASUS, CONSEW,
TAJIMA, BARUDAN, NAKAJIMA, KINGLINE, NEWLONG, TOYOTA, RE-
NOWN, and many more...

After you've used-up the *free* needles packed with your new machine, which performed flawlessly, **WHY** change to a more expensive needle? What can you gain? How could any needle at any price be better than those made to the machine builder's specifications? How could a copy, even a more expensive copy, be better than O.E.M. specs?

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



AUGUST 1, 2001

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.



Guide to Selecting the Right Needle

Diamond Needle Corporation carries an extensive line of needles for all quilting and sewing machines. Our ORGAN brand needles combine excellent quality, economical prices and immediate delivery from our huge inventory.

We have all of the popular needles for quilting machines such as Gribetz, Pathe, Emco, Mamut, Stepex, Kaybe and many more. We stock all of the popular types and sizes and even those special needles to meet your most demanding jobs.

For Lockstitch Quilting machines: We stock **7x3KF** and **7x3KSPFL** in sizes #19/120, 23/160, 24/180 and 25/200. We also stock **Howe-D** type needles including 860/490/2331 (Round Shank) and 862/490F/2331F (Flat Shank) in all popular sizes.

For Chainstitch Quilting machines: We stock **794HFR** in sizes #19/120, 23/160, 24/180 and 25/200.

Our two newest developments are:

794HMR-3 chromium needles which recently replaced the 794HMR-2. The FLAT portion of the needle shank has a modified position and the SCARF is reground and lengthened to improve its relationship to the looper. Available from stock in Regular Point in sizes #24/180 and 25/200 and Ball Point in size #24/180.

794HMR-4 PD (*Perfect Durability*) titanium nitride (gold colored) needles for the latest Gribetz and Emco high speed machines. The FLAT portion of the needle shank has a modified position and the relationship of the SCARF to the looper has been adjusted to improve sewing. The special feature of this needle is a reduction in the size of the groove and the eye for improved

thread control. Available now in Regular Point size #24/180 with our **PD** (*Perfect Durability*) wear-resistant finish, we will add other sizes and styles as demand and production increase.

For Tape Edge machines: Our **62x59** needles are designed for efficient sewing. We stock them in sizes #18/110, 21/130, 22/140, 23/160, 24/180 and 25/200. Sizes #23/160 and 24/180 are available in our special

CS (*Cool-Sew*) non-stick finish as well as our **PD** (*Perfect Durability*) wear-resistant finish. Newly developed:

62x59SM #24/180 has a more pronounced ramp between the groove and the eye to create a more pronounced thread loop and reduce skipping.

62x59SD1 #24/180 has an acute round/diamond point for easier penetration in fine leathers.


62xs14DIA #24/180 Diamond Point needles ease penetration by cutting through tough materials like vinyl and leather.

For Flanging machines: System **B27** is available in many sizes including #120, 125, 130, 140, 160 and 180; some are available in **CS** (*Cool-Sew*) and **PD** (*Perfect Durability*) finishes too.

We even carry **Blindstitch** (system **251** short point) needles in many sizes including **#5-1/2**.

Our extensive inventory includes Regular Point and Ball Point needles. Some needles are available with special cutting points while others are available with our special **CS** (*Cool-Sew*) non-stick finish or even our **PD** (*Perfect Durability*) wear-resistant finish.

For your sewing operations we carry a vast selection



Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.



WHITE
DIAMOND

AUGUST 1, 2001




of needle types, sizes and finishes for **Border, Tape Edge, Flanging, Gusset, Quilting, Handle, Label** and **Blindstitch** machines.

We are constantly expanding our needle selection to include needles suitable for just about every quilting, sewing and mattress manufacturing operation.

F. Y. I.

BP Ball Point needles are designed to alleviate making holes in knit or loosely woven materials. The cross fibers that constitute the knit or loosely woven materials are relatively far apart as compared to those in tightly woven materials. When a needle with a standard "set" or "sharp" point encounters one of those fibers in penetrating the fabric, it cuts right through the fiber. The **Ball Point** needle pushes aside the fiber it encounters in penetration and thereby avoids making damaging holes in the fabric.



CS Cool-Sew finish needles have a "non-stick" surface **on** the needle and **inside** the needle's eye. It is intended to alleviate many problems that arise from using synthetic threads and synthetic or coated materials. Synthetics usually "stick" to needle surfaces to some degree and can build-up and clog the groove or the eye. These problems may also be found with certain chemically treated, coated or dyed fabrics.

As synthetic threads pass through the eye of a needle, they create friction and heat which may melt or snap threads. The **Cool-Sew** finish on the needle helps alleviate these sticking and heat build-up problems.



REGULAR
NEEDLE




COOL-SEW
NEEDLE


Regular needle shows buildup of sticking fibers while Cool-Sew needle is free of buildup.

PD Perfect Durability needles have a titanium nitride (gold colored) ceramic finish which makes them more wear-resistant than any other needle. Because titanium nitride is twice as hard as chrome, the needle point and surface will maintain their original shape and dimensions 3 to 5 times longer. This is very helpful when sewing large stitch patterns or penetrating very abrasive, dense or tough materials. **PD** needle points will not wear down as fast as chromium plated needle points. The use of **PD** needles gives you longer needle life, fewer defects due to "dulled" or "barbed" needle points, and increased productivity.

Test of Wear
with the Chrome
Plated Needle



Test of Wear
with the PD
Needle



DP Diamond Point needles have the point shaped with four flat sides tapering to a sharp point, resembling the point of a nail. This eases the penetration of dense, tough materials like split cowhide, hard vinyl, paper, etc. The **Diamond Point** cuts its way through the material instead of puncturing. When you are having trouble penetrating a fabric a **Diamond Point** may alleviate the problem.

Diamond Needle Corporation carries the widest range of quilting and sewing machine needles in the industry. We stock ORGAN brand needles in all systems, sizes and finishes. Our ORGAN brand needles are excellent quality, economically priced and available for fast delivery from our huge stock.

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



**WHITE
DIAMOND**



ORGAN brand Needles *Quality and Economy*
to meet all your needle requirements

November, 2010


62x59 'Tape-Edge' Needles

Varieties to suit all sewing needs

62x59: This is the standard Tape-Edge needle. It has a twist groove and a long scarf.
 Available in sizes #18, 19, 20, 21, 22, 23, 24 & 25 with Chrome, **CS**/non-stick, or **PD**/titanium finishes..

62x59 CS/HP: This is the standard Tape-Edge needle with a **Cool-Sew/HP** "non-stick" finish, even inside the eye. The **CS/HP** finish reduces residue build-up on the needle, in the groove or in the eye. This can occur when sewing coated, glued, synthetic fabrics or with synthetic thread. Significantly alleviates build-up with FR treated fabrics and threads. Available in sizes #23, 24 & 25.

62x59 PD: This is the standard Tape-Edge needle with a long wearing **PD**/titanium finish. The **PD**/titanium-nitride finish is harder than chrome. The needle is more resistant to wear. The needle point, eye, and surfaces will maintain their integrity 3 to 5 times longer than chrome needles.
 Available in sizes #23, 24 & 25.



62x59 DIA PD: This is the standard Tape-edge needle with a **Diamond Point** for cutting the stitch hole in hard materials like vinyl and other dense materials. The Diamond Point serves like the point of a nail to ease penetration. (A longer stitch may be desirable on vinyl and leather).
 Available in size #25 with the **PD**/titanium wear resistant, long wearing finish.



62x59 SM: For certain circumstances where you feel you need a larger loop, this needle has a modified kick-out at the bottom of the groove to form a larger loop.
 Available in size #24 with Chrome or **CS**/Cool-Sew finish.

62x59 SERV2: This needle has a smaller eye to accommodate thinner than usual threads. Maintains proper thread tension and control on thinner thread. Includes features of 62x59SM needles, but smaller eye.
 Available in size #24 with Chrome, **CS**/Cool-Sew or **PD**/titanium finish.

62x59 SD1 PD: This is the standard Tape-Edge needle with a **Round Tri-Tip** point for cutting the beginning of the stitch hole in hard materials like vinyl. The **SD1** tip cuts about 10% of the stitch hole while the 90% is displaced by the **Round** portion of the needle point. You get the benefit of a *cutting* point with a smaller stitch hole. Easier penetration and handsome stitch appearance in vinyl and similar materials.
 Available in size #24 with Chrome, **PD**/titanium, or #25 with **PD**/titanium finish.

SD1
Round
Tri-Tip



ORGAN needles are available in all types. Call us any time !

ORGAN Quilting Needles

CHAINSTITCH: You will know that your machine is a "*Chainstitch*" if it requires **loopers**.

794 HFR	sizes 24/180 (for other sizes use 794HMR) This is the standard 794H (7x3) needle which includes a round (sharp) point, one long groove and a scarf, with a flat shank at 90 degrees to the looper .	\$85.00/hundred
794 HMR	sizes 19/120, 23/160 (for other sizes use 794HMR-3) This is the standard 794H (7x3) needle which includes a round (sharp) point, one long groove and a scarf, with a flat shank at 95 degrees to the looper .	\$85.00/hundred
794 HMR CS	size 24/180 This is the standard 794H (7x3) needle which includes a round (sharp) point, one long groove and a scarf, with a flat shank at 95 degrees to the looper and a Cool Sew non-stick finish	\$94.50/hundred
794 HMR-3	sizes 24/180, 25/200 This is the standard 794H (7x3) needle which includes a round (sharp) point, one long groove and a scarf, with a flat shank at 95 degrees to the looper and a longer scarf at 90 degrees to the looper .	\$87.50/hundred
794 HMR-3 BP	size 24/180 This is the standard 794H (7x3) needle which includes a round (sharp) point, one long groove and a scarf, with a flat shank at 95 degrees to the looper and a longer scarf at 90 degrees to the looper with a Ball Point for sewing on knit or loosely woven materials.	\$87.50/hundred
794 HMR-4 PD	size 22/140, 24/180 J5P3031910T, J5P3031915; This is the standard 794H (7x3) needle which includes a round (sharp) point and a scarf, with a flat shank, the eye and groove reduced in size for better thread control and a titanium nitride PD/Perfect Durability (gold colored) finish to reduce wear.	\$115.00/hundred
794 HMR-4 BP PD	size 22/140, 24/180 This is the 794HMR-4 needle (as above) with a Ball Point for knit fabrics.	\$115.00/hundred
794 HMR-4 CS/LP	size 24/180 This is the 794HMR-4 needle (as above) with a Cool-Sew (LP) non-stick finish to resist residue.	\$115.00/hundred
794 HMR-4 SD1 PD	size 24/180 This is the 794HMR-4 needle (as above) with a Tri Tip for cutting through difficult materials that a round point needle will not penetrate.	\$124.50/hundred

LOCKSTITCH: You will know that your machine is a "*Lockstitch*" if it requires **shuttles**, or you know you use **bobbins**.

7x3 KF	sizes 19/120, 23/160, 24/180 This is the original needle modified from the 7x1 which includes a short point, one long groove and one short groove, with a flat shank at 90 degrees to the shuttle .	\$85.00/hundred
7x3 KF BP	SIZE #23/160 This is the 7x3 KF needle as above with a Ball Point	\$85.00/hundred
7x3 KF CS	size 23/160 This is the standard 7x3 KF needle (as above) with a Cool Sew non-stick finish.	\$94.50/hundred
7x3KF PD	size 23/160	\$94.50/hundred
7x4 KF (DP)	size 23/160 This is the standard 7x3 KF needle (as above) with a Diamond Point for cutting through difficult materials that a round point needle will not penetrate.	\$119.50/hundred
7x3 KSPFL	sizes 19/120, 23/160, 24/180, 25/200 J512169012; This is the needle modified from the 7x3 which includes a short point, a long groove and a scarf (clearance above the eye), also with a flat shank at 90 degrees .	\$85.00/hundred
7x3 KSPFL BP	size 23/160 This is the 7x3 KSPFL needle as above with a Ball Point	\$85.00/hundred
7x3 KSPFL CS	size 23/160 This is the standard 7x3 KSPFL needle (as above) with a Cool Sew non-stick finish.	\$94.50/hundred
7x3 KSPFL PD	size 23/160 This is the standard 7x3 KSPFL needle (as above) with a Perfect Durability titanium coating.	\$94.50/hundred

ORGAN Bedding Needles

Available sizes

Price/100

for other QUILTERS:

126x11 SES SERV1	ball point	23	\$52.50
216x7	regular point	22, 24, 25, 26, 27, 28, 29, 30	\$175.00
328FL-E	regular point	120, 130, 140	\$59.50
490 (Round Shank)	regular point	1, 2, 3, 4, 5, 6	\$27.95
490F (Flat Shank)	regular point	1, 2, 3, 4, 5, 6	\$39.50
860 (Round Shank)	regular point	1, 2, 3, 4, 5, 6	\$27.95
862 (Flat Shank)	regular point	1, 2, 3, 4, 5, 6	\$39.50
2044FL-E	regular point	120, 130	\$52.50
2331 (Round Shank)	regular point	100, 110, 120, 130, 140	\$27.95
2331F (Flat Shank)	regular point	100, 110, 120, 130, 140, 160	\$39.50
2331FLG	regular point	110, 120, 130	\$52.50
2331FEXT.LG	regular point	130	\$62.50
2345FR-SPI	acute slim point	130, 160	\$52.50
DD-E39	regular point	23/160	\$58.10
EBx1	regular point	16, 18, 19, 21, 22, 23	\$27.95
EBx2	regular point	16, 18, 19, 21, 22, 23	\$39.50
EBx3	regular point	21	\$52.50
SY8145-01	regular point	130, 160	\$65.00
SY8167-02	acute slim point	21/130	\$52.50

for TAPE EDGE:

62x59	regular point	18, 19, 21, 22, 23, 24, 25	\$52.50
62x59 CS Cool-Sew	regular point	23, 24, 25	\$58.50
62x59DIA PD	Diamond Point	25	\$69.50
62x59 PD titanium	regular point	23, 24, 25	\$59.50
62x59 SM	regular point	24	\$52.50
62x59 SERV2	regular point	24	\$53.50
62x59 SERV2 CS Cool-Sew	regular point	24	\$59.50
62x59 SERV2 PD titanium	regular point	24	\$59.50
62x59 SD1 PD	round tri-tip	24, 25	\$61.50

for FLANGER:

B27	regular point	100, 110, 120, 125, 130, 140, 160, 180	\$27.50
B27 BP	ball point	100, 110, 120, 125, 130, 140	\$27.50
B27 CS Cool-Sew	regular point	100, 110, 120, 130	\$34.50
B27 PD titanium	regular point	100, 110, 120, 125, 130, 140, 160	\$36.50
B27 SD1 PD titanium	regular point	130	\$42.50
B64	regular point	100, 110, 120, 125, 130, 140, 160	\$29.50
B64 CS Cool-Sew	regular point	120, 125, 130, 140, 160	\$36.50
B64 PD titanium	regular point	120, 125, 130, 140, 160	\$38.50
154GAS	regular point	040, 044, 049, 054	\$65.00
16x257, DBx1	regular point	16, 18, 19, 20, 21, 22, 23, 24, 25	\$17.25
16x257 CS Cool-Sew	regular point	16, 18, 19, 20, 21, 22, 23, 24	\$21.50
16x257 PD titanium	regular point	16, 18, 19, 20, 21, 22, 23	\$21.50
142x5, DOx5	regular point	120, 125, 130, 140	\$31.50
Merrow	regular point	0D, 1D, 2D, 3D, 4D, 5D, 6D, 7D, 8D	\$79.50

for Others:

135x5	regular point	8, 9, 10, 11, 12, 14, 16, 18, 19, 20, 21, 22, 23, 24, 25	\$17.25
135x5 BP	ball point	8, 9, 10, 11, 12, 14, 16, 18, 19, 20, 21, 22, 23	\$17.25
135x5-NY2 PD	regular point	9, 10, 11, 12, 14, 16, 18, 19, 20, 21, 22, 23	\$21.50
135x5-NY2-SD1 PD	round tri-tip	11, 12, 14, 16, 18, 19, 20, 21, 22, 23	\$29.50
135x5SK1	regular point	11, 12, 14, 16, 18, 19, 20, 21, 22, 23	\$26.50
135x5SK1 PD	regular point	14, 16, 18, 19, 20, 21, 22, 23	\$32.50
135x17	regular point	16, 18, 19, 20, 21, 22, 23, 24, 25	\$23.50
135x17 PD titanium	regular point	16, 18, 19, 20, 21, 22, 23, 24	\$29.50
135x17SK1	regular point	14, 16, 18, 19, 20, 21, 22, 23	\$32.50
135x17SK1 PD	regular point	14, 16, 18, 19, 20, 21, 22, 23, 24	\$38.50
143G	regular point	052, 054, 060, 067, 073, 080	\$59.25
251 Blindstitch	short point	4, 4-1/2, 5, 5-1/2	\$92.50

Contact us for any needles not listed

60 Commerce Rd. - Carlstadt, NJ 07072

tel: (201) 507-1717 - 800-221-5818

tel: (201) 507-1717 - 800-221-5818

Diamond Needle Corp.



WHITE
DIAMOND

November 1, 2010

ORGAN NEEDLES

**INNOVATIVE TECHNOLOGY
WITH AN EYE TOWARDS
THE FUTURE**



While the needle is the least expensive component in any sewing machine, it is the most important. High quality **ORGAN** needles, designed in cooperation with leading machine builders, assure optimal performance, quality, and economy.

ORGAN needles are manufactured from special high carbon, silicone rich steel. We use the latest state-of-the-art production techniques to insure highly polished eyes for dependable, smoother stitches, consistent quality and fewer thread breaks.

ORGAN assures you the *right* needles for all your sewing jobs.

ORGAN supplies the largest variety of needle types, sizes, eye configurations, point designs, and finishes for every sewing task... **ORGAN** assures you excellent quality needles, economical prices, and optimal performance.



COOL-SEW[®] NEEDLES

The **COOL-SEW** finish was developed to alleviate needle problems resulting from the following situations:

- (1) Heat Buildup in penetration of synthetic, chemically treated, or very dense materials
- (2) Materials or residue sticking to needle surface or in eye
- (3) Excessive sewing thread breakage due to friction in the needle eye



As a needle penetrates synthetic, chemically treated or very dense materials a great deal of friction may develop. The needle may get so hot as to actually melt or fuse the sewn material along the seam. The needle's heat may melt the synthetic sewing thread. When the machine stops, the melted residue may stick to the needle surfaces as it cools.

The nature of some materials makes them rather "sticky." Materials such as rubber, foam, and synthetic fillers stick to surfaces with which they make contact. They may stick to needles which penetrate through them, even at relative slow sewing speeds. The result may cause undesirable stitch appearances as these materials push through or pull up through needle holes.

Synthetic threads often have a higher friction coefficient than natural fiber threads such as cotton. Passing through the eye of a needle friction develops which causes the needle to heat up. As the speed of the thread passing through the eye of the needle increases, the heat of the needles rises, often to temperatures which will melt the synthetic sewing thread causing it to break.

Chemical coatings or treatments of threads and materials may cause troublesome sewing problems. Bonded layers, waterproofing, dyes, starches, adhesives, sizings, or other alterations to any fibers may result in needle heat-buildup, sticking problems, excessive thread breakage, and clogged needle eyes.


The **COOL-SEW** finish needle's surfaces, even in the eye, are resistant to sticking. Its non-stick finish has a very low friction coefficient which prevents excessive heat buildup and its resulting problems. Few, if any, materials stick to the surfaces of Cool-Sew needles.

When **Cool-Sew** needles are used under conditions described above you can expect neater stitches, less sewing thread breakage, less puckered stitches, less downtime, less defects, and increased productivity.

COOL-SEW needles are ideal for sewing through vinyl, synthetics, chemically treated materials, glued materials, rubberized goods, nylon, foam, dense materials, and with synthetic threads.

PD PERFECT DURABILITY NEEDLES

Organ Needle Company has managed to combine the functionality of sewing machine needles with the latest technology of ceramic coatings. These new **PD** (Perfect Durability) needles have titanium nitride layered on their surfaces to extend their productive life by as much as five times that of conventional needles.




Lasts Five Times Longer Than Chrome-Plated Needles

Productivity of automated and unmanned sewing equipment is limited by the life of their needles. **PD** titanium coated needles are significantly stronger than other needles while maintaining elasticity. This reduces needle breakage, bending and distortion. **PD** needles are more wear resistant than conventional chromium plated needles. **PD** needles provide perfect reliability and durability in prolonged stitching operations.


Stronger at the Point of the Needle

Organ's process for making **PD** needles also strengthens the point of the needle. The point of a needle is exposed to high pressures causing needle wear and breakage. The strength of the needle has been reinforced while maintaining a perfect shape in order to provide greater wear resistance and durability.

Test of Wear with a Chrome Plated Needle



Test of Wear with a PD Needle



Using PD needles means better quality stitches, less downtime, higher productivity And lower cost production.

Diamond Needle Corp.

60 Commerce Rd • Carlstadt, NJ 07072
Phone: (201)507-1771 • (800)221-5818

FAX: (201)507-1715 • (800)833-3363
E-mail: info@diamondneedle.com



ORGAN® NEEDLES

PRICE LIST

EFFECTIVE
NOVEMBER 1, 2010

revised August 1, 2013



Prices quoted in U.S. Dollars per 1,000 needles

7x1 #18-27	775.00	31x1	285.00	128x21	389.00	149x7	349.50
7x1 #28-30	999.50	46x2TRI	450.00	128x22	325.00	151x1	920.00
7x2DP	925.00	52x7	575.00	129x1	410.00	151x7	920.00
7x3 #18-27	775.00	62x40SP	595.00	130x3	425.00	151x21	650.00
7x3 #28-30	999.50	62x43	335.00	134x1	315.00	151x23	1,055.00
7x4DP	925.00	62x45	345.00	135x5	172.50	175x1	235.00
7x4NW	925.00	62x57	465.00	135x5-NY2 PD	215.00	175x3	285.00
7x23 #21-27	775.00	62x59	525.00	135x5-NY2-SD1 PD	295.00	175x5	235.00
7x23 #28-30	999.50	62x59DIA PD	695.00	135x5SK1	265.00	175x7	285.00
15x1	125.00	62x59SD1	525.00	135x6	295.00	175x9	285.00
15x1SP	275.00	62x59SD1 PD	615.00	135x7	172.50	175x13	295.00
15x1ST	275.00	68x3	285.00	135x7-NY2 PD	215.00	214x1 #18-27	525.00
15x2	295.00	68x5	285.00	135x7-NY2-SD1 PD	295.00	214x1 #28	785.00
16x1	180.00	71x1	172.50	135x7SK1	265.00	214x2RTW #18-27	615.00
16x2DP	269.50	75x1	425.00	135x8DP	295.00	214x2RTW #28	875.00
16x2NW	269.50	81x1	275.00	135x8NW	295.00	216x1	805.00
16x2RTW	269.50	81x5	350.00	135x8RTW	295.00	216x7	1,750.00
16x2TRI	269.50	82x13	285.00	135x8TRI	295.00	1431	650.00
16x6	269.50	88x1	180.00	135x9	275.00	1433	650.00
16xS45	450.00	88x5	385.00	135x11	172.50	1435	1,055.00
16x63	330.00	88x9	180.00	135x16DP	349.50	1437	1,055.00
16x71	172.50	92x1 #22-25	592.50	135x16NCR	349.50	1906	180.00
16x75	390.00	92x1 #26-27	852.50	135x16NTW	349.50	1955	172.50
16x87	172.50	97x3	1,070.00	135x16NW	349.50	1955-01SK1	265.00
16x95	172.50	108x1	269.50	135x16RTW	349.50	DURKOPP-ADLER, PFAFF, etc.	
16x99	370.00	108x3	269.50	135x16TRI	349.50	34D	269.50
16x231	172.50	124x2	1,750.00	135x17	235.00	34DI	269.50
16x231-NY2 PD	215.00	126x3	297.50	135x17-NY2 PD	285.00	34LR	269.50
16x231-NY2-SD1 PD	295.00	126x9	297.50	135x17-NY2-SD1 PD	325.00	34R	180.00
16x246	295.00	126x11	525.00	135x17-SERV2	235.00	81LR	525.00
16x257	172.50	126x11SERV1	525.00	135x17SK1	325.00	88R	375.00
16x257-NY2 PD	215.00	128x1	389.00	135x53	180.00	88HK	375.00
16x257-NY2-SD1 PD	295.00	128x2	325.00	135x65	172.50	130B	297.50
16x257LR	295.00	128x3	389.00	137x1	1,150.00	130LR	295.00
24x1	375.00	128x4	325.00	142x5	315.00	130R	125.00
29x3	235.00	128x6	325.00	149x3	335.00	<i>continued...</i>	
29x4	325.00	128x20	325.00	149x5	345.00		

Created with precision to serve all sewing demands

Contact us for needles not listed



Created with precision to serve all sewing demands

134D	295.00	APEX	253C	1,150.00	8454G	1,055.00
134Di	295.00	14SP 450.00	253SB	1,150.00	MERROW #B-2SD	1,055.00
134K	275.00		253M	1,150.00		
134LR	295.00	BAGS, Doboy, Fischbein, Newlong	287WKH	235.00	JAPANESE SYSTEMS	
134PCL	295.00	BSx723 1,055.00	854S	310.00	BLx1	297.50
134PCR	295.00	C100R 2,250.00	854S-Notch	350.00	BLx2N	349.50
134R	172.50	C100S 1,795.00	DBx1KN	215.00	DAx1	180.00
134R-NY2 PD	215.00	D5F 775.00	DB-K5	172.50	DBx1	172.50
134R-NY2-SD1 PD	295.00	D5R 775.00	DB-K5 PD	215.00	DBx1KN	215.00
134S	295.00	DNx1 #22-25 592.50	DB-K5KK	180.00	DB-G52	350.00
134-35D	325.00	DNx1 #26-27 852.50	DB-K5NY	172.50	DB-K5	172.50
134-35DI	325.00	DR-H30 2,250.00	DBXK5Q1	172.50	DB-K5SS	260.00
134-35K	295.00	748-00027A 1,300.00	DB-K5SD1 PD	295.00	DBx7ST	285.00
134-35LR	295.00		DB-K5SS	260.00	DBx9ST	285.00
134-35R	269.50	BLINDSTITCH	DB-K5Z1	172.50	DCx1	275.00
134-35R-NY2 PD	335.00	251 925.00	DBx7ST	285.00	DCx1F	449.00
134-35R-NY2SD1PD	365.00	251EL 925.00	DBx9ST	285.00	DCx3	335.00
134R-SK1	265.00	251EU 1,055.00	DB-K23	235.00	DCx27	275.00
175H	425.00	251LG 925.00	DF-M20	375.00	DCxN17	275.00
190LR	375.00	29-6 / 29BB 1,530.00	DPx5KN PD	395.00	DMx13	285.00
190R	305.00	29-12 / 29BC 925.00	PHx1SM	1,150.00	DNx1 #22-25	592.50
265-50	295.00	29-13 / 29BD 925.00	PH-C70	1,685.00	DNX1 #26-27	852.50
328LR	615.00	29-34 / 29BL 1,055.00	PH-C70SB	1,685.00	DUX1	375.00
328R #110-250	525.00	29-39 / 29BK 1,055.00	PH-C120	1,925.00	DV-K25	465.00
328R #280	785.00	29-49 / 29BL 1,055.00			DVx210	525.00
332LG	295.00		FLAT SHANK		DVx600	525.00
332LR	325.00	CARPET MACHINERY	15x1	125.00	HAX1	125.00
332R	235.00	123-14LGPT 481.00	15x1PD	495.00	HAX130N	395.00
438R	295.00	123-14LGPT PD 575.00	15x1BP	125.00	HAX130N PD	595.00
556KH	275.00	135x8DP 295.00	15x1BP PD	495.00	HLx5	285.00
558	345.00	135x8DP PD 365.00	15x1SP	275.00	JLx1	335.00
794	775.00	1970A 1,750.00	15x1ST	275.00	JLx2	389.50
794Di	925.00	K60 #23 425.00	15x1ST PD	595.00	PFx797	275.00
794S	925.00	SG-N28 1,750.00	15x2	295.00	SLx75	390.00
797	275.00	Titan7713 925.00	130LR	295.00	TEX1	235.00
797KH	275.00		130R	125.00	TQx1	235.00
805LR	525.00	CHANDLER	130R BP	125.00	TQx7	285.00
933	335.00	135x1FS (146) 425.00	705H	125.00	TVx64	295.00
934	335.00	175x1FS (471) 325.00	705H BP	125.00		
971B	575.00		705LR	295.00	KANSAI	
1000H		EMBROIDERY	DN2 per needle	1.20	62x40SP	595.00
MY1014	325.00	0110 350.00	HAX1	125.00	DV-K25	465.00
1738(A)	172.50	0854 350.00	HAX130EBBR	395.00	DVx210	525.00
2134-35D	325.00	110S 310.00	HAX130N	395.00	DVx600	525.00
2134-35Di	325.00	110S-Notch 350.00	HAX130N PD	595.00	UOX113	395.00
2134-35K	295.00	110S-TOP 350.00	HAX130Spi	185.00		
2134-35LR	295.00	15x1 125.00	HLx5	285.00	LEWIS Buttonsew	
2134-35R	269.50	15x1 PD 495.00	HLx5PD	595.00	29S	235.00
3207	285.00	15x1SP 275.00			29LSS	285.00
		15x1ST 275.00	HOSIERY			
AMERICAN EDG BAST		15x1ST PD 595.00	4117	925.00	MERROW	
75W	550.00	137x1 1,150.00	4118	925.00	60MSD	
		253 1,150.00	154GDS	1,055.00	#0D-8D	795.00
continued...		continued...	continued...		continued...	

Contact us for needles not listed

60 Commerce Rd. - Carlstadt, NJ 07072

August 1, 2013

Diamond Needle Corp.

tel: (201) 507-1771 - 800-221-5818

fax: (201) 507-1715 - 800-833-3363

email: info@DiamondNeedle.com



**WHITE
DIAMOND**



Created with precision to serve all sewing demands

#2SD	795.00	2331FEXT.LG	625.00	133G	475.00	135x17 PD	295.00
A-2SD	1,055.00	2345FR-SPI	525.00	143G #054-080	592.50	135x17-NY2 PD	285.00
B-1SD	1,055.00	DD-E39	581.00	143G #090	852.50	135x17-NY2-SD1 PD	325.00
B-2SD	1,055.00	EBx1	279.50	147G	450.00	135x17SK1 PD	385.00
MERROW		EBx2	395.00	154FGS	650.00	135x53 PD	235.00
Straight #8	450.00	EBx3	525.00	154GAS	650.00	135x65 PD	215.00
Straight #10H	450.00	SY8145-01	650.00	154GBS	1,055.00	142x5 PD	450.00
		SY8167-02	525.00	154GCS	1,055.00	149x3 PD	450.00
PORTABLE SERGERS				154GDS	1,055.00	149x5 PD	417.00
SY2053	335.00	REECE		154GFS	1,055.00	149x7 PD	417.00
SY2054	390.00	501SC	325.00	154GHS	650.00	175x7 PD	325.00
SY2922	341.00	750SC	390.00	158G	925.00	1906 PD	235.00
BLx1	297.50	950SC	525.00	163GAS	425.00	1955 PD	215.00
BLx2N	349.50	951SC	525.00	180G	325.00	PD for Durkopp-Adler, Pfaff	
BLx4	389.50	RIMOLDI		183G	325.00	134R PD	215.00
DCx1F	449.00	B26	325.00	943G #067-080	725.00	134R-NY2 PD	215.00
ELx705	341.00	B27	275.00	947G #067-080	725.00	134R-NY2-SD1 PD	295.00
JLx1	335.00	B27-SD1 PD	425.00	1970G	1,750.00	134-35D PD	365.00
JLx2	389.50	B27FM-B	425.00	1975G	1,750.00	134-35DIA PD	365.00
SLx75	390.00	B29	350.00	8454G	1,055.00	134-35R PD	335.00
TEEx1	235.00	B63	295.00	9848G	1,750.00	134-35R-NY2 PD	335.00
WILCOX & GIBBS		B64	295.00	9854G	1,925.00	134-35R-NY2-SD1 PD	365.00
513	625.00	B67	335.00	9858G	1,625.00	134-35R-SK1 PD	395.00
576	1,055.00	SADDLE STITCH		PD for SINGER		190R	395.00
581	550.00	29C150	375.00	7x3 PD	925.00	2134-35R PD	335.00
QUILTING		29C151	1,725.00	16x95 PD	215.00	PD for UNION SPECIAL	
7x3KF	850.00	29DEA	375.00	16x231 PD	215.00	113G PD	475.00
7x3KF PD	945.00	29DHD	1,725.00	16x231-NY2 PD	215.00	118GBS PD	575.00
7x3KFR	850.00	CPx1	375.00	16x231-NY2-SD1 PD	295.00	128G PD	450.00
7x3KSPFL	850.00	CPx12	1,725.00	16x257 PD	215.00	128GAS-NY2 PD	450.00
7x3KSPFL PD	945.00	CPx13	1,245.00	16x257-NY2 PD	215.00	128GBS-NY2 PD	450.00
7x3KSPFR	850.00	CPx17	1,245.00	16x257-NY2-SD1 PD	295.00	128GBS PD	450.00
7x4KF	1,195.00	CPx170	1,245.00	62x43 PD	450.00	130G PD	525.00
88R	375.00	CPx200	575.00	62x45 PD	417.00	PD for FLAT SHANK	
88HK	425.00	CPx660	1,425.00	62x57 PD	525.00	15x1 PD	495.00
175H	425.00	UNION SPECIAL		62x59 PD	595.00	15x1ST PD	595.00
328FL-E	595.00	108G	295.00	62x59DIA PD	695.00	705H-E PD	595.00
490	279.50	110G	450.00	62x59SD1 PD	615.00	130R PD	495.00
490F	395.00	113G	395.00	71x1 PD	215.00	HAX130N PD	595.00
794HFL	850.00	118GAS	450.00	81x1 PD	375.00	HLx5 PD	595.00
794HFR	850.00	118GBS	450.00	135x5 PD	215.00	PD for QUILTING	
794HMR	850.00	118GHS	450.00	135x5-NY2 PD	215.00	7x3KF PD	945.00
794HMR-3	875.00	118GHS	450.00	135x5-NY2-SD1 PD	295.00	7x3KSPFL PD	945.00
794HMR-4 PD	1,150.00	118GKS	450.00	135x5SK1 PD	325.00	794HMR-4 PD	1,150.00
794HMR-4-SD1PD	1,245.00	120G	295.00	135x7 PD	215.00	794HMR-4-SD1 PD	1,245.00
860(D)	279.50	121G	295.00	135x7-NY2 PD	215.00	PD for RIMOLDI	
862(D)	395.00	121GUS	295.00	135x7-NY2-SD1 PD	295.00	B27 PD	365.00
2044FL-E	525.00	126G	335.00	135x7SK1 PD	325.00	B64 PD	385.00
2331	279.50	128G	335.00	135x8DP PD	365.00	continued...	
2331F	395.00	128G-NY2-PD	450.00	135x16DP PD	395.00	continued...	
2331FLG	525.00	130G	450.00	135x16TRI PD	395.00	continued...	
continued...		continued...		continued...		continued...	

Contact us for needles not listed

Diamond Needle Corp.

60 Commerce Rd. - Carlstadt, NJ 07072

tel: (201) 507-1771 - 800-221-5818

fax: (201) 507-1715 - 800-833-3363

email: info@DiamondNeedle.com

August 1, 2013



**WHITE
DIAMOND**

ORGAN® NEEDLES

Created with precision to serve all sewing demands



PD for EMBROIDERY		Cool-Sew for QUILTING	
DB-K5 PD	215.00	794HMR-4 CS	1,150.00
DB-K5SD1 PD	295.00	7x3KF CS	945.00
DB-K5Z1 PD	215.00	7x3KSPFL CS	945.00
DB-K23 PD	285.00		
287WKH PD	235.00		

PD for MISCELLANEOUS		Cool-Sew for RIMOLDI	
123-14LGPT PD	575.00	B27 CS	345.00
750SC PD	360.00	B29 CS	420.00
DCx27 PD	375.00	B63 CS	365.00
DV-K25 PD	525.00	B64 CS	365.00
DYx3 PD	925.00		
TTx7713 PD	1,015.00		

Cool-Sew for SINGER		Cool-Sew for UNION SPECIAL	
16x95 CS	215.00	106TS	365.00
16x231 CS	215.00	108TS	365.00
16x257 CS	215.00	113TS	475.00
62x45 CS	417.00	118TAS	575.00
62x59 CS	585.00	120TS	365.00
62x59-SERV2 CS	595.00	128TAS	397.50
62x59SM CS	585.00	128TBS	397.50
81x1 CS	345.00	130TAS	549.50
88x1 CS	235.00	143TS #067	667.50
135x5 CS	215.00	143TS #090	927.50
135x7 CS	215.00	147TS	525.00
135x17 CS	297.50	154TAS	695.00
149x3 CS	397.50	163TS	485.00
149x5 CS	417.00	180TS	385.00
149x7 CS	417.00	943TS	825.00
151x7 CS	979.80	947TS	825.00
214x1 #26 CS	585.00		
1431 CS	695.00		
1906 CS	235.00		
1955 CS	215.00		

Cool-Sew for DURKOPP, PFAFF			
134R CS	215.00		
134-35R CS	335.00		
190R CS	365.00		

Cool-Sew for EMBROIDERY			
110S CS	395.00		
287WKH CS	310.00		
854S CS	395.00		
DB-K5 CS	215.00		

Cool-Sew for MERROW			
MERROW #2D CS	875.00		

continued...

SK1



ORGAN SK1 needles reduce skipped stitches and sewing thread breakage. Deeper scarf than other needles facilitates large and and stavle loop formation to enable hook point to pick up thread. Improved design compared to other crank needles.

Ideal for Quilting and Multi-Directional Sewing

NO ADDITIONAL CHARGE FOR BALL POINT


PRICES QUOTED in US DOLLARS per 1,000 pcs

Contact us for needles not listed.

SEE OUR WEBSITE
www.diamondneedle.com

PD PERFECT DURABILITY NEEDLES

Organ Needle Company has man- aged to combine the functionality of sewing ma- chine needles with the lat- est technology of ceramic coatings. These new **PD (Perfect Durability)** needles have titanium nitride layered on their surfaces to extend their productive life by as much as five times that of conventional needles.



Lasts Five Times Longer Than Chrome-Plated Needles

Productivity of automated and unmanned sewing equip- ment is limited by the life of their needles. **PD** titanium coated needles are significantly stronger than other needles while maintaining elasticity. This reduces needle breakage, bending and distortion. **PD** needles are more wear resistant than conventional chromium plated needles. **PD** needles provide *perfect* reliability and *durability* in prolonged stitching operations.

Stronger at the Point of the Needle

Organ's process for making **PD** needles also strengthens the point of the needle. The point of a needle is exposed to high pressures causing needle wear and breakage. The strength of the needle has been reinforced while main- taining a perfect shape in order to provide greater wear resistance and durability.

COOL-SEW® NEEDLES

The **COOL-SEW** finish was developed to alle- viate needle problems resulting from the following situations:

- (1) Heat Buildup in penetration of synthetic, chemically treated, or very dense materials
- (2) Materials or residue sticking to needle surface or in eye
- (3) Excessive sewing thread breakage due to friction in the needle eye



As a needle penetrates synthetic, chemically treated or very dense materials a great deal of friction may develop. The needle may get so hot as to actually melt or fuse the sewn material along the seam. The needle's heat may melt the synthetic sewing thread. When the machine stops, the melted residue may stick to the needle surfaces as it cools.

The nature of some materials makes them rather "sticky." Materials such as rubber, foam, and synthetic fillers stick to surfaces with which they make contact. They may stick to needles which penetrate through them, even at relative slow sewing speeds. The result may cause undesirable stitch appearances as these materials push through or pull up through needle holes.

NY2 NEEDLES

Unique design enhances stitch appearance, prevents skipped stitches, thread breakage

Ideal for JEANS
Reduced stress on fabric



Ideal for FURNITURE
Smooth, even seams



Less penetration resistance, less thread and fabric damage

Diamond Needle Corp.



WHITE DIAMOND
60 COMMERCE ROAD
CARLSTADT, NJ 07072
TEL: 201.507.1771 TOLL FREE 800.221.5818
FAX: 201.507.1715 TOLL FREE 800.833.3363
E-MAIL: SALES@DIAMONDNEEDLE.COM


E-W PARTS for CHAINSTITCH QUILTERS

CORRESPONDING TO: GRIBETZ

Recommended needle: **ORGAN 794HMR-3** or **794HMR-4 PD**

1) P3-0146-ASSY NEW STYLE LOOPER & HOLDER

- | | |
|---------------|-------------------------|
| 2) P3-0146C | LOOPER COMPLETE W/GUARD |
| P3-0146 | LOOPER (ONLY) |
| 3) P3-0275 | NEEDLE GUARD |
| 4) P3-0146SC | NEEDLE GUARD SCREW |
| 00172022 | NEEDLE GUARD SCREW |
| 4-40X1/2SHCS | NEEDLE GUARD SCREW |
| 5) 00186154 | LOOPER HOLDER SCREW |
| P3-0178-1SC | LOOPER HOLDER SCREW |
| 4-40X5/16SHCS | LOOPER HOLDER SCREW |
| 6) P3-0178-1 | LOOPER HOLDER (BLOCK) |
| 7) P3-0180SC | THREAD LOCK SCREW |
| 8) P3-0180 | THREAD HOLDER |



P3-0229 THREAD LOOP RETAINER

P3-0229-D THREAD LOOP RETAINER w/CUTTER

For Tack & Jump


- | | |
|--------------|-----------------|
| P3-0229SC | RETAINER SCREW |
| 6-32X1/2SHCS | RETAINER SCREW |
| 00172042 | RETAINER SCREW |
| P3-0229W | RETAINER WASHER |



1) P3-0006 INSERT, RETAINER BAR SUPPORT w/SCREWS

2) P3-0006SC RETAINER BAR SUPPORT SCREWS

3) P3-0007 INSERT, RETAINER BAR SUPPORT




Q-1101-S NEEDLE HOLDER SCREW



1313054 TENSION COMPLETE

MISC SCREWS

- | |
|---------------|
| 5-40X3/8HSHCS |
| 6-32X3/8HSHCS |
| 8-32X1SHCS |
| 00172048 |



Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
 Phone: (201) 507-1771 (800) 221-5818
 Fax: (201) 507-1715 (800) 833-3363
 E-mail: info@diamondneedle.com



**WHITE
DIAMOND**

E-W PARTS for CHAINSTITCH QUILTERS

CORRESPONDING TO: GRIBETZ

Recommended needle: **ORGAN 794HMR-3** or **794HMR-4 PD**

SLITTING BLADES

GR19	7" ROUND BLADE
GR19T	7" PTFE ROUND BLADE
P79037	10" ROUND BLADE
P79037T	10" PTFE ROUND BLADE
Q-1720-29	5-1/4" ROUND BLADE
Q-1720-29T	5-1/4" PTFE ROUND BLADE



SHARPENING STONE

1- Q-1720-30-3	SPINDLE SCREW
2- Q-1720-30-1	SPINDLE SHAFT
3- Q-1720-30-2	JOURNAL
4- Q-1720-30	STONE - REGULAR
4- EW1720	STONE - FINE



BELTS

Q-1720-41-2	29" V BELT
Q-1024-5	96" ROUND RUBBER BELT



E-W PARTS for LOCKSTITCH QUILTERS

CORRESPONDING TO: GRIBETZ & EMCO


Recommended needle: **ORGAN 7x3 KF** or **KSPFL**

Q10	SHUTTLE
E222	5.5" ROUND BLADE F/EMCO



THREADING ACCESSORIES

A1	THREADING HOOKS (25/PACKAGE)
EW101	5-3/8" THREADING WIRE
EW401	THREADING WIRE (7-3/4")
SHT1	THREADING HOOK HOLDER (4-1/2")
SHT2	THREADING HOOK HOLDER (7-3/4")



Diamond Needle Corp.

AUGUST 1, 2001

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

EW WHITE
DIAMOND


E-W BINDER HEADS

HIGH QUALITY • DURABLE • ECONOMICALLY PRICED

THERE ARE TWO IMPORTANT DIMENSIONS ON ANY BINDER HEAD:


The first is the length around the "Arch" (A), which must equal the **exact** width of your tape.

The other is the width of the opening (B), which is the maximum thickness of the material to be bound.



Singer Style:

	Tape Size(A)	Opening(B)
259552 5/8	5/8"	3/16"
259552 3/4	3/4"	3/16"
259552 7/8	7/8"	1/4"
259552 1	1"	1/4"
259552 1-1/8	1-1/8"	3/8"
259552 1-1/4	1-1/4"	3/8"
259552 1-3/8	1-3/8"	3/8"
259552 1-7/16	1-7/16"	3/8"
259552 1-1/2	1-1/2"	3/8"




259549 5/8	5/8"	3/16"
259549 3/4	3/4"	3/16"
259549 7/8	7/8"	1/4"
259549 1	1"	1/4"
259549 1-1/8	1-1/8"	3/8"
259549 1-1/4	1-1/4"	3/8"
259549 1-3/8	1-3/8"	3/8"
259549 1-7/16	1-7/16"	3/8"
259549 1-1/2	1-1/2"	3/8"

Tape-Edge Style:

	Tape Size(A)	Opening(B)
269890 3/4	3/4"	3/16"
269890 7/8	7/8"	1/4"
269890 1	1"	1/4"
269890 1-1/8	1-1/8"	3/8"
269890 1-1/4	1-1/4"	3/8"
269890 1-3/8	1-3/8"	3/8"
269890 1-7/16	1-7/16"	3/8"
269890 1-1/2	1-1/2"	3/8"
269890 1-9/16	1-9/16"	3/8"

269890H 1-1/4 1-1/4" 1/2"
Heavy (Higher Capacity)



Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



**WHITE
DIAMOND**

E-W BINDER HEADS

"Cash" Style:

	Tape size(A)	Opening(B)
20022 1-1/4	1-1/4"	3/8"
20022 1-7/16	1-7/16"	3/8"
20022 1-1/2	1-1/2"	3/8"

Singer Style:

	Tape size(A)	Opening(B)
with short slot for "Cash", "Porter", "Spuhl", "United", etc.		
269890S 1-1/4	1-1/4"	3/8"
269890S 1-7/16	1-7/16"	3/8"
269890S 1-1/2	1-1/2"	3/8"

Porter Style:

	Tape size(A)	Opening(B)
670700 7/8	7/8"	7/32"

Spuhl Style:

	Tape size(A)	Opening(B)
295.9703.000	9/16"	3/16"
295.9703.001	5/8"	3/16"
295.9703.002	3/4"	3/16"
295.9703.006	7/8"	1/4"
295.9703.003	1"	1/4"
295.9703.007	1-1/4"	3/8"
295.9703.004	1-7/16"	3/8"
295.9703.005	1-1/2"	3/8"

Union Special Style:


	Tape size(A)	
23215BC 5/8	5/8"	3/16"
23215BC 3/4	3/4"	3/16"
23215BC 7/8	7/8"	1/4"
23215BC 1	1"	1/4"
23215BC 1-1/4	1-1/4"	3/8"

Binder Mounting Brackets:

23437B/C Union Special Machines

509-21-1 Tape Edge Machines

509-21B-1 Tape Edge w/ Pins



Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
 Phone: (201) 507-1771 (800) 221-5818
 Fax: (201) 507-1715 (800) 833-3363
 E-mail: info@diamondneedle.com



E-W PARTS for TAPE EDGE CLOSING MACHINES

CORRESPONDING TO: **CASH, PORTER, SPUHL, UNITED, ETC.**
Recommended needle: **ORGAN 62x59** - see needle section for available sizes



EW413
OUTSIDE PRESSER FOOT



EW433
INSIDE PRESSER FOOT



EW421
FEED DOG




EW424
THROAT PLATE



EW482
NEEDLE BAR w/FLAT
FOR TAPE EDGE MACHINES
w/EW482SC SCREW



EW15 88" F/PORTER
CMT4 96" F/CASH
ROUND RUBBER BELT




EW432
FEED DOG SHANK



EW940
FEED BAR



268370, 268309, 268382,
268311, 268088, 268369,
268380, 295.92213.00
LOOPER



EW440
LOOPER HOLDER



EW469
SPREADER



268162, 295.92215.00
SPREADER POINT



EW420
SPREADER BAR



EW419
LOOPER ROCKER SHAFT



EW439
CONNECTION LINK



EW494
TIMING BELT



EW52
BRAKE PAD



EW466
DRIVE ROCKER FRAME



EW486
FOOT LIFT LEVER



EW506
PLUNGER



EW502
SPRING FULCRUM



EW505
CYLINDER



EW417
BINDER PIVOT STUD



295.94230.00
DRIVE ECCENTRIC F/SPUHL

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.



WHITE
DIAMOND

MAY 1, 2001

E-W PARTS for TAPE EDGE CLOSING MACHINES

CORRESPONDING TO: **CASH, PORTER, SPUHL, UNITED, ETC.**
Recommended needle: **ORGAN 62x59** - see needle section for available sizes



20047, 20047G
FEEDER F/CASH



C268367
CARRIER F/CASH



295.94268.01
SPREADER HOLDER
F/SPUHL



225.90149.00
NEEDLE BAR w/FLAT
F/SPUHL

295.942.9712	N/B CONN LINK F/SPUHL
295.92252.00	NEEDLE GUARD F/SPUHL
295.94210.00	CNTR FOOT SHAFT F/SPUHL
295.94210.01	OUTER FT SHAFT F/SPUHL
295.94220.07	FOOT LFT CRANK F/SPUHL
295.94250.02	NEEDLE BEARING F/SPUHL
295.94255.04	TEN BRKT COLLAR F/SPUHL
295.94290.08	CASTOFF LEVER F/SPUHL
295.94297.26	NDL BAR FRAME F/SPUHL
6243	SCREW F/UNITED
6315	SCREW F/UNITED
6526	SCREW F/UNITED

20007	WING SCREW F/CASH
20013	WASHER F/CASH
20014	HEX SKT HD SCREW F/CASH
20048	SKT CAP SCREW F/CASH
20119	THROAT PLATE F/CASH
67425	LOCK WASHER F/UNITED
200078	INSIDE FOOT SCREW
200100	FEED DOG SCREW
604108	DISK F/SPUHL
EW422	OUTSIDE FOOT SCREW
EW451	SET SCREW
EW482SC	NEEDLE SET SCREW
295.952.0425	SCREW FOR SPUHL

IF YOU DON'T SEE WHAT YOU NEED... CALL AND ASK US

BASED ON: **SINGER 300W & 300U MACHINES**
Recommended needle: **ORGAN 62x59** - see needle section for available sizes




268370, 268309, 268382,
268311, 268088, 268369,
268380
LOOPER




268638, 268620
SPREADER (STANDARD)




268162
SPREADER POINT




268602, 417056
LOOPER HOLDER




267632
OUTSIDE PRESSER FOOT



267659
INSIDE PRESSER FOOT



54279
THREAD GUIDE



268316
FEED DOG SHANK



268066
ADJUSTING DISK SPRING



268144
NEEDLE BAR OILING FELT



268278
NEEDLE BAR FELT HOLDER



268143, 281209
NEEDLE BAR CRANK
ASSEMBLY

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



WHITE
DIAMOND

E-W PARTS for TAPE EDGE CLOSING MACHINES

BASED ON: SINGER 300W & 300U MACHINES

Recommended needle: **ORGAN 62x59** - see needle section for available sizes



268029
BED SHAFT NEEDLE BEARING



268603, 415040
NEEDLE BAR (STANDARD)
w/200125 SCREW



268129
THROW OUT RACK



268055, 268056
NEEDLE BAR CONNECTING
LINK



268344, 415345
NEEDLE BAR ROCK FRAME
FOR NEEDLE FEED



267637, 267673
NEEDLE BAR ROCK FRAME
FOR WALKING FOOT



268141, 415174
NEEDLE BAR CONNECTING
LINK STUD



268368, 268205, 268367
LOOPER CARRIER BEARINGS



268505
LOOPER THREAD GUIDE



268333
LOOPER TENSION THREAD
GUIDE



268307, 415174
LOOPER CARRIER CRANK



268308, 415292
LOOPER CARRIER CRANK
CLAMPING STUD



267971
NEEDLE THREAD TENSION
UNIT



226206
NEEDLE THREAD TENSION
RELEASE PIN



267617
LIFTING LINK HINGE PIN



267621, 415069
CRANK



267627
VIBRATING PRESSER BAR
LIFT LINK



267629
LIFTING PRESSER BAR GUIDE
BLOCK



267638, 415094
DRIVING ARM



267658
PRESSER BAR HINGE STUD



267718
RETAINER



267738
PRESSER BAR ARM SPRING



267616, 267983, 415061
ARM W/4 SCREWS



267610
FEED DRIVING ECCENTRIC

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



WHITE
DIAMOND

E-W PARTS for TAPE EDGE CLOSING MACHINES

BASED ON: **SINGER 300W & 300U MACHINES**

Recommended needle: **ORGAN 62x59** - see needle section for available sizes



268047, 415210
FEED LIFTING ECCENTRIC



268061
FEED DRIVING
CONNECTION W/BEARING



268062, 415091, 415373
FEED DRIVING
CONNECTION HINGE
STUD



268065
FEED DRIVING ECCENTRIC
ADJUSTING DISC




268069, 415200
DRIVE ROCKER FRAME



268074
FEED LIFT CONNECTION



268075, 415204
FEED LIFT CRANK



268078
FEED LIFTING LINK



268079
FEED LIFTING LINK HINGE
PIN



268081
FEED REGULATOR STUD



268082
FEED REGULATOR STUD
SOCKET COMPLETE



268083, 415102
FOOT LIFTER BELL CRANK



268167, 268514
NEEDLE THREAD TENSION
BRACKET



268099, 415500
LOOPER DRIVING
CONNECTION BEARING



268051
THREAD GUIDE



268506
LOOPER THREAD GUIDE
BRACKET



268111
LOOPER THREAD GUIDE
BRACKET



268331
LOOPER THREAD TENSION
BRACKET



201620
LOCKING PLUNGER THUMB
NUT



268313
PLUNGER HANDLE



268127
LOOPER THROW-OUT GEAR
LOCKING PLUNGER



268131
LOOPER THROW-OUT
SAFETY LATCH
(SPRING NOT INCLUDED)



268123, 533559
LOOPER THREAD TUBE



268052
LOOPER TAKE-UP ROD

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



AUGUST 1, 2001

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

E-W PARTS for TAPE EDGE CLOSING MACHINES

BASED ON: SINGER 300W & 300U MACHINES

Recommended needle: **ORGAN 62x59** - see needle section for available sizes



267665
LOOP DEFLECTOR



268318
LOOP DEFLECTOR



268499
SPREADER BAR



268184
SPREADER BAR BEARING



268185, 415196
SPREADER HOLDER




268220
DRIVING ECCENTRIC THRUST WASHER




268045
DRIVING ECCENTRIC



268233, 415183
SPREADER DRIVING CONNECTION COMPLETE



268190
SPREADER DRIVING PIN



268263
NEEDLE THREAD TENSION COMPLETE



268332, 415294
LOOPER THREAD TENSION COMPLETE



267657
VIBRATING PRESSER BAR

229	LOOP DEFLECTOR SCREW
2102	TENSION DISC
8554	POSITION PIN
10148	TENSION SPRING
21887	ALLEN WRENCH
32572	TENSION REL DISC
32787	LIFTING CRANK
32835	FEED DRIVING ECC COMP
32848	ARM SHAFT BALL BEARING
50169	LOOPER THRD/GD TOP BRACKET SCREW
50326	NEEDLE THREAD TENSION STUD
51570	TENSION THUMB NUT
59537	TENSION SPRING BUSHING —FRONT
59538	TENSION SPRING BUSHING —BACK
59539	TENSION STUD COMPLETE
67425	LOOPER CARRIER STUD WASHER
131741	NEEDLE THREAD TENSION SPRING
140321	SCREW FOR VARIOUS PARTS
141424	LIFTING LINK HINGE PIN SET SCREW
141432	LOOPER THREAD TENSION STUD
141478	NEEDLE GUARD SET SCREW - BACK
141494	NEEDLE GUARD SET SCREW - FRONT
141495	FEED DOG SHANK SCREW
143658	NEEDLE THREAD TENSION THUMB NUT
	LOCKING SPRING
167416	COLLAR
200029	ARM HEAD SCREW
200035	SPREADER BAR BEARING SCREW

200040	FEED DOG SHANK SCREW
200043	NEEDLE BAR ARM PINCH SCREW
200047	SCREW
200049	FT LIFTER LEVER-BACK-SPRING SCREW
200053	BED PLATE SCREW
200054	LOOPER THREAD TUBE CLAMP SCREW
200058	SCREW FOR VARIOUS PARTS
200061	SCREW FOR VARIOUS PARTS
200064	SCREW FOR VARIOUS PARTS
200066	LIFT PRESSER BAR GUIDE BLOCK SCREW
200069	NEEDLE BAR CONNECTING STUD PINCH SCREW
	SCREW FOR VARIOUS PARTS
200078	NEEDLE THREAD GUIDE SCREW
200082	SCREW FOR VARIOUS PARTS
200089	NEEDLE BAR CONN LINK CAP WASHER
200095	SCREW
	SCREW FOR VARIOUS PARTS
200098	FEED DOG - THROAT PLATE SCREW
200100	NEEDLE SET SCREW
200125	BED PLATE SLIDE SPRING SCREW
200164	LIFTING LINK HINGE PIN SET SCREW
200167	LOOP DEFLECTOR SCREW
200172	NEEDLE BAR OIL FELT HOLDER SCREW
200173	PRESSER BAR SPRING HOUSING OIL SCREW
200186	
	MACHINE PULLEY SET SCREW
200327	MACHINE PULLEY POSITION SCREW
200328	

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



**WHITE
DIAMOND**

E-W PARTS for TAPE EDGE CLOSING MACHINES

BASED ON: **SINGER 300W & 300U MACHINES**

Recommended needle: **ORGAN 62x59** - see needle section for available sizes

200337	NDLE BAR ROCK FRAME REG STUD SLEEVE SCREW	244048	LOOPER THREAD TENSION DISC
200344	LOOPER DRIVE CRANK POSITION SCREW	267093	LIFTING LEVER NEEDLE BEARING
200346	NEEDLE BAR CRANK SET SCREW	267110	LIFTING ROCK SHAFT NEEDLE BEARING
200347	BALANCE WHEEL SET SCREW	267606	BED PLATE SLIDE
200354	SCREW FOR VARIOUS PARTS	267607	FACE PLATE
200362	SCREW FOR VARIOUS PARTS	267612	FOOT LIFTER CRANK
200364	SCREW FOR VARIOUS PARTS	267613	FOOT LIFTER LEVER
200373	SCREW FOR VARIOUS PARTS	267615	FOOT LIFTER LEVER ROD
200380	SCREW FOR VARIOUS PARTS	267618	LIFTING ECC ADJUSTING DISC SPRING
200382	FEED ECC ADJ SPR COLLAR SET SCREW	267622	LIFTING ECC FLANGE
200386	COLLAR SET SCREW	267623	ECCENTRIC FRICTION PLATE
200394	FEED LIFTING ECC SET SCREW	267624	LIFTING ECC SPACING COLLAR
200571	FACE PLATE LOCK SPRING SCREW	267625	LIFTING LEVER
200573	LOOPER DRI CRANK OIL STOP SCREW	267626	LIFTING LEVER HINGE STUD
200578	LOOPER T G -TOP OF ARM - BRK SCREW	267628	LIFTING PRESSER BAR
200582	NEEDLE BAR ROCK FRAME T G SCREW	267630	LIFTING PRESSER BAR GUIDE ROD
200583	NEEDLE BAR ROCK FRAME THREAD GUIDE SCREW	267631	LIFTING PRESSER BAR LIFTING CRANK
		267637	NEEDLE BAR ROCK FRAME
		267639	NEEDLE BAR ROCK FRAME DRIVING ECC FLANGE
200907	LOOP DEFLECTOR SCREW		
200928	PRESSER BAR SP ARM HINGE SCREW	267644	PRESSER BAR SPRING ARM FORK
201020	SPREADER DRIVING CONN CAP SCREW	267646	PRESSER BAR SPRING ARM FULCRUM
201052	NEEDLE THRD TENS REL CAP SET SCREW	267649	PRESSER BAR SPRING HOUSING SUPPORT
201063	LIFT ECC CONN HINGE PIN PINCH SCREW	267655	PRESSER BAR SPRING PLUNGER WASHER (LEATHER)
201160	FOOT LIFTER LEVER SPRING SCREW EYE	267660	PRESSER BAR SPRING PLUNGER COMPLETE
201185	SCREW FOR VARIOUS PARTS		
201188	SCREW FOR VARIOUS PARTS	267664	FEED DOG
201254	SCREW FOR VARIOUS PARTS	267673	NEEDLE BAR ROCK FRAME
201256	FEED LIFTING CRANK PINCH SCREW	267702	FOOT LIFTER ARM
201363	FOOT LIFTER LEVER HINGE SCREW	267704	FOOT LIFTER LEVER ROD
201409	PRESSER BAR SPR ARM BALL BEAR RET SCREW	267705	NEEDLE BAR CRANK - ONLY
201416	FACE PLATE HINGE STUD SET SCREW	267706	NEEDLE BAR CRANK COMPLETE
201418	FEED LIFTING ROCK SHAFT CRANK POS SCREW	267707	NEEDLE THREAD TENSION RELEASING PLATE
201522	NUT FOR VARIOUS PARTS	267709	PRESSER BAR PRESSURE CYLINDER CAP
201524	LOOPER CARRIER CRANK CLAMP STUD NUT	267719	PRESSER BAR SPRING ARM FULCRUM
201525	FEED DOG SHANK SCREW LOCK NUT	267907	LIFTING PRESSER BAR GUIDE ROD
201526	FOOT LIFTER LEVER ROD HINGE SCREW NUT	267933	FEED LIFTING ROCK SHAFT
201537	FEED DOG SHANK ADJ SCREW LOCK NUT	267968	BED PLATE SLIDE
201572	LOOPER THREAD TENSION THUMB NUT	267969	BED SLIDE PLATE
201622	PRESSER BAR SPRING ARM HINGE SCREW NUT	267970	BED PLATE SLIDE SPRING
201736	SPREADER DRIV ROCK SHAFT SCREW STUD NUT	267972	FEED ECCENTRIC SPACING COLLAR
204235	ARM HEAD POSITION PIN	267975	BALANCE WHEEL
204348	FOOT LIFTER LEVER SPRING	268005	ARM SHAFT BALL BEARING (FRONT)
204365	NEEDLE THREAD TENSION RELEASER SPRING	268017	BED PLATE SLIDE 3/16 TO 1-1/2
204925	SCREW WASHER	268021	BED PLATE SLIDE 1-17/32 TO 2
206133	FT LIFTER LEVER ROD HINGE SCREW WASHER	268022	BED PLATE SLIDE SPRING
208636	SCREW WASHER	268030	FACE PLATE
240245	FEED REGULATING STUD RETAINING SPRING	268031	FACE PLATE HINGE STUD
241763	FEED DRIVING ECC PLATE SET SCREW PACKING (BRASS)	268033	FACE PLATE LOCK STUD
		268034	FEED BAR
		268035	FEED BAR HINGE PIN
		268046	SPREADER DRIVING ECC COUNTERBALANCE
		268048	MACHINE PULLEY
		268063	DRIVING CONNECTION NEEDLE BEARING
		268064	DRIVING ECCENTRIC
		268070	FEED DRIVING ROCK SHAFT

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
 Phone: (201) 507-1771 (800) 221-5818
 Fax: (201) 507-1715 (800) 833-3363
 E-mail: info@diamondneedle.com



**WHITE
DIAMOND**

E-W PARTS for TAPE EDGE CLOSING MACHINES

BASED ON: **SINGER 300W & 300U MACHINES**

Recommended needle: **ORGAN 62x59** - see needle section for available sizes

268071	ROCK SHAFT NEEDLE BEARING
268073	FEED DRIVING ROCK SHAFT CRANK
268085	FOOT LIFTER LEVER
268086	FOOT LIFTER LEVER ROD
268093	LOOPER CARRIER SHAFT
268094	LOOPER CARRIER SHAFT
268098	LOOPER DRIVING CONNECTION
268102	LOOPER DRIVING CRANK OIL HOLE COVER
268121	THREAD TENSION BRACKET SPACING COLLAR
268122	LOOPER THREAD TENSION THREAD GUIDE
268124	LOOPER THREAD TUBE CLAMP
268126	LOOPER THROW-OUT GEAR
268132	LOOPER THROW-OUT SAFETY LATCH SPRING
268133	LOOPER THROW-OUT SAFETY LATCH SPR BRACKET
268136	NEEDLE BAR
268139	NEEDLE BAR CONN LINK CAP WASHER
268142	NEEDLE BAR CRANK
268168	NEEDLE THREAD TENSION RELEASER
268169	NEEDLE THREAD TENSION RELEASER CAP
268171	NEEDLE THREAD TENSION RELEASING PLATE (ADJ)
268172	PRESSER BAR
268174	PRESSER BAR GUIDE BRACKET
268181	SPREADER BAR
268197	FACE PLATE LOCK SPRING PLATE
268198	FEED LIFTING ROCK SHAFT CRANK
268208	LOOPER CARRIER CRANK HINGE PIN
268216	LOOPER DRIVING CONNECTION
268219 3/16	NEEDLE BAR ROCK FRAME THREAD GUIDE
268219 1/4	NEEDLE BAR ROCK FRAME THREAD GUIDE
268258	OIL PACKING WICK
268270	ARM SHAFT CONN BELT (NEOPRENE)
268277	LOOPER DRIVING CRANK
268280	SETTING GAUGE
268291	FEED BAR
268310	NEEDLE GUARD
268312	NEEDLE THREAD GUIDE (ON ARM HEAD)
268315	FEED DRIVING FLANGE
268330	FACE PLATE HINGE STUD
268373	LOOPER THREAD GUIDE
268491	LIFTING ECCENTRIC CONNECTION - 300W104
268493	LIFTING ECCENTRIC CONNECTION - 300W103
268512	NEEDLE THRD GUIDE(ON NDLE BAR CONN STUD
268513	NEEDLE THREAD GUIDE (ON SIDE OF ARM)
268514	NEEDLE THREAD TENSION BRACKET
268515	NEEDLE THREAD TENSION RELEASE
268612	PRESSER FOOT PLATE HEEL SPRING
268613	PRESSER FOOT
268614	THROAT PLATE
268617	PRESSER FOOT
268618	FEED DOG
268619	FEED DOG
270026	FEED REGULATING STUD SPRING

270266	NEEDLE BAR CONN LINK NEEDLE BEARING
272142	ARM & BED SHAFT BALL BEARING
276025	PRESSER BAR SPRING ARM BALL BEARING
350132	LOOPER THREAD TAKE-UP THREAD GUIDE SCREW
350149	SPREADER SCREW
350267	LOOPER HOLDER SCREW
350467	FLANGE SET SCREW
350477	FRICTION PLATE SET SCREW
350478	LOOPER SET SCREW
350548	SCREW FOR VARIOUS PARTS
350552	FEED DOG SHANK ADJUSTING SCREW
350604	PRESSER BAR SPR ARM FULCRUM SET SCREW
351876	SPRD DRI ROCK SHAFT SCR STUD BALL ROLLER
412203	TENSION DISC
414508	BED PLATE SCREW
414509	FOOT LIFTER ARM PINCH SCREW
414511	FEED LIFTING & DRIVING PINCH SCREW
414517	NEEDLE BAR CONN LINK CAP WASHER SCREW
414518	FEED DOG SCREW
414519	NEEDLE SET SCREW
414528	SPREADER DRIVING ECC SET SCREW
414529	SPREADER HOLDER SET SCREW
414532	LOOPER THREAD TENSION BRACKET SCREW
414539	NEEDLE BAR ROCK FRAME THREAD GUIDE SCREW
414548	PRESSER BAR SPRING ARM BALL BEARING RET SCREW
414552	SPREADER SCREW
414553	LOOPER HOLDER SCREW
414558	LOOPER SET SCREW
414563	LOOPER DRIVING CRANK OIL HOLE COVER SCREW
414565	SCREW
414567	PRESSER BAR SPRING ARM HINGE SCREW
414579	PRESSER BAR SPRING HOUSING SET SCREW
414638	LIFTING & VIBRATING PRESSER FOOT PINCH SCREW
415009	ARM HEAD F/300U WALKING FOOT MCH.
415014	FACE PLATE COVER
415028	BED PLATE SLIDE
415035	BED PLATE (RIGHT)
415040	NEEDLE BAR
415041	NEEDLE BAR
415045	NEEDLE BAR ROCK FRAME
415053	NEEDLE BAR CONNECTING STUD
415057	PRESSER BAR GUIDE BRACKET
415059	LIFTING PRESSER BAR GUIDE BLOCK
415061	LIFTING CRANK
415065	COLLAR FOR VARIOUS PARTS
415067	LIFTING LEVER
415069	LIFTING ECC CONN CRANK
415072	NEEDLE BAR ROCK FRAME DRIVING ECC COMPLETE

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
 Phone: (201) 507-1771 (800) 221-5818
 Fax: (201) 507-1715 (800) 833-3363
 E-mail: info@diamondneedle.com



**WHITE
DIAMOND**

E-W PARTS for TAPE EDGE CLOSING MACHINES

BASED ON: **SINGER 300W & 300U MACHINES**

Recommended needle: **ORGAN 62x59** - see needle section for available sizes

415073	FEED DRIVING FLANGE
415075	LIFT ECC & NDLE BAR ROCK FRAME DRIVING ECC COMP
415076	LIFTING ECCENTRIC FLANGE
415078	NEEDLE BAR ROCK FRAME DRIVING ECC FLANGE
415080	LIFT ECC & NDLE BAR ROCK FRAME DRIVING ECC COMP
415086	LIFTING ECCENTRIC SPACING COLLAR
415091	NDLE BAR ROCK FRAME DRIVING CONN HINGE STUD
415094	NEEDLE BAR ROCK FRAME DRIVING ARM
415102	BELL CRANK
415106	PRESSER BAR SPRING HOUSING COMP (CYLINDER)
415111	PRESSER BAR SPRING HOUSING SUPPORT
415113	PRESSER BAR SPRING ARM FORK
415115	PRESSER BAR SPRING PLUNGER CAP
415120	LIFTER ARM
415122	FOOT LIFTER ARM
415128	ARM SHAFT
415133	NEEDLE BAR CRANK - ONLY
415137	NEEDLE BAR CRANK / WITH BEARING
415138	NEEDLE BAR CRANK - ONLY
415138G	NEEDLE BAR CRANK COMPLETE - W/GUARD
415153	BALANCE WHEEL
415167	LOOPER CARRIER SHAFT
415168	LOOPER CARRIER SHAFT BUSHING (LEFT)
415170	LOOPER CARRIER SHAFT BUSHING (RIGHT)
415174	LOOPER CARRIER CRANK
415176	LOOPER DRIVING CRANK
415178	LOOPER THROW-OUT RACK ROD
415180	LOOPER THROW-OUT GEAR
415182	LOOPER THROW-OUT GEAR LOCKING PLUNGER
415183	SPREADER DRIVING CONNECTION
415187	SPREADER DRIVING ECCENTRIC
415190	SPREADER DRIVING ECCENTRIC COUNTER BALANCE
415194	SPREADER DRIVING CRANK
415196	SPREADER HOLDER
415198	FEED BAR
415200	FEED DRIVING ROCK FRAME
415204	FEED LIFTING CRANK
415206	FEED LIFTING ROCK SHAFT CRANK

415208	FEED DOG SHANK
415210	FEED LIFTING ECCENTRIC
415212	FEED DRIVING ROCK SHAFT CRANK
415213	FEED DRIVING ROCK SHAFT CRANK
415252	NEEDLE THREAD TENSION RELEASE CAP
415291	LOOPER THREAD TENSION STUD
415292	LOOPER CARRIER CRANK CLAMPING STUD
415294	LOOPER THREAD TENSION COMPLETE
415308	LIFTING ECCENTRIC SPACING COLLAR
415344	NEEDLE BAR ROCK FRAME - WALKING FOOT
415345	NEEDLE BAR ROCK FRAME -SINGLE FOOT
415357	NEEDLE THREAD TENSION RELEASER
415369	FACE PLATE LOCK SPRING PLATE
500264	LOOPER CARRIER & LOOPER DRIVING CRANK SET SCREW
500272	NEEDLE BAR CRANK SET SCREW
504020	FEED DRIVING & LIFTING COLLAR SET SCREW
504048	NEEDLE THREAD TENSION RELEASE CAP SET SCREW
541166	FOOT LIFTER LEVER ROD HINGE SCREW NUT
541198	LOOPER CLAMP STUD NUT & PRES BAR HOUSING ADJ NUT
543801	SNAP RING
544204	FEED LIFTING ECCENTRIC SET SCREW
544322	LIFTING LEVER HINGE STUD SET SCREW
544325	FEED DRIVING ECC ADJ DISC SPRING COLLAR SCREW
544358	NEEDLE BAR CRANK POSITION SCREW CHECK SCREW
544875	ARM PLUG
545103	LOOPER DRIVING CRANK POSITON SCREW
545246-452	ARM SIDE COVER SCREW
545405	PRESSER BAR SPRING ARM HINGE SCREW NUT
547670	SPREADER SCREW WASHER
548154	PRESSER BAR SPRING ARM HINGE SCREW WASHER
548459	PRESSER BAR SPRING HOUSING SCREW STUD WASHER
549024	FEED DRIVING ROCK FRAME POSITION SCREW



**21887
ALLENWRENCH**



**268260, 268280
LOOPER AND NEEDLE
BAR SETTING GAUGE**



**268270
ARM SHAFT
CONNECTION BELT
(Neoprene)**



**268126, 415181
LOOPER THROW-OUT
GEAR**

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com


EW WHITE
DIAMOND

E-W PARTS FOR PANEL FLANGER MACHINES

CORRESPONDING TO: **GALKIN, JUKI, ETC.**

Recommended needle: **ORGAN B27** - see needle section for available sizes

NEOPRENE
CB312 BELT
CB335 FEED BELT



URETHANE W/STEEL WIRE
CB335S FEED BELT
CB364S BELT



C115-65900
CARBIDE UPPER KNIFE



C115-66502
LOWER KNIFE



C123-83501
LOOPER



C123-84400
LOOPER



C118-89904
LOWER LOOPER




952201
LOOPER (HVY) F/295




118-88401
LOWER LOOPER




118-88501
LOWER LOOPER



118-88104
UPPER LOOPER



118-88302
UPPER LOOPER




118-29405
CHAIN LOOPER



115-39202
CHAIN LOOPER




B-2519-804-000
UPPER LOOPER




B-2521-804-000
LOOPER



115-82400
UPPER LOOPER



118-88005
UPPER LOOPER



118-88609
LOOPER



120-03604
CHAIN LOOPER



B-2514-803-000
BLIND LOOPER



123-83501
UPPER LOOPER



123-84202
LOWER LOOPER



123-84400
CHAIN LOOPER

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com




WHITE
DIAMOND


E-W PARTS FOR PANEL FLANGER MACHINES

CORRESPONDING TO: **GALKIN, JUKI, ETC.**

Recommended needle: **ORGAN B27** - see needle section for available sizes




118-45807
CARBIDE TIP UPPER KNIFE



118-45906
CARBIDE TIP UPPER KNIFE



115-65900
CARBIDE TOP KNIFE



B-4118-804-000
LOWER KNIFE




118-97501
LOWER KNIFE



118-45609
CARBIDE TIP TOP KNIFE



118-45708
TOP KNIFE



118-46003
LOWER KNIFE



115-66502
LOWER KNIFE



118-33209
LOOPER THREAD TAKE-UP
LEFT



118-33001
LOOPER THREAD TAKE-UP
RIGHT




118-42606
SCREEN FILTER



118-33308
LOOPER THREAD GUIDE
UPPER



118-33506
LOWER LOOPER THREAD
TAKE-UP



EW119 NEEDLE (ALLEN) WRENCH
SS-8080310-TP SLOTTED NEEDLE SET SCREW
SS-8080322-TP ALLEN HEAD NEEDLE SET SCREW

**IF YOU DON'T SEE WHAT YOU NEED...
CALL AND ASK US**

CORRESPONDING TO: **C & W 19100 MACHINE**


Recommended needle: **ORGAN B27** - see needle section for available sizes




19100-103
UPPER LOOPER



19100-104
CHAIN STITCH LOOPER



19100-105
LOWER LOOPER



19100-106
SPREADER

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



**WHITE
DIAMOND**

AUGUST 1, 2001

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

23

E-W PARTS FOR PANEL FLANGER MACHINES

CORRESPONDING TO: **PORTER**

Recommended needle: **ORGAN B27** - see needle section for available sizes



613760
CHAINSTITCH (P8) LOOPER



614020
RIGHT HAND LOOPER



620238
LEFT LOOPER



620244
SPREADER



620270
CHAINSTITCH (P8) LOOPER



X-1002
LEFT LOOPER



660462
LOOPER




730132
SPREADER



730180
LOWER LOOPER



801458
LOOPER



613140
BOTTOM KNIFE



613720
CARBIDE TIP BOTTOM KNIFE



611240
CARBIDE TIP TOP KNIFE



630128, 4610
CARBIDE TIP UPPER KNIFE



630150
LOWER KNIFE



660297
KNIFE



800867, 6Z0386
LOWER KNIFE



630120
THROAT PLATE



660039
FINGER F/630120



630149
PRESSER FOOT EXTENSION



610600
WRENCH



610460
5-3/8" THREADING WIRE



610300
6" STAINLESS TWEEZER



612180
GASKET

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



**WHITE
DIAMOND**


E-W PARTS FOR PANEL FLANGER MACHINES

CORRESPONDING TO: **PORTER**

Recommended needle: **ORGAN B27** - see needle section for available sizes




611120
TENSION SPRING



616680
TENSION NUT



618560
STUD




611040
TENSION SPRING (HVY)



610760
RETAINER GUIDE




611720
GUIDE SPACER



617340
RETAINER SPRING



611460
TENSION DISC



612540
THREAD TAKE-UP



611880
NEEDLE THREAD TAKE-UP




611180
NEEDLE THREAD TENSION
SPRING




612560
LOOPER THREAD PICK-UP
GUIDE




610740
'O' RING



614040
RETAINER BRACKET




614620
TAKE-UP




613900
UPPER NEEDLE BAR
BUSHING




650002
SPRING



614200
REAR NEEDLE GUARD



614221
FRONT NEEDLE GUARD



617280
NEEDLE BAR

610020 SCREW
610080 SCREW
610100 SCREW
610140 SCREW
610200 SCREW

610360 SCREW
610560 SCREW
610700 SCREW
613160 LWR FN CMP STUD
613700 LPR THRD TK-UP EYELET

618420 SCREW
619400 SCREW
619640 SCREW
620207 GUARD COVER
629860 SCREW

660064 SCREW
660067 SCREW
660070 NEEDLE GUARD
660071 NEEDLE GUARD

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



AUGUST 1, 2001

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.


25

E-W PARTS FOR PANEL FLANGER MACHINES

CORRESPONDING TO: **W&G, PEGASUS and SIRUBA**
Recommended needle: **ORGAN B27** - see needle section for available sizes




323-810-219, 204431
CHAINSTITCH LOOPER



323-810-012, 204705
RIGHT HAND (#5) LOOPER



323-810-216, 204072
LEFT LOOPER



323-870-210, 202295
BOTTOM KNIFE



323-870-214, 201121A, KR23
CARBIDE TOP KNIFE




323-870-213, 204161
BOTTOM KNIFE



323-870-218, 204351
CARBIDE BOTTOM KNIFE



323-873-200, 202451, KS24
CHAIN CUTTER



323-873-001, 201308P
CHAIN CUTTER



323-870-200, 202570
TOOL STEEL TOP KNIFE



323-870-201, 202571
TOOL STEEL TOP KNIFE



323-870-215, 323-870-212,
202893
CARBIDE KNIFE



323-870-202, 202572
TOOL STEEL BOTTOM
KNIFE



323-870-203, 202573
TOOL STEEL BOTTOM
KNIFE




323-870-211, 201127, KR35
TOOL STEEL (THIN)
BOTTOM KNIFE



323-642-002, 201068, KJ51
LIGHT TENSION SPRING



323-850-221, 200041G, KG17
RETAINER GUIDE



323-850-021, 202495
GUIDE SPACER



323-850-246, 204096
LOOPER THREAD PICK-UP
GUIDE



323-860-200, 201048A
NEEDLE THREAD EYELET



323-600-331, 204162
LOOPER KNIFE CLAMP
STUD



323-860-215, 204324
LOOPER THREAD TAKE-UP
EYELET



323-866-213, 204095A
THREAD TAKE-UP



323-851-212, 204235
THREAD GUIDE WIRE

Diamond Needle Corp.


60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



WHITE
DIAMOND

E-W PARTS FOR PANEL FLANGER MACHINES

CORRESPONDING TO: **W&G, PEGASUS and SIRUBA**
Recommended needle: **ORGAN B27** - see needle section for available sizes




323-642-001, 201037, KG02
HEAVY TENSION SPRING



323-730-004, 201165
LINK




323-640-203, 200205
RETAINER SPRING



323-663-206, 204201
OIL PAN GASKET



323-561-013, 204781
REAR NEEDLE GUARD



323-561-014, 204782
FRONT NEEDLE GUARD




323-863-007, 201224B
FINGER




323-851-042, 210350, KJ63
UPPER LOOPER THREAD
GUIDE



323-866-214, 202706A
NEEDLE THREAD TAKE-UP



323-800-077, 210090, KG10
TENSION GUIDE



323-860-214, 201439A
EYELET



323-630-003, 3091
NUT



323-850-256, 204449
EDGE GUIDE COMPLETE



323-561-033, 205688
EYE GUARD COMPLETE



325-655-001, 206233, KT14
OIL FILTER



323-740-085, 210260, KG18
BRACKET




323-774-003, 205469, KX13
CHIP CHUTE, BOTTOM



323-774-002, 205468, KX12
CHIP CHUTE, TOP



323-740-062, 205470, KX10
CHIP CHUTE, DROP



179PEG, 323-885-200, KY14
WRENCH



EW101
5-3/8" THREADING WIRE

323-886-001, 131PEG 6" STAINLESS TWEEZER
323-600-200 GUIDE SCREW
323-600-027 BUSHING CLAMP SCREW
323-600-341 CRANK PIN/NEEDLE SET SCREW
323-600-091 RETAINER BRACKET SCREW
323-639-036, 200140A OIL TUBE



**NEED SOMETHING
NOT SHOWN?
CALL & ASK!**

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com




AUGUST 1, 2001

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.


27

E-W PARTS FOR PANEL FLANGER MACHINES


CORRESPONDING TO: **UNION SPECIAL 39500 MACHINES**
Recommended needle: **ORGAN 154G** - see needle section for available sizes




39508A
UPPER LOOPER




39508B
LOWER LOOPER




39549
BOTTOM (NARROW) KNIFE



39549J
BOTTOM (WIDE) KNIFE



39570
UPPER (NARROW) KNIFE




39570J
UPPER (WIDE) KNIFE




39570K
UPPER KNIFE




39570L
UPPER KNIFE



39555F
LIFTER LEVER
CONNECTING LINK



35792H
TENSION POST



39563H
NEEDLE THREAD EYELET



39571B
UPPER KNIFE
CHAIN GUARD



29126EC
BUSHING COMPLETE



39571F
UPPER KNIFE CLAMP

39270E UPPER (VERTICAL) KNIFE
39568L UPPER LOOPER THREAD EYELET
39568W LOWER LOOPER FRAME THREAD EYELET
39551J NEEDLE CLAMP STUD
39563A NEEDLE THREAD EYELET
39551A NEEDLE CLAMP WASHER

(MANY OTHER PARTS AVAILABLE)

**IF YOU DON'T SEE WHAT YOU NEED...
CALL AND ASK US**


CORRESPONDING TO: **RIMOLDI B27, 227, ETC.**
Recommended needle: **ORGAN B27** - see needle section for available sizes




**270-074, 202090-0-10,
202090-0-11**
LOOPER



**270-075, 202094-0-10,
202094-0-11**
LOOPER



**290-112, 2777-1121,
203783-0-10**
TOP KNIFE



290-113SP, 204693-0-11
EXTRA WIDE
BOTTOM KNIFE

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



**WHITE
DIAMOND**

E-W PARTS FOR VARIOUS BORDER MACHINES

CORRESPONDING TO: UNION SPECIAL, UNITED, ETC.
see needle section for available systems and sizes



**38209A
LOOPER**



**51208
LOOPER**



**51208D
LOOPER**



**51308
LOOPER**



**51409C
LOOPER**



**51509C
LOOPER**



**51909C
LOOPER**



**52908B LOOPER, FRONT
52909A LOOPER, BACK**



**56351B
HOOK HOLDER**




**6405M
FEEDER**



**6420W
PRESSER FOOT**




**51224B
PLATE**



**51217C
NEEDLE BAR COMP.
W/NUT 56N**



**BM51-2
NEEDLE BAR**




**BMUS51217
NEEDLE BAR COMP.
W/NUT 56N**



**BM166
BUSHING**



**51959D
TENSION NUT**



**51959K
TENSION SPRING**



**56358
THREAD GUIDE**



**51492
TENSION POST**



**55241N
LOOPER CONNECTING
ROD BALL JOINT (LEFT)**



**51240D
LOOPER CONNECTING
ROD**



**52925G
NEEDLE GUARD**

**98A SCREW
109D TENSION DISC
51292C TENSION NUT
51959C TEN SPRING
(LIGHT)
51959K TEN SPRING
(HEAVY)**

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com




AUGUST 1, 2001


PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

E-W PARTS FOR PANEL FLANGER MACHINES


CORRESPONDING TO: **SINGER 246, 460 CLASS MACHINES**
Recommended needle: **ORGAN 151x** - see needle section for available sizes




164055
LOOPER (RIGHT HAND)




164045, 164248
LOOPER (LEFT HAND)




164252
SPREADER




164375
LOOPER (RIGHT HAND)



164619
LOOPER (LEFT HAND)




87027
LOOPER (RIGHT HAND)




87028
LOOPER (RIGHT HAND)



87058
SPREADER



87025, 106473, 101930
LOOPER (LEFT HAND)



87026, 107631, 108255
LOOPER (LEFT HAND)



164416
PRESSER BAR SPRING



164091
THREAD TAKE-UP



164728, 164233, 164552
BOTTOM KNIFE



164813, CT164728
**BOTTOM (CARBIDE TIP)
KNIFE**



164556
**UPPER WIDE SERRATED
KNIFE**



164861
CHAIN CUTTER KNIFE

E-W PARTS FOR BORDER MACHINES

CORRESPONDING TO: **U.S. BLINDSTITCH**
Recommended needle: **ORGAN 251 short point** - see needle section for available sizes



2200, 22, LOOPER
2201 LOOPER HEAVY DUTY
2203 LOOPER LEFT HAND



1238, 47
NEEDLE GUIDE

1122S NEEDLE GUIDE SCREW
1239, 50A PRESSER FOOT SHOE SPRING
1315 CHAIN-OFF FINGER (PIN)
1832 PRESSER FOOT SHOE SPRING
2100, 43U FEEDER
2400 PLATEN LEFT
2401 PLATEN RIGHT
6001 RIB SHAFT W/DEEP NOTCH
47890 TENSION COMPLETE

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



**WHITE
DIAMOND**

E-W PARTS FOR MENDING & LABEL MACHINES

BASED ON: **SINGER 107W, 143W MACHINES**

Recommended needle: **ORGAN 135x7** - see needle section for available sizes



HINGED PRESSER FOOT
210569, 411215 (OPEN TOE)
210568, 203028 (CLOSED)




**210569B
BINDER FOOT**



**210773
PRESSER FOOT**



**210533, 224460, 241396,
224433
HOOK & BASE**



**210846
HOOK BASE**



**241404, 224441, 210915,
263109
BOBBIN CASE CAP**

BOBBIN CASE PARTS
210914 LATCH, COMPLETE
210845 TENSION SPRING,
FLAT
263110 TENSION SPRING,
FORKED
NBL224 NO-BACK-LASH
SPRING



**241404NBL, 224441NBL,
210915NBL
NO-BACK-LASH BOBBIN
CASE CAP**



**210530, 263099
BOBBIN**



**502526, 233028
ALUMINUM BOBBIN**




**210764
BOBBIN CASE STOP
(FINGER)**



**210536
HOOK GIB**



**210767, 503692
FEED DOG**



**210774
THROAT PLATE**



**210505
BED PLATE
(BACK, HALF MOON)**



**210616
SLIDE PLATE COMPLETE
(FRONT)**



**210621, 241398
HOOK SHAFT BUSHING
COMPLETE**



**210546 F/107W
241348 F/143W
NEEDLE BAR FRAME**



**224317, 210884, 241367
NEEDLE BAR, NEW STYLE
W/THREAD GUIDE
& SCREWS**



**244033
PRESSER BAR**



**210503
ARM SHAFT BELT (FABRIC)**



**224400
ARM SHAFT BELT
(NEOPRENE)**



**210591
TAKE-UP AUXILIARY**

200102 FEED DOG SCREW
200125 NEEDLE SET SCREW
200145 HOOK SET SCREW
200175 THREAD GUIDE SCREW
200577 NEEDLE PLATE SCREW
200915 HOOK POSITION SCREW
202343, 506774 PRESSER BAR
SPRING
249270 THREAD GUIDE

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



E-W PARTS FOR SINGER 108W MACHINES

CORRESPONDING TO: SINGER 108W MACHINES

Recommended needle: **ORGAN 135x1** - see needle section for available sizes



224708
INSIDE PRESSER FOOT



224703
OUTSIDE PRESSER FOOT

244088
HOOK AND BOBBIN CASE
ONLY (W/O SHAFT)

244088C
HOOK AND BOBBIN CASE
COMPLETE WITH SHAFT



202533
BOBBIN CASE



202265
BOBBIN



202265A
ALUMINUM BOBBIN



263145
BOBBIN CASE STOP



202337
PRESSER BAR POSITION
FINGER



208555, 264526
PRESSER BAR LIFTING
BRACKET



208540
FEED REGULATOR SPINDLE



202338
PRESSER BAR POSITION
GUIDE LEVER



208562
VIBRATING PRESSER BAR



202554, 202671
PRESSER BAR LIFTER



208552
NEEDLE BAR CONNECTING
STUD



208566
PRESSER BAR



208526
NEEDLE BAR



202333
NEEDLE BAR CONNECTOR
LINK STUD



208551
NEEDLE BAR CONNECTOR
LINK



244062, 263107, 202409
TENSION COMPLETE

200141 NEEDLE SET SCREW
200462 FACE PLATE SCREW
200625 TENSION STUD
201015 INSIDE FOOT SCREW
201387 FEED DOG SCREW
201572 TENSION NUT
202407 TENSION SPRING
202410 CHECK SPRING

200074 OUTSIDE FOOT SCREW
200502 ARM SHAFT OIL PACKING
THUMB SCREW
200577 NEEDLE PLATE SCREW
200594 BOBBIN CASE TENSION
SPRING SCREW
200984 TENSION REGULATOR
SPRING SCREW

201016 BOBBIN CASE TENSION
SPRING SCREW
244048 TENSION DISC (PLAIN)
244049 TENSION DISC (w/EAR)
244061 TENSION RELEASE
WASHER
263106 TENSION SPRING WASHER
224742 SWING BRACKET

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



WHITE
DIAMOND

E-W PARTS FOR MULTI-HEAD QUILTER MACHINES

BASED ON: **SINGER 132K MACHINES**

Recommended needle: **ORGAN 216x7** - see needle section for available sizes



97649
NEEDLE BAR CONNECTING
LINK STUD



98595
NEEDLE BAR



98596
NEEDLE BAR CLAMP




97949
BOBBIN



103118
BOBBIN CASE



103015
TENSION SPRING



98419
BOBBIN CASE RETAINER




103123
HOOK COMPLETE W/
BOBBIN CASE



103109
HOOK RING



103014
BOBBIN CASE RING SPRING



97800
TENSION UNIT



433V
4L 33" V-BELT

134 SCREW
156 NEEDLE CLAMP SCREW
176 SCREW
201 SCREW
662 SCREW

1560 TENSION POST NUT
2102 TENSION DISC
2103 THREAD RETAINER
SPRING


**NEED SOMETHING
NOT SHOWN?**

CALL AND ASK


E-W PARTS FOR NEEDLE FEED & WALKING FOOT MACHINES

CORRESPONDING TO: **SINGER 111W, 211W, ETC. MACHINES**

Recommended needle: **ORGAN 135x17** - SEE NEEDLE SECTION FOR AVAILABLE SIZES



240207, 240197 (HEAVY SHAFT W/SLOT)
HOOK & BOBBIN CASE F/111W100, 101, 102, 103, 153, 154



240240 (THIN SHAFT w/SLOT)
HOOK & BOBBIN CASE F/111W150, 151

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



E-W PARTS FOR NEEDLE FEED & WALKING FOOT MACHINES

CORRESPONDING TO: **SINGER 111W, 211W, ETC. MACHINES**

Recommended needle: **ORGAN 135x17** - SEE NEEDLE SECTION FOR AVAILABLE SIZES



240558 (HEAVY SHAFT w/SLOT)
HOOK & BOBBIN CASE F/111W155, 156, 211W155
& 211G155, 156



267357, 244711
HOOK & BOBBIN CASE F/
211W151, 211G146, 151, 157



514200
LARGE HOOK & BOBBIN
CASE



233765, 235100, 240546
HOOK BASE (w/FLAT
SPRING) F/111's



248460, 236082, 248459
BOBBIN CASE (w/SPLIT
SPRING)

201253 GIB SCREW F/240558
203214 FLAT TENSION SPRING
203525 GIB F/240558
236083, 267373 FORKED TENSION SPRING
240559 GUARD F/240558
267358 GIB F/267357
267359, 240559 GUARD F/267357
365288 TENSION SPRING
514241 CAP ONLY F/514200



203470
BOBBIN




244750, 417240
ALUMINUM BOBBIN




510007
LARGE BOBBIN




490468
STAR DISK F/REG. SIZE
BOBBIN CASES



240144
THROAT PLATE



240112 F/#20 & 22 NEEDLES
240147 F/#23 & 24 NEEDLES
FEED DOG



224103
ARM SHAFT BELT (FABRIC)



224195 F/111W
267161 F/211W
ARM SHAFT BELT
(NEOPRENE)



S32 1/4
SET, WELTING FEET



S68 1/4
SET, WELTING FEET W/BACK
CUT-OUT



240568/70
SET, SINGLE TOE WELT
FEET W/TEETH



240568/70D
SET, DOUBLE TOE WELT
FEET W/TEETH



208566
PRESSER BAR



240183, 419659
VIBRATING PRESSER BAR



202554, 202671
PRESSER BAR LIFTER

691 THROAT PLATE SCREW
200074 OUTSIDE FOOT SCREW
200106 FEED DOG SCREW
200125 NEEDLE SET SCREW
200175 THREAD GUIDE SCREW
201015 INSIDE FOOT SCREW

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



**WHITE
DIAMOND**


E-W PARTS FOR VARIOUS SINGLE NEEDLE MACHINES



ROTARY HOOK



BOBBIN CASE



BOBBIN

WE CARRY A LARGE VARIETY OF PARTS FOR THESE AND MANY OTHER MACHINES.
PLEASE CALL US WITH YOUR NEEDS.

MACHINE	HOOK	BOBBIN CASE	BOBBIN	NEEDLE
SINGER				
78-	37854	224841	2996 2996A (Aluminum)	16 x 99
144W	265093	265090	264645	7 x 3
151W	224545 224579	241404	210530 502526 (Aluminum)	135 x 1
191D, 220U	414126	544745 505358	55623	135 x 7
241, 251	143342FG 143342	52237 149063	40264 40264NS 270010 272152 (Aluminum)	16 x 257
281	32388	52237 149063	40264 40264NS 270010 272152 (Aluminum)	1955
291, 491, 591	545990	544745 505358	55623	135 x 7
307G, 457G	210533	241404	263099	1906
CONSEW				
206RB	18033	18045	18034	135 x 17
225, 226	10655	10655-2	10656	135 x 17
JUKI				
DDL-555	D-1830-555-BA0	B-1837-555-BAA	B-9117-012-000	16 x 257
LU-563	B-1830-563-BAD	040-56349021H	B-9117-563-000	135 x 17

Diamond Needle Corp.



QUALITY, PERFORMANCE and VALUE at a LOW PRICE

SILICONE SPRAY

No. EW310 16 Oz.

All purpose lubricant and release agent that reduces friction, heat and wear when introduced as a film between all surfaces: metal, plastic, paper, wood, vinyl, rubber, asbestos, glass and textiles.

- NON-FLAMMABLE • ODORLESS • CLEAR
- NON-GREASY • WATERLESS
- HEAT AND COLD STABLE • NON-STAINING
- IDEAL FOR NUMEROUS USES

ANTI-STATIC SPRAY

No. EW330 12 Oz.

Eliminate static electricity from rugs, drapes, paper, machinery, upholstery and equipment. Will not stain. Anti-Static spray is non-oily and non-greasy. Reduces dust attraction. Anti-Static spray reduces slow down in production operation caused by static buildup. Helps surfaces stay clean longer by repelling dust, dirt and lint.

4-WAY PENETRATING OIL & DE-MOISTURIZER

No. EW380 12 Oz.

Positively lubricates and stops squeaks. Leaves no gummy residue. Provides positive rust and corrosion protection for all metals. Penetrates to quickly free frozen or rusted metal parts, bolts, etc. Actually gets under water and moisture and drives it off.



**ALL AEROSOLS ARE
PACKED 12 PER CASE**



MULTI-PURPOSE ADHESIVE SPRAY

No. EW320 11 Oz.

Pressure sensitive adhesive that bonds everything...carpet, floor tiles, glass, paper, fabric, rubber, urethane foam, metal, felt, vinyl wallpaper, labels, photos, etc.

When used according to the directions, Multi-Purpose Adhesive spray forms either a temporary or permanent bond.

A THOUSAND AND ONE USES

WHITE LITHIUM GREASE SPRAY

No. EW370 12 Oz.

To protect and lubricate the hundreds of moving parts on all industrial machinery, equipment, cars and boats. Resists extreme heat and cold. Will outlast ordinary oil and other greases.

GRINDING STONE / CONTACT CLEANER

No. EW390 17 Oz.

Cleans oil, grease, gummy deposits, filings, dust and dirt from electrical and mechanical contact points and grinding stones.

Grinding Stone / Contact Cleaner spray is non-flammable, non-conductive and safe to use on most paints, plastics, grinding stones and insulation. Leaves no residue.

BELT DRESSING

No. EW360 12 Oz.

Keeps all belt driven equipment at peak efficiency. Increase pulling power up to 50%. Stop belt slippage by imparting maximum friction to power belts made of rubber, fabric or leather. For use on round or flat belts.

Belt Dressing does not age, oxidize, harden or dry out. It stays soft and keeps belt flexible long after application.

**CONVENIENT AEROSOL IS IDEAL FOR
SPRAYING INNER SURFACE OF BELTS**


ELECTRIC SPOT CLEANING GUN

No. TG-002 110v Model

Features the ultimate of QUALITY and VALUE for small manufacturers, contractors and retailers. Ideal for cleaning soil, dirt and make-up stains. Save money... avoid seconds and mark-downs. This spot cleaning gun has features found on cleaning guns that are up to twice its cost.

Fully assembled... ready to give you results and save you money. The adjustable spray goes from a jet-needle spray to a wide spray for feathering to avoid "ringing."

- Variable Spray Nozzle
- Lightweight and Portable
- Quick-Fill Reservoir
- Parts and Accessories Always Available
- Fully Guaranteed



ONE GALLON CLEANING FLUID

No. EW888F

A powerful, non-flammable solvent that dissolves oil, grease, dirt, cosmetics, and alteration marks.



No. A1065 SPOTTERS KIT

A complete set of easy to use spotters for all types of tough stains...

Kit contains one of each:

(YOU MAY PURCHASE EACH ITEM SEPARATELY)

- | No. | Description |
|-------|-------------------------------------|
| A1061 | Powder Spot Remover (14 oz) |
| A1036 | Ink-X Remover (13 oz) |
| A1039 | Formula BR Blood Remover (8 oz) |
| A1037 | Formula LR Lipstick Remover (14 oz) |
| A1041 | Coffee Stain Remover (8 oz) |



Diamond Needle Corp.





Dennison invented high productivity tagging and **Dennison** tools continue to set industry standards for quality and dependability. Lightweight, comfortable and easy to use, these tools are suitable for all general purpose applications.

Pistol Grip tools, *standard* #D10651 Mark III or *fine* #D10312 MARK II, are the best selling tools. The "pistol-like" grip is comfortable when tagging either flat or hanging goods. A shorter nose and easy-reach tag rest allow one-handed tagging for improved productivity. The tool's smooth trigger action and exceptional light weight (only 3 ounces) reduces operator fatigue over long periods.

#D10651 MARK III **STANDARD** Pistol-Grip

Uses #D08941 Standard Needles
or #D08913 Heavy Duty, All-Steel Needles
Can use fastener clips of 50, 80 or 100/clip.



#D10312 MARK II **FINE** Pistol-Grip


Uses #D08944 Fine Needles
or #D10070 Fine, All-Steel Needles
Can use fastener clips of 50 or 100/clip.



SHD Heavy Duty Long Needle Pistol Tool has extra sturdy construction and a long all steel needle for heavy fastening applications such as carpet, leather or plastic. **SHD** needles are designed to stand up to tough material applications and their all-steel construction helps prevent breakage.

#D10637 SHD Heavy Duty Pistol-Grip



Uses #D10643 SHD Long All-Steel Needles
Ideal for Heavy Duty "T-End" and "Loop" Fasteners



Scissor Grip tools, *standard* #D08945 MARK II or *fine* #D08946 MARK II, are the original design attaching tools. Comfortable to hold and easily actuated. Operators say the "scissor-grip" design feels more comfortable for tagging hanging goods.

#D08945 MARK II **STANDARD** Scissor-Grip

Uses #D08941 Standard Needles
or #D08913 Heavy Duty, All-Steel Needles
Can use fasteners of 50/clip only.



#D08946 MARK II **FINE** Scissor-Grip


Uses #D08944 Fine Needles
or #D10070 Fine, All-Steel Needles
Can use fasteners of 50/clip only.



The **BUTTONEER** tool is useful in many assembly applications: pleating, bar tacking, spacing, closing or joining... any application that benefits from a fast, tight-fitting and economical attachment.

#D06110 MARK III **BUTTONEER** Scissor-Grip

Uses #D08941 Standard Needles
or #D08913 Heavy Duty Needles
Only uses "Buttoneer"/Button-End Fasteners (48 per clip)



BUTTONEER Fasteners:

D06092	1/4"(7mm)	polyurethane	4 - 5 lbs	Natural	48 per clip	5,000 / box
D06101	3/8"(10mm)	polyurethane	4 - 5 lbs	Natural	48 per clip	5,000 / box

The Buttoneer system is a self-piercing, permanent high-speed attachment that is ideal for many OEM applications. The automotive industry, for example, uses Buttoneer fasteners to attach spacer blocks inside door weather stripping in order to keep it from compressing. Cosmetically, the small size *Button-End* is an added benefit because it is nearly invisible when attached.

Buttoneer (*Button-End*) fasteners are useful in many assembly and packaging applications. Easy to attach, and cost effective, they provide a safer packaging alternative to glue, thread, tape or metal fasteners.


System 1000 tools allow the operator to tag 1,000 garments without reloading. The tool holds 1,000 fasteners [20 X more than ordinary tag attaching tools]. Moreover, System 1000 fasteners have connected paddles, and have no waste strip to discard when the operator is finished.

#D10000 **SYSTEM 1000** Pistol-Grip

Uses #D08281 Standard Needles

System 1000 Fasteners with Paddle:

D08284	1" (25mm)	polypropylene	4 - 6 lbs	Natural	1,000 per roll	5,000 / box
D08285	2-1/2"(63mm)	polypropylene	4 - 6 lbs	Natural	1,000 per roll	5,000 / box



Use ONLY Special System 1000 Rolls which have unique "paddle connected" design fasteners. Each roll has 1,000 fasteners which feed smoothly and dependably.

NEEDLES:



The Dennison needle design is fundamental to the Dennison tagging systems. The butt of the needle has a sharp knife to separate fasteners from their clips. Every time you change a needle, you get a new, sharp knife as well, to assure you of efficient tagging.

Dennison needles are finished to significantly reduce the risk of causing holes and snags in fabrics. The all-steel versions add extra strength for tougher fastening applications.

NEEDLES:

D08941	Standard Needles	4 per pack
D08944	Fine Needles	4 per pack
D10070	Fine, All-Steel Needles	4 per pack
D08913	Heavy Duty, All-Steel Needles	4 per pack
D10643	SHD Long, All-Steel Needles	4 per pack
D08281	System 1000 Standard Needles	4 per pack



D08941	
D08944	
D10070	
D08913	
D08281	

Diamond Needle Corp.



The original, and still most widely used fastener in the industry. Avery Dennison paddle fasteners are precision molded and available with their unique "connected paddle" design to insure tangle-free operation.



Attaches a tag and provides a hanger for display in one operation. Perfect for headwear, hosiery & stuffed toys.



Provides a secure attachment and more finished look. They work well in pairing, packaging & product assembly applications.



Item #	Size	Material	Tensile	Color	Per Clip	Qty / Box
--------	------	----------	---------	-------	----------	-----------

Fasteners with Paddle (*General Purpose*):

D10417	1/2" (13mm)	Polypropylene	4 - 6 lbs	Natural	50 per clip	5,000 / box
D06214	1" (25mm)	Polypropylene	4 - 6 lbs	Natural	50 per clip	5,000 / box
D10657	1" (25mm)	Polypropylene	4 - 6 lbs	Natural	100 per clip	10,000 / box
D08035	2" (50mm)	Polypropylene	4 - 6 lbs	Natural	50 per clip	5,000 / box
D10658	2" (50mm)	Polypropylene	4 - 6 lbs	Natural	100 per clip	10,000 / box
D06215	3" (75mm)	Polypropylene	4 - 6 lbs	Natural	50 per clip	5,000 / box
D10659	3" (75mm)	Polypropylene	4 - 6 lbs	Natural	100 per clip	10,000 / box
D08986	3" (75mm)	Polypropylene	4 - 6 lbs	Black	50 per clip	5,000 / box

Fasteners with Paddle (*Fine*):

D06300	3/4" (19mm)	Polypropylene	3.5 - 5 lbs	Natural	50 per clip	5,000 / box
D08938	3/4" (19mm)	Nylon	3.5 - 5 lbs	Natural	50 per clip	5,000 / box
D10343	3/4" (19mm)	Polypropylene	3.5 - 5 lbs	Natural	100 per clip	10,000 / box
D06301	2" (50mm)	Polypropylene	3.5 - 5 lbs	Natural	50 per clip	5,000 / box
D08939	2" (50mm)	Polypropylene	3.5 - 5 lbs	Natural	50 per clip	5,000 / box
D10670	2" (50mm)	Polypropylene	3.5 - 5 lbs	Natural	100 per clip	10,000 / box
D10347	3" (75mm)	Polypropylene	3.5 - 5 lbs	Natural	100 per clip	10,000 / box

Fasteners with Paddle (*Heavy Duty*):

D08973	1/2" (13mm)	Nylon	7 - 9 lbs	Natural	50 per clip	5,000 / box
D08985	1/2" (13mm)	Nylon	7 - 9 lbs	Black	50 per clip	5,000 / box
D10915	1/2" (13mm)	Nylon	7 - 9 lbs	Natural	80 per clip	10,000 / box
D08908	1" (25mm)	Nylon	7 - 9 lbs	Natural	50 per clip	5,000 / box
D10925	1" (25mm)	Nylon	7 - 9 lbs	Natural	80 per clip	10,000 / box
D08909	3" (75mm)	Nylon	7 - 9 lbs	Natural	50 per clip	5,000 / box
D08988	3" (75mm)	Nylon	7 - 9 lbs	Natural	100 per clip	5,000 / box

Hook Fasteners (*Standard*):

D08901	1-1/2" (38mm)	Polypropylene	4 - 6 lbs	Natural	50 per clip	2,500 / box
D08902	2" (50mm)	Polypropylene	4 - 6 lbs	Natural	50 per clip	2,500 / box

Hook Fasteners (*Heavy Duty*):

D08903	1-1/2" (38mm)	Nylon	7 - 9 lbs	Natural	50 per clip	2,500 / box
D08904	2" (50mm)	Nylon	7 - 9 lbs	Natural	50 per clip	2,500 / box

"T"-END Fasteners:

D10446	1/4" (7mm)	Fine / Nylon	3.5 - 5 lbs	Natural	50 per clip	10,000 / box
D10672	1/4" (7mm)	Fine / Nylon	3.5 - 5 lbs	Natural	100 per clip	10,000 / box
D08951	1" (25mm)	Standard/Nylon	7 - 9 lbs	Natural	100 per clip	5,000 / box
D10575	3/4" (19mm)	Hvy Duty/Nylon	15 lbs	Natural	50 per clip	5,000 / box

SECUR-A-TIE (Permanent Locking, Adjusts for Custom Fit):

D08350	5" (125mm)	Nylon	18 lbs	Natural	5,000 / pkg	50,000/case
--------	------------	-------	--------	---------	-------------	-------------

SECUR-A-TACH (Permanent Fastener, Double Barreled Locking Head):

D08302	3" (75mm)	Polypropylene	8 - 15 lbs	Natural	5,000 / pkg	50,000/case
D08300	5" (125mm)	Polypropylene	8 - 15 lbs	Natural	5,000 / pkg	50,000/case
D08301	9" (225mm)	Nylon	8 - 15 lbs	Natural	5,000 / pkg	50,000/case
D10416	18" (450mm)	Polypropylene	8 - 15 lbs	Natural	5,000 / pkg	50,000/case

SUPER SECUR-A-TACH (Permanent Fastener, Oversized locking Barrel):

D08310	3" (75mm)	Polypropylene	8 - 15 lbs	Natural	5,000 / pkg	50,000/case
D08311	5" (125mm)	Polypropylene	8 - 15 lbs	Natural	5,000 / pkg	50,000/case

EW WHITE-DIAMOND "TAG III" Tagging Tools

Our EW WHITE-DIAMOND tools are an economical alternative to higher priced tools. Quality made for smooth, efficient fastening applications.

- Pistol-Grip design ideal for tagging flat or hanging goods.
- Short nose and easy-reach tag rest facilitates one-handed tagging for greater productivity.
- Smooth action. Light weight.

- Can use most popular brands of fasteners, 50/clip or 100/clip
- Uses Dennison brand needles or *economically priced* WHITE-DIAMOND needles

#EW300R **Regular**, Pistol-Grip Tool

Uses #AN300 Standard Needles, #L300R Standard, All-Steel Needles or #L600R Heavy Duty, All-Steel Needles

#EW400F **Fine**, Pistol-Grip Tool

Uses #AN400 Fine Needles or #L400F Fine, All-Steel Needles



EW WHITE-DIAMOND Tagging Needles

Made for all EW WHITE-DIAMOND tools.
Suitable for DENNISON brand tools and any Dennison style tools.

- When you change a needle you also get a sharp new knife at the butt end.
- Fasteners separate from clips effortlessly.
- Needles are carefully finished to minimize chances of damaging fabrics.
- The all-steel needles provide extra strength for tougher tagging jobs.

• #AN300	Standard	(4 per pack)
• #AN400	Fine	(4 per pack)
• #L300R	Standard, All-Steel	(4 per pack)
• #L400F	Fine, All-Steel	(4 per pack)
• #L600R	Heavy Duty, All-Steel	(4 per pack)



**E-W Tagging Tools work well with all
Dennison Fasteners,
the most economical are:**

• D06214 • D06215 • D06300 • D06301

See page 40 for a complete selection and specifications

ASSORTED HELPFUL TOOLS

CRESCENT SCREWDRIVERS

- Made in U.S.A.
- 3/16" wide tip easily turns damaged heads
- Round shaft - series 1500
- Vapor blasted tip eliminates chipping

No.	Blade Length	Total Length
243-3	3"	6-5/8"
243-4	4"	7-5/8"
243-6	6"	9-5/8"
243-8	8"	11-5/8"
243-10	10"	13-5/8"



MAGNA-HOLD



- * Lightweight and Flexible
- * Place on Any Metal Machine or Surface
- * Conveniently Holds small metal parts

No. MH1

EAGLE OIL CAN

Made in U.S.A.
1/3 pint Capacity
3-1/2" Diameter
Copper Coated
Complete with Spout

#EW133



LONG MAGNETIC GAUGE

For Stitching Along Straight Edges
Magnet Made of Special Unbreakable Composition
Large Double-Size Magnet for Super Holding Power
Steel Wear Edge for Long Life
Knob for Easy Lifting and Repositioning

#LMG (MG1)



DELUXE LINT BRUSH

Wire Handle
Washable Nylon Bristles
4-1/4" Overall Length


#BR2



SHORT MAGNETIC GAUGE

Curved Ends for More Versatility
Grips Securely To Any Machine
Can Be Repositioned Easily

#SMG



UNIVERSAL MEASURING DISC No. UMD

- Measures Stitches, Seams, Needle Spacing, Trimmings from 1/16" to 1"
- Precisely Calibrated
- Made of Heavy Gauge Steel
- Convenient Size like a Silver Dollar



STAINLESS STEEL 6" POCKET RULERS

No. EW300 (Inch Dimensions)

No. EW301ME (Metric Dimensions)



- Dimensions Permanently Etched In Stainless Steel
- Accurate, Minutely Detailed Measurements
- Rounded End Slips Into Pocket
- Sliding Pocket Clip Keeps Ruler Handy

Diamond Needle Corp.



WHITE
DIAMOND

SCREWDRIVER and PROBE SETS


No. G700

Precision Screwdriver Set

Perfect for machines, computers, watchmakers, opticals, DIY, and all other detail work. Blasted tips for maximum torque. Chrome plated vanadium steel blades ensure long life. Texture-grip handles. Ergonomically designed handles for rapid rotation, greater comfort and control. Imprinted size on handles for easy selection. Large swivel head for greater control. MADE IN U.S.A.

Set includes 5 of the most popular screwdriver configurations:

- #00 Cross Point x 2-1/2" (60mm)
- #0 Cross Point x 4" (100mm)
- #1 Cross Point x 4" (100mm)
- #3/32" Straight x 2-1/2" (60mm)
- #1/8" Straight x 4" (100mm)



#G700 Precision Screwdriver Set

Special Precision Screwdrivers

Ideal for miniature screws in bobbin cases, hooks, eyeglasses, etc.

- #SC2 4" length Magnetized Screwdriver with Hi-Impact Styrene Handle
- #SC3 4-3/4" length Knurled Metal Handle Screwdriver
- #SC4 4-3/4" length Aluminum Barrel Screwdriver with Swivel Top



SC2



SC3



SC4

Miniature Precision Screwdriver Kit

Includes 6 precision screwdrivers for the smallest screws in bobbin cases, circuit boards, eyeglasses, etc. 0.9mm, 1.2mm, 1.8mm, 2.4mm, 3.0mm, 3.5mm. Complete with handy case.

#SCK6

SCK6



No. G862

PROBE SET

Ideal tools for machinists for probing, cleaning, picking or marking small work surfaces. Features extra long aluminum knurled body. Hex head prevents rolling. Made in U.S.A.

Includes 3 heat treated high carbon steel point configurations:

- 45 Degrees Bent
- Double Bend
- Hook Bend

#G862 Probe Set



Diamond Needle Corp.



OIL and OILERS

REFILLABLE HOLLOW NEEDLE PRECISION DISPENSER

The perfect method to pin-point distribution of oil. The stainless steel needle puts a small drop of oil exactly where you want it. It is leak proof and the squeeze tube is made of unbreakable clear plastic. The cap contains a "pocket clip" for easy convenient carrying and storage.

No. EW2132



EAGLE Brass Pump Oiler

Seamless-drawn brass body. Non-rusting, non-sparking, non-magnetic. Can be refilled without removing pump. 4-1/2" seamless brass spout with detachable grooved tip for easy oiling. Oiler capacity is 6 ounces. Handy, Compact, and Easy to Use !

No. EBP66



DELUXE PLASTIC OILER

No. EW210

- LEAKPROOF, DURABLE DESIGN
- LONG ANGLE SPOUT (4")
- COMPLETE WITH CLOSING, PROTECTIVE CAP
- 1/4 PINT CAPACITY



MINI PLASTIC OILER

No. EW2121

- LEAKPROOF, DURABLE DESIGN
- LONG RETRACTABLE SPOUT (4")
- SMALL APERTURE WITH BRASS SCREW CAP
- OVER 1 FULL OUNCE CAPACITY



PREMIUM LILY WHITE OIL

The right lubricating oil to keep machines in top performance.



No. EW350
ONE GALLON

No. EW340
5 GALLON DRUM

Diamond Needle Corp.



WHITE
DIAMOND

ABRASIVES

MITCHELL'S EMERY CORDS & TAPES

The Machinist's Best Friend

MADE IN U.S.A.

Mitchell's flexible abrasive cords and tapes debur, grind, and polish hard-to-reach areas which are inaccessible to most standard tools. Ideal for narrow slots and grooves, small holes, and curved surfaces. The round cords and flat tapes can be used on metal, plastic, and wood.

Impregnated with aluminum oxide or crocus for ultrafine polishing. Abrasive cords are available in 0.012" to 0.150" diameters and tapes come in 1/16" to 1/4" widths. They are both supplied on handy 25 yards adhesive tape-like spools.

- Cords Replace Saw Blades and Files
- Tapes Replace Emery Cloth Strips
- Cords Remove Corrosion from Parts
- Remove Solder from Printed Circuit Boards
- Enlarge Holes, Deburr Holes, Polish Holes in Plates



Abrasive Emery Cords & Tapes:

NUMBER	IN.	MM	GRAIN
#EC46	.150	3.81	120
#EC48	.093	2.36	150
#EC49	.082	2.08	120
#EC50	.070	1.78	180
#EC51	.055	1.40	120
#EC52	.055	1.40	150
#EC53	.040	1.02	180
#EC54	.030	0.76	200
#EC54H	.025	0.64	200
#EC55	.018	0.46	200
#EC60	.015	0.38	200
#EC66	.012	0.31	280
#ET01	2-32	1.59	180
#ET56	3-32	2.38	180
#ET57	4-32	3.18	180
#ET58	6-32	4.76	150
#ET59	8-32	6.35	150


Crocus Cords & Tapes

NUMBER	IN.	MM.
#CC49	.082	2.08
#CCT50	.070	1.78
#CC52	.055	1.40
#CC53	.040	1.02
#CC54	.030	0.76
#CC54H	.025	0.64
#CC55	.018	0.46
#CC60	.015	0.38
#CC66	.012	0.31
#CT56	3-32	2.38
#CT59	8-32	6.35

REINFORCED ALUMINUM OXIDE WHEELS

- * For Deburring and Polishing of Machine Parts
- * Eliminates Grinding Wheel Undercutting
- * Clean, Dry Operation (No Need for Polishing Compound)
- * Made of Tough, Durable Nylon; Impregnated with Abrasive Grain
- * 6" Diameter x 1" Width (1" Center Hole Opening)
- * Supplied with Adapters for 1/2" Motor Shaft Mounting
- * Fits 6" Industrial Bench Grinders with 1/2" Shafts

#RAW6



Diamond Needle Corp.



DREMEL

Moto-Tool "Tools for the Imagination"


The Original:

Dremel invented the high-speed rotary tool in 1934.

Dremel quality products deliver performance, precision and long life.

TOOLS WITH DOZENS OF USES AND THE RIGHT SPEED FOR THEM ALL.
THE MORE TOOLS YOU NEED, THE MORE YOU NEED ONE OF THESE TOOLS.
TOOLS FOR ALL KINDS OF WORK, NOT ALL KINDS OF MONEY.

DR275	Single Speed (30,000rpm) Moto-Tool
DR2750	DR275 Kit
DR285	Two Speed (15,000 and 30,000 rpm) Moto-Tool
DR2850	DR285 Kit
DR395	Variable Speed (5,000 to 30,000 rpm) Moto-Tool
DR3950	DR395 Kit
DR3955	DR395 Kit
DR3960	220v. DR395 Kit
DR3962	DR395 Kit
DR3981	DR398 Professional Moto-Tool Kit



MINI-MITE Cordless

Take it anywhere. 4.8v. motor for light-duty precision jobs


DR750	Two Speed MINI-MITE with 3 hour charger and accessories
DR756	3 hour charger only



Electric Engraver

Adjustable stroke lets you mark and identify anything
Light and compact for comfortable use
Replaceable carbide or diamond points


DR290	Engraver with carbide (#DR9924) point
DR9924	Carbide point
DR9929	Diamond point



Attachments (Moto-Tool NOT included)

MAKE YOUR DREMEL ROTARY TOOL EVEN MORE VERSATILE

DR212	Drill Press
DR217	Foot Control
DR225	Flex-Shaft
DR230	Router Attachment
DR231	Router Table
DR332	Flex-Tool
DR2214	D-Vise
DR2217	Tool Holder



Diamond Needle Corp.



DREMEL ACCESSORIES

Moto-Tool "Tools for the Imagination"

Polishing Accessories:

Ideal for polishing metals and plastics. Using DR421 polishing compound with wheels produces a higher luster. Not to exceed 30,000 RPM.

DR414	1/2" dia. Felt Polishing Wheel f/DR401 Mandrel (6/pack)
DR421	1 oz. Polishing Compound for use with felt or cloth accessories
DR422	3/8" dia. Felt Polishing Tip f/DR401 Mandrel
DR423	1" dia. Cloth Polishing Wheel f/DR402 Mandrel
DR425	7/8" x 1/8" Polishing Wheel f/DR402 Mandrel (Emery Impregnated)
DR427	1/4" x 7/8" Polishing Point f/DR424 Mandrel (Emery Impregnated)+B73
DR429	1" dia. Felt Polishing Wheel f/DR401 Mandrel
DR460	DR427 and DR424




Cut-Off Wheels

For slicing and cutting metal, wood and plastic. Easily cut or slot bolts, screws, sheet metal, thin wood and plastic.

Only cuts straight lines with edge, will shatter if used any other way.

DR409	15/16 x .025 f/DR402 Mandrel (36/pack)
DR420	15/16 x .040 f/DR402 Mandrel (20/pack) Heavy Duty
DR426	1-1/4 x .045 f/DR402 Mandrel (5/pack) Fiberglass Reinforced




Sanding Bands and Disks

For rough shaping and smoothing wood and fiberglass; removing rust from metal surfaces; shaping rubber surfaces.

Sanding bands are easily replaceable on drums. Not to exceed 30,000 RPM.

DR407	1/2" 60 grit Sanding Band with Mandrel (1/pack)
DR408	1/2" 60 grit Sanding Band (6/pack)
DR432	1/2" 120 grit Sanding Band (6/pack)
DR411	180 grit Coarse Disk f/DR402 Mandrel
DR412	220 grit Medium Disk f/DR402 Mandrel
DR413	240 grit Fine Disk f/DR402 Mandrel



1/8" Shank Mandrels


DR402	Mandrel w/Screw f/Cutting Wheels & Sanding Disks
DR401	Mandrel f/Polishing Accessories
DR424	Mandrel f/DR427



1/8" Shank Mounted Aluminum Oxide Grinding Stones (Red/Brown)

Use on metals, castings, welded joints, rivets and rust. Ideal for sharpening, deburring and general purpose grinding on most materials. Not to exceed 30,000 RPM.


DR953	1/4 x 5/8
DR903	5/8 x 3/16
DR922	3/8 Ball
DR924	1/8 Ball
DR962	1/2 x 3/8
DR973	1/2 x 1/8
DR981	3/4 x 3/16
DR997	3/32 x 3/8



1/8" Shank Silicon Grinding Stones (Blue/Green)

Designed to work well on stone, glass, ceramics, porcelain and non-ferrous metals. Not to exceed 30,000 RPM.

DR83642	1/8 x 5/32
DR85562	1/8 x 1/8



ALSO AVAILABLE:

1/8" Shank High Speed Cutters:

Used for shaping, hollowing, grooving, slotting, making tapered holes in soft metals, plastics and wood. Not to exceed 30,000 RPM.

1/8" Shank Tungsten Carbide Cutters:

Use for shaping, smoothing and material removal. Use on hardened steel, stainless steel, cast iron, nonferrous metals, fired ceramics, plastics, hardwoods and other hard materials.

1/8" Shank High Speed Router Bits:

Use for routing, inlaying and mortising in wood and other soft materials. For use with DR230 Router Attachment and DR231 Router Table. Not to exceed 30,000 RPM.

1/8" Shank Brush Accessories:

Bristle brushes are for light deburring, cleaning, polishing of silverware, jewelry and other precious metals; can use with DR421 polishing compound. Not to exceed 15,000 RPM.

Carbon steel brushes are versatile for removing rust and corrosion, polish metal surfaces; deburr and blend surface junctures or clean electrical components. Not to exceed 15,000 RPM.

3/32" Shank Diamond Wheel Points:

Used for fine detail work, cutting, engraving, carving, touch-up and finishing. Use on wood, jade, ceramic, glass, hardened steel, semi-precious stones and other hard materials. Bits are covered with diamond particles.

3/32" Shank Small Engraving Cutters:

Used for detail engraving, carving, routing in wood, fiberglass, plastic and soft metals.

Miscellaneous:

Dressing Stones, Collets etc.

Call for a complete Dremel circular!

Diamond Needle Corp.



MAY 1, 2001

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

47

GOLD*STAR CUTTING MACHINE KNIVES


MADE IN U.S.A

GOLD STAR highest quality straight edge knives are hollow ground, unlike competitive products which are usually straight ground. This reduces the thickness of the blade throughout the area of use to approximately 50% of its original thickness. This permits a thinner and sharper edge to be achieved for smoother cutting and reduces friction of the blade as it passes through the cut material. The blade moves easier through the cut and remains cooler during operation.

High speed steel has proven to be the most popular type of steel for greater cutting due to its resistance to wear after many sharpenings. High speed steel maintains a finer cutting edge for a longer length of time than other steels.

FOR:	EASTMAN	WOLF	COMET	MAIMIN	KM
5"	5E	5W	5C	5M	5KM
6"	6E	6W	6C	6M	6KM
7"	7E	7W	7C	7M	7KM
8"	8E	8W	8C	8M	8KM
9"	9E	9W	9C	9M	9KM
10"	10E	10W	10C	10M	10KM

ALL STRAIGHT BLADES ARE
PACKED AND SOLD 1 DOZEN
PER BOX



Most styles of GOLD STAR knives are also available in Wave edge or Teflon coated at additional cost.

E-W WHITE DIAMOND ABRASIVE SHARPENING BANDS

MADE IN U.S.A.

FOR MAIMIN

1450	COARSE	(YELLOW)
1451	MEDIUM	(GREEN)
1452	FINE	(RED)

FOR WOLF or EASTMAN


1350200	COARSE	(RED)
1350100	MEDIUM	(GREEN)
1350000	FINE	(BLUE)
1350500	WATERPROOF	(BLACK)

FOR GURY:


	COMET	EXCALIBUR
COARSE	1999C	2423373
MEDIUM	1999M	2423363
FINE	1999F	2423353

FOR KM:

	AU(regular)	EU
COARSE	KM80	KM-EU-C
MEDIUM	KM100	KM-EU-M
FINE	KM120	KM-EU-F



ALL BANDS ARE PACKED
AND SOLD IN
BOXES OF 100 PIECES



Our GOLD*STAR straight knives, E-W WHITE DIAMOND round blades and E-W WHITE DIAMOND sharpening bands are designed to provide dependable service and save you money. They are suitable for use in all leading brands of cloth cutting machines including but not limited to: AllStar, Beaver, Comet, Consew, Eastman, Excalibur, Gribetz, Gury, Hitaka, Hoog, KM, Lightning, Maimin, Simplex, US, Wolf.

Diamond Needle Corp.



HANDI-HANDLE

HANDI-HANDLE STRAIGHT KNIFE HANDLE No. SKH3

For use in:

- Cutting Room
- Receiving Department
- Shipping Department
- Office & Studio
- Kitchen & Workshop

For the first time a styrene handle made especially for use with old blades removed from Straight Knife Cloth Cutting Machines.

This new development is a departure from the use of cloth, gum paper tape, foam rubber and other materials to form makeshift handles for the blades. For safety, convenience and practicality... the Handi-Handle is indispensable.



REUSE YOUR OLD BLADES
(BLADE NOT INCLUDED)

**THE HANDI-HANDLE WILL FIT MOST MAKES OF STRAIGHT
KNIFE CUTTING MACHINE BLADES**
(ie: EASTMAN, MAIMIN, WOLF, BEAVER, GURY ETC.)

CHAINEX STAINLESS STEEL MESH SAFETY GLOVES

CHAINEX STAINLESS STEEL PROTECTIVE MESH GLOVES...

LIGHTWEIGHT, SAFE, PRACTICAL and EFFECTIVE

Effective protection against cuts and stab wounds
combined with great flexibility and unrestricted movement.

FIVE FINGER STYLE...AMBIDEXTROUS

No.	Description
MG500XXSB	EXTRA, EXTRA SMALL
MG500XSB	EXTRA SMALL
MG500SB	SMALL
MG500MB	MEDIUM
MG500LB	LARGE
MG500XLB	EXTRA LARGE



**CHAINEX STAINLESS STEEL PROTECTIVE
MESH GLOVES ARE MADE UP OF AISI 316
STAINLESS STEEL LINKS**



Listed
77 L1

MEETS
OSHA
REQUIREMENTS
FOR SAFETY

Diamond Needle Corp.



E-W WHITE DIAMOND ROUND BLADES

for EASTMAN

R4ET	4 (PTFE)	59T
R2-1/32E123	2-1/32" (4 sided)	123
R2-1/32E133	2-1/32" (8 sided)	133
R2-1/4E147	2-1/4" (round)	147
R2-1/4E149	2-1/4" (hex)	149
R2-1/2E	2-1/2"	114
R3-1/4E84	3-1/4"	84
R3-1/4E145	3-1/4" (hex)	145
R3-1/2E	3-1/2"	26
R4E	4"	59
R4ET	4" (PTFE)	59T
R4E141	4" (round)	141
R5E	5"	35/101
R5-1/4E60	5-1/4"	60
R5-1/4E61	5-1/4"	61
R5-1/4E61T	5-1/4" (PTFE)	61T
R5-1/2E	5-1/2"	4
R6E	6"	39/92
R6ET	6" (PTFE)	39T
R7E	7"	24/75
R7-1/2E	7-1/2"	77/100
R7-1/2ET	7-1/2" (PTFE)	77T

for MAIMIN

R2-1/2M	2-1/2"	ROTO-SHEAR
R4M	4"	
R4MT	4 (PTFE)	
R5M	5"	
R5-1/4M59	5-1/4"	59
R5-1/4M59T	5-1/4" (PTFE)	59T
R5-1/4M85	5-1/4"	85
R6M	6"	
R7M	7"	
R7MT	7 (PTFE)	
RS232	(hex)	MINI-SHEAR

for WOLF

R4W	4"	23
R4-3/4W	4-3/4"	22
R4-3/4WT	4-3/4" (PTFE)	22T
R5-1/4W21	5-1/4"	21
R5-1/4W21T	5-1/4" (PTFE)	21T
R5-1/4W24	5-1/4"	24
R5-1/4W24T	5-1/4" (PTFE)	24T
R6W16	6"	16
R6W16T	6 (PTFE)	16T
R6W18	6"	18
R6W18T	6 (PTFE)	18T
R7W19	7"	19
R7W19T	7 (PTFE)	19T
R10W	10"	
R10WT	10 (PTFE)	
R1426371	(4 sided)	PUP
R1426371-8	(8 sided)	PUP
R1426372	(8 sided)	PUP
R1431570	10	BIG "O"
R1431671	10	BIG "O"
R1433470	(4 sided)	WOLF ABLE

for US & SIMPLEX

R3-1/2S	3-1/2"
R4S	4"
R5S	5"
R6S	6"

for BEAVER

R4B	4"	40
R5B	5"	
R5-1/4B50	5-1/4"	50
R5-1/4B55	5-1/4"	55
R5-1/2B	5-1/2"	60
R6B	6"	65

for HOOG

R110-90/3MS-2	(4 sided)	LILIPUT
R115-90/1MS-55	(7 sided)	FAVORIT
R501-140/1-MS21	(4 sided)	SF201

for GURY

AS1026	(6 sided)	ASTRO
R15340	3-1/4"	ZENITH
R1026400	4"	
R1026500	5-1/2"	
R1026700	7"	

for KM

A-113	(6 sided)	BIRDIE
A-113R	(round)	BIRDIE
R6KM	6"	
S135R	4 (round)	OCTA
S135-8	4 (8 sided)	OCTA

for CONSEW

C508-12	(4 sided)	506, 508
C535-67	5"	535
R3-1/2C	3-1/2"	515C

for QUILTERS

295.80008.01	6"	SPUHL
295.80008.01T	6 (PTFE)	SPUHL
E222	5-1/2"	EMCO

for GRIBETZ

GR19	7"	19
GR19T	7 (PTFE)	19 PTFE
P79037	10"	
P79037T	10 (PTFE)	
Q-1720-29	5-1/4"	
Q-1720-29T	5-1/4" (PTFE)	


Our GOLD*STAR straight knives, E-W WHITE DIAMOND round blades and E-W WHITE DIAMOND sharpening bands are designed to provide dependable service and save you money. They are suitable for use in all leading brands of cloth cutting machines including but not limited to: AllStar, Beaver, Comet, Consew, Eastman, Excalibur, Gribetz, Gury, Hitaka, Hoog, KM, Lightning, Maimin, Simplex, US, Wolf.

Diamond Needle Corp.

GPO BOX 1355 • 159 W 25 St. • New York, NY 10001
 Phone: (212) 929-2277 • (800) 221-5818
 FAX: (212) 242-8882 • (800) 833-3363
 E-mail: Diamond-Needle@worldnet.att.net




E-W CUTTING ROOM SUPPLIES



CL1
REGULAR CLOTH CLAMP
w/2" WIDE JAWS



CL2
NARROW CLOTH CLAMP



CL3
WIDE CLOTH CLAMP w/3"
WIDE JAWS



CL4 (4") • CL8 (8")
ADJUSTABLE CLOTH CLAMP



CL 5 (REGULAR)
CL6 (LARGE)
SAMPLE CLOTH CLAMP

MEASURING TAPES
PRESSURE SENSITIVE,
STICKS TO ANY SURFACE
MRL - MEASURES RIGHT
TO LEFT
MLR - MEASURES LEFT TO
RIGHT



LG3
LUCITE GAUGE



CTA4, 5, 6, 8
CLOTH TACKING AWLS



CWT
CLOTH WEIGHT
(4 POUNDS)



SLC25
SLOT CLEANER



AWS
ADJUSTABLE SPANNER
WRENCH



K1
CUTTING MACHINE KEY

E-W SHARPENING STONES



**SPINDLE
SCREW**

45484
F/WOLF

EW304C10-3
F/EASTMAN



**JOURNAL/
BUSHING**

45488
F/WOLF

EW20C6-11
F/EASTMAN



**SPINDLE,
SHAFT**

45487
F/WOLF

EW92C1-12
F/EASTMAN



**STONE,
ONLY**

45483 REGULAR
45483F FINE
F/WOLF

EW133C1-12 LARGE
EW133C1-11 SMALL
F/EASTMAN



**STONE
COMPLETE**

45480 REGULAR
45480F FINE
F/WOLF

EW541C1-9 LARGE
EW541C1-10 SMALL
F/EASTMAN

We also stock high quality E-W sharpening stones and components for most other brands of cutting machines.
Please call us for price and delivery information.

**WE CARRY A LARGE VARIETY OF PARTS FOR ALL MAJOR BRANDS OF CLOTH CUTTING MACHINES.
IF YOU DON'T SEE WHAT YOU NEED PLEASE CALL US.**

Diamond Needle Corp.



HIGH POWER VACUUM and BLOWER

No. MDV-3BA


UL Listed & CSA

Made in U.S.A.

DATA-VAC

"PRO" SERIES A Computer & Machinery Cleaning System Everyone Can Use!

MDV-3BA The powerful cleaning system with dual speed operation. Includes: 2 speed deluxe power unit (1.7 PHP motor) , permanent cloth bag, micro toner filter, disposable vacuum bags, cord storage halo, 6 ft flexible hose, "Pik-All" nozzle, "Powerizer" Air Maximizer, crevice tool with snap-in brush, soft bristle dusting brush, air "pin-pointer," shoulder strap, 1 extra micro filter, "snorkel probe" adapter nozzle, flexible neck extension wand, micro dusting brush, and micro crevice tool.



The **DATA-VAC "Pro"-Series** can handle every cleaning job in the electronic shop. It has everything for complete computer and machinery cleaning. This hi-tech **vac/blower** has plenty of power for the toughest jobs yet is sensitive enough to pick up the most minute particles. DATA-VAC's *micro cleaning tools and "snorkel" probe* attachment sweep up and blow away trouble **FAST!**

High Power VACUUM & BLOWER in One

Perfect for cleaning machines, circuit boards, motors, computers, disk drives, calculators, office equipment, and more. You name it, the **DATA-VAC "Pro"** cleans it. It's environmentally friendly, too! It traps and removes harmful pollutants before they are expelled into the atmosphere.

With the **DATA-VAC "Pro"** you can keep your equipment running clean, all the time. **DATA-VAC "Pro"** is inexpensive and user friendly.

Model #MDV-3BA

Also Available:

Extra Disposable Paper Bags Model #DV-5PB pack of 5 bags

HIGH POWER PORTABLE ELECTRIC BLOWER

U.L. Listed • Made in USA

- Removes lint, thread, dust from motors and machines
- Sweeps floors and work areas fast

#EW110 110v

#EW220 220v



Diamond Needle Corp.



MISCELLANEOUS PRODUCTS

E-Z OFF IRON CLEANER

(5.25 Oz. TUBE)

ENDS ROUGH, STICKY SURFACES ON IRONS



Removes starch, scorch, soil and foreign residue from all hot metal ironing surfaces without damaging surface. Non-flammable.

No. EW826

KISS-OFF

Stain Remover

- Effective Spot Stain Removal
- Convenient 7oz (20gr) Size

No. EW136BP



LINT BRUSH

Model No. BR1

- Nylon Bristle Double End Brush
- Cleans all those hard to get places
- Keeps Machinery and work area clean



FIBERGLASS TAPE MEASURE


Model No. 242TM

- 60 Inch Long on One Side - 105cm on Other Side

Model No. 244TM

- 60 Inch Both Sides

- Never-Stretch Fiberglass Material
- Brass Tips



THREAD PICKER

6" overall length sharp, angled point tool with finger loop. Gets under the tightest stitches to pick up finest threads. Hardened steel for long life.

No. L-4656



KLEEN-STEAM

Ion-Exchange, Resin Filter

- Effective protection of internal components of gravity feed steam irons from impurities in tap water
- 1 Lb. (454gr) per container



No. DN50

SUPERKLEEN

Non-Flammable Duster Spray

- Fast way to remove microscopic dust from all surfaces... Safe to use with computers, optical equipment, photographic equipment, micro assemblies and many places ordinary tools cannot reach dust.
- Does not contain any CFC's or HCFC's.
- Net wt. 10 oz. Aerosol can.



No. A1340

Diamond Needle Corp.



BELMONT SCISSORS & SHEARS

QUALITY CUTLERY AT LOW PRICES

Belmont BENT TRIMMERS

Quality scissors... Economically Priced ... Saves you money !

- Hot drop forged steel
- Black japanned handles
- Nickel plated blades



No length cut
Highest Quality...made in USA

571/6	6"	2-5/8"
571/7	7"	3-1/4"
571/7LH	7"	3-1/4"
571/8	8"	3-7/8"
571/9	9"	4-3/8"

Best Value...made in Italy

571/6I	6"	2-5/8"
571/7I	7"	3-1/4"
571/8I	8"	3-7/8"

Belmont INDUSTRIAL UTILITY SHEARS

Highly leveraged handles make easy work of hard cuts.

- 8" overall length (3" cut)
- Heavy duty forged steel construction
- Two sharp points.
- Quality made in U.S.A.



No. 576/8

Belmont 5" SAFETY / POCKET SCISSORS

Handy, durable scissors you can safely throw in your pocket.

- Hot drop-forged steel
- 5 inch length (2-1/8" cut)
- Double blunt points



No. 360/5

Belmont ELECTRICIAN'S / UTILITY SCISSORS

Useful, heavy duty, conveniently sized scissors for cutting tough materials, wires, tapes, etc.

- All steel construction
- Hefty blades
- Double sharp points
- Quality made in U.S.A.



No. 575E

BENSER Upholstery Trimmers

Item No. **USS/175**

Overall Length: 7" / 175mm

Length of Cut: 2" / 50mm



Widely used in upholstery trades, fabric mills, and auto trim plants for trimming fabric, rubber flashing, upholstery and headliners. Stainless steel blades are rust resistant and durable to withstand corrosive industrial conditions. One blade is partially serrated for *sure* gripping strength and cutting. Blunted tips for safety or carrying in a pocket. Comfortable, light weight, high leverage, ambidextrous handles make any cutting an easy job.

Diamond Needle Corp.

EW WHITE DIAMOND

Fiskars has a tradition of quality that dates back to 1649 when they began manufacturing in the village of Fiskars near Helsinki, Finland.

In 1960 Fiskars revolutionized the scissors and shears industry. After years of intensive research and testing, Fiskars introduced lightweight, orange handled scissors with stainless steel blades that were efficient, long-lasting molded handles conformed to the contour of the hand.

Today, Fiskars continues with the same high standards in improving comfort and performance, with innovative, ergonomic and superior quality products.

SOFTOUCH SCISSORS & SHEARS - ERGONOMIC

Oversized cushion grip handle, easy action spring gently opens blades after each cut and reduces fatigue. Contains an adjustable screw for blade tension modification.

- Oversized cushion grip handle.
- Easy-slide lock keeps blades closed
- Ambidextrous



ITEM NO.	FULL LENGTH	CUT LENGTH
F9911	10" - 254mm	3 1/8" - 79mm
F9921	5" - 127mm	1 5/8" - 41mm

STAINLESS BENT TRIMMERS

FISKARS/ORANGE HANDLE

Most popular multi-purpose shears. Great for cutting practically anything from paper to poultry. Easy cutting on flat surfaces.

- Adjustable stainless screw pivot.
- Precision blade alignment.
- Ergonomically designed fiberglass handle.

ITEM NO.	FULL LENGTH	CUT
F9451-8	8" - 203mm	3 7/8" - 98mm
F9450-8LH	8" - 203mm	3 7/8" - 98mm
F9441-9	9" - 229mm	4 1/8" - 105mm



FISKARS/DURA-SHARP

Stainless steel blades are precision ground to maintain their edge. Molded handles for a firm, comfortable grip. This 8" bent trimmer can be used for an unlimited number of tasks. **For left or right handed use.**

- Adjustable rivets allow you to adjust the tension.

ITEM NO.	FULL LENGTH	CUT LENGTH
F1000-8	8" - 203mm	3 1/2" - 89mm




Diamond Needle Corp.



WISS SCISSORS

**AMERICAN MADE
QUALITY
By CooperTools**

INDUSTRIAL UTILITY SHEARS INLAID BLADES




Extra leveraged handles in convenient size utility shear makes cutting tough materials easier. All forged steel construction.

ITEM NO.	O.A.L.	CUT
No. W1DS	8-1/2" length	3" cut

SEWING & EMBROIDERY SCISSORS


2 sharp points for fine, accurate cuts. Hot drop forged steel. Flat pattern. Ring handles.



ITEM NO.	O.A.L.	CUT
No. W763-1/2	3-3/8"	1-1/4"
No. W764	4-1/4"	1-3/8"
No. W765	5-1/8"	2"
No. W766	6-1/8"	2-1/2"

QUICK-CLIP SPEED CUTTERS

Stainless steel, replaceable blades in comfortable plastic body. Positive spring action. 4-1/2" length.




No. W1570 (Sharp Points)

No. W1571 (Blunt Points)

BENT TRIMMERS, DRESSMAKER'S & INDUSTRIAL SHEARS

Hot drop forged steel. Nickel plated blades. Black handles.



ITEM NO.	O.A.L.	CUT
No. W426	6-1/4"	2-5/8"
No. W427	7-1/8"	3-1/8"
No. W428	8-1/8"	3-3/4"

SOLID STEEL STRAIGHT TRIMMERS HOUSEHOLD & INDUSTRIAL SHEARS

Hot drop forged steel. Nickel plated blades. Black handles.



ITEM NO.	O.A.L.	CUT
No. W436	6-1/4"	2-5/8"
No. W437	7-1/8"	3-1/8"
No. W438	8-1/8"	3-3/4"

POCKET SCISSORS


2 blunt, rounded points. Hot drop forged steel. Flat pattern. Ring handles. Handy... Just throw 'em in your pocket !



ITEM NO.	O.A.L.	CUT
W064	4"	1-3/4"
W065	5"	2-1/4"
W166L	6"	2-3/4"

SEWING SCISSORS

1 sharp and 1 blunt point. Flat pattern. Ring handles.



ITEM NO.	O.A.L.	CUT
No. W715	5-1/4"	2-1/4"
No. W716	6-1/8"	2-3/4"

INDUSTRIAL BENT TRIMMERS INLAID BLADES

Hot drop forged steel. Nickel plated blades. Black handles.



ITEM NO.	O.A.L.	CUT
No. W27	7-1/8"	3-1/8"
No. W28	8-1/8"	3-3/4"
No. W29	9-1/4"	4"

SOLID STEEL STRAIGHT INDUSTRIAL SHEARS. INLAID BLADES.

Hot drop forged steel. Nickel plated blades. Black handles.

ITEM NO.	O.A.L.	CUT
No. W36	6-1/4"	2-5/8"
No. W37	7-1/8"	3-1/8"
No. W38	8-1/8"	3-3/4"
No. W39	9-1/4"	4-3/8"
No. W30	10-1/4"	4-7/8"

Diamond Needle Corp.

WISS SCISSORS

**AMERICAN MADE
QUALITY
By CooperTools**

HEAVY DUTY INDUSTRIAL SHEARS. INLAID BLADES.


Hot drop forged steel blades.
Black handles. Industrial finish.



ITEM NO.	O.A.L.	CUT
No. W20	10-1/4"	4-3/4"
No. W20LH	10-1/4"	4-3/4"
No. W22	12"	6-1/8"

RUG SHEARS for Hooked and Candlewick rugs.

Offset handles let you cut close to carpet surface. Hot drop forged solid steel. 2 sharp points. Black handles.



ITEM NO.	O.A.L.	CUT
No. WRS1	8" length	2-3/4"

UPHOLSTERY, CARPET, DRAPERY and FABRIC SHEARS. INLAID BLADES.

Extra Heavy Weight Blades give heft!



ITEM NO.	O.A.L.	CUT
No. W20W	10-1/4"	4-3/4"
No. W22W	12-1/4"	6-1/8"

PINKING SHEARS

Efficient cutting of light and heavy fabrics.
Bearing pivot reduces friction and finger fatigue making cuts easier.



ITEM NO.	O.A.L.	CUT
No. WCB7	7-1/2"	2-5/8"
No. WCB7LH	7-1/2"	2-5/8"
No. WCB9	9"	3-1/4"
No. WAA	10-5/8"	3-7/8"

KNIFE-EDGE UPHOLSTERY and FABRIC SHEARS.

One blade is ground to knife-edge for faster, cleaner, easier cutting of synthetic fibers. Bent, black handles. Industrial finish.



ITEM NO.	O.A.L.	CUT
No. W1225	10-1/4"	4-3/4"
No. W1226	12-1/4"	6-1/8"

KITCHEN and GENERAL UTILITY SHEAR

Hot drop forged stainless steel. Cut a wide variety of materials including twine, rope, cardboard, light metal, wire screens, flowers.



ITEM NO.	O.A.L.	CUT
No. WKS1	8" length	2-5/8"

BELT and LEATHER CUTTING SHEARS.

One blade serrated and other edged. INLAID BLADES. Black handles. Industrial finish.



ITEM NO.	O.A.L.	CUT
No. W8BLT	8-1/4" len	3" cut

STRAIGHT PATTERN, SOLID STEEL TINNERS' SNIPS.

Traditional tools of sheet metal trades and with craftsmen. Cuts straight and wide curves(when trimming light gauge stock). Hot drop forged, solid steel blades.



ITEM NO.	O.A.L.	CUT
No. WA13	7"	1-3/4"
No. WA12	8-1/4"	2"
No. WA11	9-3/4"	2-1/4"
No. WA10	11"	2-1/2"
No. WA9	12-1/2"	3"

SNIPS for CUTTING KEVLAR

Excellent for cutting Kevlar. Hot drop forged solid steel with special materials and heat treatment. Serrations on one blade to give long life when cutting Kevlar. (Regular shears are dulled after a few cuts).



ITEM NO.	O.A.L.	CUT
No. WKV2	8-1/4" len	2" cut

METAL-WIZZ Multi-purpose Snips

Cuts curves, straight or any combination. Compound action cutting. Originally developed for cutting tough alloys in aviation industry. They make easy cutting of screening, shingles, carpets and metal sheets. Spring action and non-slip cushion grips.



ITEM NO.	O.A.L.	CUT
No. WMPC3	9" length	1-3/8" cut

IF YOU DO NOT SEE WHAT YOU NEED... CALL & ASK!

Diamond Needle Corp.



MUNDIAL SCISSORS

MUNDIAL *Cushion Soft Grip Shears*

The most comfortable shears you ever used !

- Ergonomic Design ... Ambidextrous
- Soft, but durable, cushion in plastic handles
- Comfortably sized finger grips
- Micro-serrated bottom blade for maximum control (except pinker)
- Two-tone blue handles




No.	Description	Length	Cut Length
M1860-1	Dressmaker	8" - 203mm	3-5/8" - 92mm
M1863-1	All Purpose	7-1/2" - 191mm	2-3/4" - 70mm
M1864-1	Hobby/Craft	5-1/2" - 140mm	1-7/8" - 48mm
M1865-1	Pinking Shears	7-1/2" - 191mm	2-7/8" - 73mm
M1890-1	Professional Dressmaker	9" - 229mm	4-1/8" - 105mm

ZIVIHERCULES



NO	DESCRIPTION
406-7	7"CHROME DRESSMAKER/KNIFE EDGE
406-8	8"CHROME DRESSMAKER/KNIFE EDGE
406-8LH	8"LEFT HAND CHROME DRESSMAKER
407B	7-1/2" PINKING SHEAR
407BLH	7-1/2" LEFT HAND PINKING SHEAR
409B	9" PINKING SHEAR
M410BAA	10" PINKING SHEAR
M420-10	10" BENT TRIMMER/KNIFE EDGE
M420-10LH	10" LEFT HAND BENT TRIMMER/KNF EDGE
M420W	10" HEAVY DUTY BENT TRIMMER/KNF EDG
M422-12	12" BENT TRIMMER/KNIFE EDGE
M422W	12" HEAVY DUTY BENT TRIMMER/KNF EDG55.00
M429-9	9" BENT TRIMMER/KNIFE EDGE
454-8	8" SERRA SHARP BENT TRIMMER
455-6	6" BENT TRIMMER/KNIFE EDGE
455-7	7" BENT TRIMMER/KNIFE EDGE
455-8	8" BENT TRIMMER/KNIFE EDGE
455-8LH	8" LEFT HAND BENT TRIMMER/KNF EDGE



Diamond Needle Corp.



MUNDIAL SCISSORS


ZIVIHERCULES

MUNDIAL  MARKS

NO.	DESCRIPTION
520-4	4" POCKET SCISSOR
M585	6" OFFSET BLADE APPLIQUE
102-3-1/2	3-1/2" EMBROIDERY SCISSOR
102-4M	4" EMBROIDERY SCISSOR
102-5M	5" EMBROIDERY SCISSOR
102-6M	6" EMBROIDERY SCISSOR
202-5	5" SEWING SCISSOR
202-6	6" SEWING SCISSOR
275-5	5" TAILORS POINT/KNIFE EDGE
301-C	4-1/2" THREAD CLIP
355-6	6" STRAIGHT TRIMMER/KNIFE EDGE
355-7	7" STRAIGHT TRIMMER/KNIFE EDGE
355-8	8" STRAIGHT TRIMMER/KNIFE EDGE
M456-8	8" UTILITY SHEAR/KNIFE EDGE

MUNDIAL-LITE PREMIUM STAINLESS WITH BLACK PLASTIC HANDLES


NO.	DESCRIPTION
601M	4-3/4" THREAD CLIP
662M	7" DRESSMAKER/KNIFE EDGE
660M	8" DRESSMAKER/KNIFE EDGE
661LH	8" L/H DRESSMAKER/KNIFE EDGE
690M	9" DRESSMAKER/KNIFE EDGE
663M	7-1/2" BARBER SHEAR
664M	5-1/2" EMBROIDERY/KNIFE EDGE
665M	7-1/2" PINKING SHEAR
666M	8" TAKE-A-PART UTILITY SHEAR
667M	5" POCKET/SAFETY POINT/KNIFE EDGE
668M	4-1/2" EMBROIDERY SCISSOR



520-4



M585



102-3 1/2




202-5



275-5



301C




355-6




M456-8




601M




660M



662M




663M




664M




665M



666M



667M



668M

Diamond Needle Corp.

 WHITE
DIAMOND

BENSER Upholstery Trimmers

Item No. **USS/175**

Overall Length: 7" / 175mm

Length of Cut: 2" / 50mm



Widely used in upholstery trades, fabric mills, and auto trim plants for trimming fabric, rubber flashing, upholstery and headliners. Stainless steel blades are rust resistant and durable to withstand corrosive industrial conditions. One blade is partially serrated for *sure* gripping strength and cutting. Blunted tips for safety or carrying in a pocket. Comfortable, light weight, high leverage, ambidextrous handles make any cutting an easy job.

EW Heavy Duty Leather Holster

Item No. **DN103**



Made of thick, high grade leather, stitched and riveted for extra strength and a built in belt slot. Will accomodate almost any scissor up to 12" in length. **Stop wasting time looking for your scissors!** Much safer than leaving them on a table, a machine or the floor.

We carry a huge variety of other scissors, shears and snips in stock from:



HAND~MATES SUPPORT GLOVES

HELPS IMPROVE PRODUCTIVITY

No. HM-501 (SMALL) • HM502 (MEDIUM)

No. HM-503 (LARGE) • HM-504 (EXTRA LARGE)

Ideal for hundreds of uses:

- Sewing & Quilting • Craft & Hobby work
- Computer Use • Assembly Work
- Food Processing • and many, many more

Check these advantages...

HEAT

Naturally generated by the body, warmth is retained within the tightly knit fabric. This keeps muscles relaxed and stimulates circulation.

SUPPORT

What support hose do for legs... Hand-Mates comfortably support the palm and wrist leaving your fingers free to work.

MASSAGE

The gentle "give and take" of the fabric keeps muscles free from fatigue and promotes better circulation.

USE ANY TIME REPETITIVE HAND MOTION CAUSES FATIGUE TO HAND OR WRIST



Place palm here and measure across knuckles

SMALL

MEDIUM

LARGE

X-LARGE

Only \$9.95 per pair
Save when you buy in quantity
(can be assorted sizes)
(6-12 pairs: \$8.95 per pair)
(13-48 pairs: **\$7.95** per pair)

Diamond Needle Corp.



CREDIT APPLICATION

PHOTOCOPY THIS ORDER FORM

MAIL OR FAX TO US!

Company Name:

Billing Address:

Ship to Address:

How long in business under the above company name:

Years

Months

Nature of Business:

Telephone Number: ()

Fax: Number: ()

Other Numbers:

e-mail Address:

Web Address:

Tax I. D. Number:

Names of Principals:

Name of Bank:

Account Number:

(Address & Branch #)

(1) Trade Reference:

Telephone Number: ()

Fax Number: ()

(2) Trade Reference:

Telephone Number: ()

Fax Number: ()

(3) Trade Reference:

Telephone Number: ()

Fax Number: ()

Completed By (print name):

Date:

Additional information you feel we should have, if any:

Your cooperation in providing this information will help us
in establishing an open account basis for your firm. Thank you.

Diamond Needle Corp.

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com



AUGUST 1, 2001

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

61

TO: **DIAMOND NEEDLE CORP.**60 COMMERCE ROAD
CARLSTADT, NJ 07072**WHITE
DIAMOND****WE NOW ACCEPT
VISA, MASTERCARD
and DISCOVER****CALL OR FAX US TOLL FREE!****TELEPHONE: 1-800-221-5818**

INTERNATIONAL PHONE: (201) 507-1771

FAX: 1-800-833-3363

INTERNATIONAL FAX: (201) 507-1715

BILL TO: _____

ADDRESS: _____

CITY: _____

STATE: _____ ZIP: _____

PHONE: (_____) _____

ORDERED BY: _____

SHIP TO: _____

ADDRESS: _____

CITY: _____

STATE: _____ ZIP: _____

PHONE: (_____) _____

ATTENTION: _____

QUANTITY	ITEM NO.	DESCRIPTION	UNIT PRICE	EXTENSION

SUB-TOTAL

NYS SALES TAX

TOTAL**TERMS & CONDITIONS OF ORDERING****TERMS:** (1) Qualified accounts, approved by our credit department, are allowed NET-30 DAYS. (ask for credit application).**SALES TAX:** We are only responsible for NYS sales tax.**F.O.B., NEW YORK, NY:** All items are sold F.O.B. NY, NY.**METHOD OF SHIPMENT:** Unless specified otherwise, we reserve the right to determine the best method of shipment.**MINIMUM ORDERS:** In order to help keep our prices low, we have a requirement of a minimum order of \$25.00 excluding freight and sales tax. A service charge of \$5.00 will be added to orders under \$25.00. Avoid any service charge by increasing your order by one extra box of needles or some other item that you'll always need... thank you.**CREDIT CARD INFORMATION**TYPE: ☐ VISA ☐ MASTERCARD ☐ DISCOVER

NAME ON CARD: _____

CARD NO.: _____

EXPIRATION DATE: _____

SIGNATURE: _____

PLEASE NOTE: TO USE ORDER FORM WE SUGGEST THAT YOU MAKE A COPY OF THIS FORM. IF YOU NEED MORE ITEMS THAN THERE IS ROOM FOR... MAKE AN EXTRA COPY FOR THE ADDITIONAL ITEMS. THANK YOU.

ASSORTED HELPFUL TOOLS

SELF-LOCKING TWEEZER #TWE15 (4-1/2") #TWE16 (6-3/4")  Stainless steel	STRAIGHT 4" TWEEZER W/HOOK #TWE3  Stainless steel Ribbed points, hook at end	DELUXE 5" BENT TWEEZER #TWE4  Precision points, stainless steel
DELUXE 6" BENT TWEEZER #TWE6  Has alignment pin Precision points Picks up the finest threads	STAINLESS 6" TWEEZER #TWE7  Bent tweezers Precision points Forged stainless steel	STRAIGHT 6" TWEEZER #TWE8  Stainless steel Precision points, pinpoint accuracy
SCISSOR TYPE 6" CLAMPING PLIERS #EW166  Stainless steel	HANDY AWL #HA3  Hardened point Hardwood handle Used for marking dots in pattern paper	BRASS TIPPED 60" FIBERGLASS TAPE MEASURE #242TM  Inches on one side - brass tip w/ hole Metric on the other - alternate direction
SMALL SEAM RIPPER (3-1/2" overall length) #110R  Safety ball Hexagonal rib prevents rolling	LARGE SEAM RIPPER (5-1/2" overall length) #111R  Safety ball Sure grip handle Clear plastic ribbed cover	FLAT PATTERN SEAM RIPPER (5" overall length) #112R  Flat handle Safety ball Clear plastic cover Simulated wood handle
UPHOLSTERY SKEWERS #C5081-3 (sold in packs of 12) Many Versatile Uses 3" Long Long Enough To Hold Material To Foam  (picture actual size)		

Diamond Needle Corp.



INDEX

Abrasives	45	Lockstitch Quilter Needles	4	Parts For: United Tape Edge	14
Aerosols	51	Machine Oil	44	Parts For: U. S. Blindstitch	30
Aluminum Oxide Wheels	45	Magnetic Gauges	42	Parts For: W & G Machines	26
Anti-Static Spray	36	Mitchel's Emery Cords	45	PD Needles	8
Belmont Scissors	54	Moto-Tools	46	Pinking Shears	57, 58, 59
Belt Dressing	36	Multi-Purpose Adhesive Spray	36	Polishing Wheels	45
Benzer Scissors	54, 60	Multi-Range Needles	9	Portable Blower	52
Binder Brackets	13	Mundial Scissors	58	Portable Vacuum	52
Binder Heads	12, 13	Needles	1	Probe Set	43
Blower	52	Oil	44	Quilting Machine Blades	11, 50
Canned Air	53	Oilers	44	Quilting Machine Needles	4
Chainex Safety Gloves	49	Order Form	62	Quilting Machine Shuttles	11
Chainstitch Quilter Needles	4	Organ Needles	1	Resin Water Filter	53
Cleaning Gun	37	Parts For: Blindstitch Machines	30	Rotary Tools	46
Cleaning Products	37, 53	Parts For: Border Machines	29	Rulers	42
Credit Application	61	Parts For: Cash Tape Edge	14	Safety Gloves	49
Crocus Cords & Tapes	45	Parts For: Chainstitch Quilters	10	Scissors & Shears	54
CS Needles	8	Parts For: Consew Misc. Machines	35	Scissor Holster	60
Cushion Grip Shears	58	Parts For: Cutting Machines	48	Screwdrivers	43
Cutting Machine Knives	48, 50	Parts For: C & W Flanger	23	Seam Rippers	63
Cutting Room Supplies	51	Parts For: Emco Quilters	11	Sewing Machine Oil	44
Data-Vac	52	Parts For: Flanging Machines	22	Sharpening Bands For: Cutting Mchs ..	48
Dennison Fastener Systems	38	Parts For: Gribetz Quilters	10	Sharpening Stones For: Cutting Mchs ..	51
Dennison Fasteners	40	Parts For: Galkin Flanger	22	Sheath	60
Dennison Tagging Guns	38	Parts For: Juki Flanger	22	Silicone Spray	36
Dennison Tagging Needles	38, 39	Parts For: Juki Misc. Machines	35	Spot Cleaning Gun	37
Dremel Moto-Tools	46	Parts For: Jump & Tack	10	Spotters Kit	37
Duster Spray	53	Parts For: Label Machines	31	Stainless Steel Safety Gloves	49
E. C. Mitchell	45	Parts For: Lockstitch Quilters	11	Superkleen	53
Electric Spot Cleaning Gun	37	Parts For: Mending Machines	31	Support Gloves	60
E-Z Off Iron Cleaner	53	Parts For: Multi-Head Quilters	33	Tag III Tagging Tools	41
Fastener Guns	38, 39, 41	Parts For: Panel Flanger	22	Tagging Needles	38, 39, 41
Fastener Needles	38, 39, 41	Parts For: Pegasus Machines	26	Tape Edge Machine Needles	5
Fastener Systems	38, 39, 41	Parts For: Porter Flanger	24	Tape Measure	53, 63
Fiberglass Tape Measure	53, 63	Parts For: Porter Tape Edge	14	Thread Clips	56, 59
Fiskars Scissors	55	Parts For: Rimoldi Machines	28	Thread Picker	53
Flanging Machine Needles	5	Parts For: Singer 107W Mchs.	31	Threading Hooks	11
Folders	12, 13	Parts For: Singer 108W Mchs.	32	Threading Wires	11, 24, 27
Gold*Star Cutting Machine Knives	48	Parts For: Singer 111W Mchs.	33	Titanium Nitride Needles	8
Hand-Mates	60	Parts For: Singer 132K Mchs.	33	Tools	42, 53, 63
Handy Awl	63	Parts For: Singer 143W Mchs.	31	Tweezers	63
Handi-Handle	49	Parts For: Singer 211G Mchs.	33	Upholstery Skewers	63
High Power Blower	52	Parts For: Singer 211W Mchs.	33	Upholstery Trimmers	60
Holster f/Scissors or Knife	60	Parts For: Singer 246- Mchs.	30	Vacuum	52
Iron Cleaner	53	Parts For: Singer 300W	15	Water Filter	53
Kiss-Off Stain Remover	53	Parts For: Singer 300U	15	White Lithium Grease	36
Kleen-Steam	53	Parts For: Singer 460 Mchs.	30	Wiss Scissors	56
Knives For: Cutting Machines	48, 50	Parts For: Singer Misc. Machines	35		
Lint Brush	42, 53	Parts For: Single Needle Machines	35		
		Parts For: Siruba Machines	26		
		Parts For: Spuhl Tape Edge	14		
		Parts For: Tape Edge Machines	14		
		Parts For: Union Special Boarder Mchs.	29		
		Parts For: Union Special Flanger	28		
		Parts For: United Boarder Mchines	29		

**If you don't see what you need...ask us.
We are adding new items continuously.**

Diamond Needle Corp.




**WHITE
DIAMOND**

HOT NEW ITEMS - Too Late to Index

1) 267660, 415106 CYLINDER, COMPLETE F/300W, 300U

- | | | |
|-----|----------------|--------------------------|
| 2) | 544358 | SET SCREW |
| 3) | 414579 | SCREW STUD |
| 4) | 267649, 415111 | SUPPORT |
| 5) | 541198 | NUT |
| 6) | 548459 | LOCK WASHER |
| 7) | 415115 | PLUNGER CAP |
| 8) | 267655 | PLUNGER WASHER (LEATHER) |
| 9) | 548154 | SCREW WASHER |
| 10) | 545405 | NUT |
| 11) | 267644, 415113 | ARM FORK |



FOR GRIBETZ QUILTERS

Q-1652 THREADING HOOKS (25/PKG)

Q-1652-1-L THREADING HOOK HOLDER (7-3/4")


Q-1652-1-S THREADING HOOK HOLDER (4-1/2")



BINDER BRACKETS


FOR 108W & 108K

- | | | |
|----|--------|---|
| 1) | 259636 | SWING ARM (BINDER HEAD NOT INCLUDED) |
| 2) | 224742 | BRACKET W/PINS |
| 3) | 200162 | SCREW |



FOR 153W

- | | | |
|----|--------|-----------|
| 4) | 240662 | SWING ARM |
|----|--------|-----------|



LONG SCREWDRIVER

SC9 1/8" TIP
 3-7/16" BLADE
 PLASTIC HANDLE
 FOR THOSE HARD TO REACH SCREWS




DIAMOND NEEDLE CORP

60 COMMERCE ROAD CARLSTADT, NJ 07072
Phone: (201) 507-1771 (800) 221-5818
Fax: (201) 507-1715 (800) 833-3363
E-mail: info@diamondneedle.com

TO:

GLOVES



SEE PAGES 49 & 60

ROTARY HOOKS for VARIOUS MACHINES




SEE PAGES 31 - 35

QUILTING MACHINE PARTS



SEE PAGES 10 & 11

SEWING MACHINE PARTS



SEE PAGES 14 - 35

SCISSORS & SHEARS




SEE PAGES 54 - 60

CUTTING ROOM SUPPLIES



SEE PAGES 48 - 51

BINDER HEADS



SEE PAGES 12 & 13


ORGAN BRAND NEEDLES

- Fits All Machines
- All Sizes
- Leather Point
- Ball Point
- Cool-Sew
- Perfect Durability



SEE PAGES 1 - 8

DENNISON TAGGING SYSTEMS



SEE PAGES 38 - 40

DREMEL



SEE PAGES 46 & 47

OIL & OILERS



SEE PAGES 42 & 44

BELTS



SEE PAGES 11, 14,
21, 22, 31, 34

AEROSOLS & CHEMICALS



SEE PAGES 36 & 37