

Parts List and Sewing Equipment 零件样本和缝纫附件

267

DÜRKOPP ADLER


制造商：杜克普爱华工业制造(上海)有限公司
中国上海浦东新区罗山路1201号 邮政编码：200135


联系单
位


Edition: 12/2007	Revision index 02.0	Printed in China 中国印制	Part.-No.: 0791 267801 KA
----------------------------	-------------------------------	-----------------------	-------------------------------------


Table of contents	Table / 图表	目录
Arm shaft	1	上轴
Upper feed, feed- and needle bar	2	上送料、下送料和针送料
Presser bar	3	压杆
Needle feed shaft	4	针送料轴
Feed regulator	5	针距调节机构
Sewing foot lift system	6	抬压脚机构
Arm cover and pretension	7	机壳顶盖和过线预夹紧
Thread tension bearer	8, 9	夹线器
Bobbin winder	10	绕线器
Arm and face cover	11	机壳和面板
Bed plate	12	底板
Slide	13	推板
Hook and hook bearing	14	旋梭和旋梭安装座
Belt pulley	15	皮带轮
Lower shaft	16	下轴
Lifter shaft, feed crank	17	抬牙和送料机构
Stand, maintenance unit	18	机架台板
Sewing lamp and transformer	19	缝纫灯和变压器
Motor package	20	马达包
Accessories	21, 22	附件盒
Sewing equipments		缝纫附件

All rights reserved.
Property of Dürkopp Adler and copyrighted. Reproduction or publication of the content in any manner, even in extracts, without prior written permission of Dürkopp Adler, is prohibited.
版权所有，不许翻印
版权和产权归杜克普爱华有限公司所有。未经杜克普爱华有限公司书面许可，禁止以任何方式翻印或复印本内容，包括摘要。










Part no. see sewing equipment
件号见缝纫附件


From the library of: Diamond Needle Corp





From the library of: Diamond Needle Corp

N - not available as separate part
不提供散件


- stick
需用胶水









From the library of: Diamond Needle Corp




From the library of: Diamond Nettle Corp







From the library of: Diamond Needle Corp



From the library of: Diamond Needle Corp







From the library of: Diamond Needle Corp






N - not available as separate part
不提供散件






From the library of: Diamond Needle Corp





From the library of: Diamond Needle Corp



From the library of: Diamond Needle Corp

From the library of: Diamond Needle Corp





9800 360050

9130 500120
9130 104225
(10X1165)

9231 110127

0744 001131

9357 200056

MG43 000401

9840 120060

9207 170227

9207 170847
(2x)


 9840 133012

 9840 135012



- 9815 580001

0907 030484






0281 700014



0791 267100





From the library of: Diamond Needle Corp

Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表
0002 007504 8580	19	0067 150060	14	0068 002200	17	0167 150050	14
0002 007504 9500	19	0067 150103	14	0068 002210	17	0167 150260	14
0008 001510	14	0067 150110	16	0068 002230	17	0168 160034	17
0002 007504 8580	19	0067 150120	16	0068 002280	17	0168 160040	17
0002 007504 9500	19	0067 151030	16	0068 002343	05	0196 002830	06
0008 001510	14	0067 151040	16	0068 002380	05	0196 003253	21
0016 004010	08, 09	0067 151050	16	0068 002400	05	0199 002723	21
0037 000150	03	0067 151060	16	0068 002410	04	0199 002724	21
0037 001280	07, 08, 09	0067 160013	01	0068 003320	03	0199 002740	21
0061 001050	08, 09	0067 160483	17	0068 004900	08	0216 000052	15
0061 002410	03	0067 160533	04	0068 004910	08	0221 110150	07, 08, 09
0067 000180	02	0067 160600	04, 17	0068 008470	21	0221 110154	07, 08, 09
0067 000423	02	0067 312013	02	0068 151123	14	0221 110160	07, 08, 09
0067 001484	13	0067 312030	02	0068 151143	16	0223 000646	01
0067 001510	13	0067 312050	02	0069 312030	02	0241 001067	11
0067 002130	01, 15	0067 312070	02	0069 312040	02	0267 100010	11
0067 002170	17	0067 312170	03	0069 312053	02	0267 100200	21
0067 002174	17	0067 312174	03	0069 312070	02	0267 100210	21
0067 002303	17	0067 312213	02	0081 001660	21	0267 100230	21
0067 002320	05	0067 312214	02	0095 000110	02	0267 100240	21
0067 002330	05	0067 312240	02	0098 101000	01	0267 110030	02
0067 002380	01	0067 312250	02	0099 002330	04	0267 120030	02
0067 002460	05	0067 320150	10	0099 004800	08, 09	0267 130060	06
0067 002470	05	0068 000120	11	0099 004810	08, 09	0267 130064	06
0067 003050	06	0068 000170	02	0099 004830	08, 09	0267 130100	06
0067 003123	02	0068 000213	09	0099 004893	08	0267 130104	06
0067 003133	02	0068 000280	09	0100 010300	18, 21	0267 130113	06
0067 003293	03	0068 000290	11	0100 010310	18, 21	0267 130120	06
0067 003320	03	0068 000300	09	0167 000670	06	0267 130133	06
0067 100014	01	0068 000430	02	0167 001663	14	0267 130140	06
0067 100050	01	0068 000440	01	0167 001700	14	0267 130150	06
0067 100220	12	0068 000470	02	0167 001784	14	0267 130160	06
0067 100600	01	0068 000660	03	0167 001800	14, 21	0267 130170	06
0067 100610	01	0068 000680	03	0167 001910	14	0267 140080	12
0067 130140	06	0068 001570	14	0167 001940	14	0267 140140	12
0067 143010	13	0068 001743	16	0167 150024	14	0267 140150	13
0067 150033	01	0068 002180	17	0167 150034	14	0267 150100	15
0067 150050	14	0068 002190	17	0167 150040	14	0267 150110	15

Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表
0267 150333	16	0268 150233	15	0367 110120	09	0907 030484	20
0267 151794	14	0268 150240	16	0367 110140	09	0907 487519	19
0267 151814	14	0268 150260	15	0367 110230	08, 09	0933 411208	08, 09
0267 160023	04	0268 150270	15	0367 110240	09	0990 240181	01
0267 160030	04	0268 160010	05	0367 110340	08, 09	0990 430911	14
0267 310013	02	0268 160013	05	0367 110350	08, 09	0992 001780	16
0267 700010	21	0268 160020	05	0367 110360	08, 09	0992 002430	17
0267 700020	21	0268 160030	05	0367 110510	08, 09	0992 003280	02
0268 100040	11	0268 160040	05	0367 110560	08, 09	0992 004477	05
0268 100060	01	0268 160050	05	0367 160640	07	0992 005660	05
0268 100070	01	0268 160060	05	0367 170040	10	0992 006800	03
0268 100120	07	0268 160073	05	0367 170083	10	0992 006980	14
0268 100134	01	0268 160080	05	0381 110043	08, 09	0992 008986	14
0268 100160	06	0268 160140	05	0396 110020	07	0992 009787	03, 13
0268 100193	01	0268 160230	05	0396 110470	07, 08, 09	0992 009810	13, 17
0268 100393	01	0268 160254	05	0396 170060	10	0992 010467	16
0268 100403	01	0268 170013	01	0396 170080	10	0992 012157	02
0268 100410	11	0268 170030	10	0396 170160	07, 08, 09	0992 013050	17
0268 100490	07	0268 170050	10	0396 170170	07, 08, 09	0992 013597	16
0268 100494	07	0268 170054	10	0396 170270	10	0992 013977	13
0268 110010	08	0268 170063	10	0396 170283	10	0992 014950	03
0268 110014	08	0268 170074	10	0467 110220	08, 09	0992 015596	16
0268 110024	09	0268 170080	10	0700 000043	18	0992 016580	14
0268 110030	08, 09	0268 170103	10	0700 000044	18	0992 017567	08, 09
0268 110040	11	0268 170110	10	0700 000045	18	0992 019148	14
0268 110050	08, 09	0268 230014	02	0700 000050	18	0992 019157	14
0268 110060	08, 09	0268 310013	01	0725 000520 B	20	0992 022790	14
0268 110070	09	0268 310063	04	0744 001131	20	0992 023677	12
0268 110083	03	0268 310080	04	0767 100010	11	0992 023997	01
0268 110223	03	0269 130020	06	0791 267100	22	0992 024000	16
0268 110240	08, 09	0281 130450	21	0798 000677	20	0992 024030	21
0268 130013	06	0281 130460	21	0798 120401	19	0992 024077	08, 09
0268 130030	06	0281 130470	21	0798 447914	19	0993 330810	05
0268 130070	06	0281 130480	21	0798 500088	19	0993 411208	07
0268 130080	06	0281 380114	21	0893 211068	04	0993 521130	06
0268 130120	03	0281 700014	22	0894 450418	19	0993 671634	06
0268 130140	06	0291 000159	02	0907 010183	18	0994 270950	04
0268 150104	15	0296 160670	08, 09	0907 021084	18	0994 271360	01


Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表	Part-No. / 件号	Table / 图表
0995 140217	06	9203 003677	11	9330 000087	02, 07, 11	9870 001003	20
0998 861590	10, 21	9203 003977	11	9330 000097	03, 10	9889 026701 1	20
0APP 001132	19	9203 004277	21	9330 000107	05	MG43 000062	18
9041 100050	07	9203 004307	21	9330 000127	18	MG43 000401	20
9041 100212	01, 17	9203 113764	11	9330 300027	20	MG43 000410	20
9081 100251	21	9203 123687	07, 08, 09	9330 900117	18, 21	MG53 000501	18
9081 500010	21	9203 144267	06	9332 500150	06	MG53 002501	18
9081 500051	21	9203 312411	02	9334 001120	10	MG53 400134	18
9120 050150	15	9203 313022	15	9352 000200	01, 15		
9120 080110	01	9203 313057	11	9352 000320	01		
9129 016050	01	9203 313652	10	9357 000050	10		
9129 020200	06	9203 313657	10	9357 000060	02		
9129 020310	15	9205 023658	09	9357 000080	02, 06, 17		
9130 104225	20	9205 023920	02	9357 000100	02, 04, 06, 17		
9130 500120	20	9205 024298	05	9357 000110	03		
9201 113777	20	9205 101528	02	9357 200056	20		
9202 002067	11	9205 102158	21	9400 000013	13		
9202 002097	02	9205 102168	10	9800 110001 A	20		
9202 002473 CN	21	9205 102467	02, 03	9800 360050	20		
9202 002477	15	9205 102478	01, 02	9815 580001	20		
9202 002488	03, 06, 17	9205 102488	01	9822 510001	19		
9202 002497	03, 17	9205 102498	15	9822 510003	19		
9202 002498	04	9205 102788	21	9822 510012	19		
9202 002887	05, 06	9205 122478	01	9822 510013	19		
9202 002888	05, 17	9205 122489	01	9822 610000	19		
9202 002897	02, 04	9206 200087	18	9822 642024	19		
9202 002898	06	9206 200097	18	9822 642027	19		
9202 003317	19	9207 170227	18, 20	9825 810302	19		
9202 003318	14	9207 170437	19	9840 120001 (4x)	20		
9202 003738	12	9207 170847	20	9840 120003	19		
9202 011877	05	9210 023757	06	9840 120026	19		
9202 042487	03	9231 000367	07	9840 120060	20		
9203 002747	06	9231 000377	07, 08, 09	9840 121001	19		
9203 003057	10	9231 000397	05	9840 123003	19, 21		
9203 003637	13	9231 110107	06	9840 123003 (4x)	20		
9203 003642	11	9231 110127	02, 20	9840 133012	19, 20		
9203 003647	10	9305 603270	05	9840 133013	19		
9203 003657	08, 09, 11, 17	9330 000067	15	9840 135012	19, 20		

From the library of: Diamond Needle Corp







E2




E8/6




E8/8




E8/12



E8/14




E34






E49



E50





Sewing equipment
缝纫附件

267

Edition
版本
07.06
Replaced edition
取代版本号
03.92

Page
页号 4

Continued page
下一页号 5

E-No.	For Subclass / 适用机型	Needle holder 针夹	Throat plate ① 针板	Main feed dog 主送料牙 ②	Presser foot 压脚	Hook 旋梭															
		Needle distance mm 针距	Needle holder 针夹	Needle holder, left 左针夹	Needle holder, right 右针夹	Stitch hole size mm 针板孔尺寸	Throat plate 针板	Slide, left 左推板	Slide, right 右推板	Stitch hole size mm 针板孔尺寸	Serrated mm 锯齿	Serrated, oblique mm 锯齿倾斜	Cross toothed mm 十字齿	Roof-shaped mm 人字形齿	Feed foot ③ 送料压脚	Presser foot ④ 压脚	Foot, articulated, with lower 活络压脚,带连杆	Foot, articulated 活络压脚	Needle guard 护针架	Needle system 针规格	
E2	-373 Sewing equipment for general stitching operations in medium weight material in the production of upholstery, tarpaulins and leather articles. Needle size Nm 110-140. Stitch length max. 6 mm 适用于缝制中厚料沙发、帐篷和皮革制品的缝纫附件。 针规格: Nm110-140 最大针距长度 :6mm					ø 2.5	0167 200150					0167 210140				0267 220013	0267 220023				134-35 / 120-130
E34	-373 Sewing equipment for edge seams on the right in medium weight material in the production of upholstery, bags and leather articles. Seam margin 1 mm. Needle size Nm 110-140. Stitch length max. 6 mm 适用于缝制中厚料沙发、箱包和皮革制品时右侧边缝的缝纫附件。 针规格: Nm110-140 最大针距长度: 6mm					ø 2.5	0167 200150					0167 210140				0067 220713	0067 220783				134-35 / 120-130
E49	-373 Sewing equipment for welting operations in medium weight material (coarsely woven fabrics) in the production of upholstery. Welt groove 5 mm to the left of the needle in feeding foot and double toe jumping foot. Needle size Nm 110-140. Stitch length max. 6 mm 适用于缝制中厚料沙发、(粗织纤维)嵌缝的缝制设备,在送料压脚和大压脚中嵌条槽距针左侧距离为 5mm。 针规格: Nm110-140 最大针距长度: 6mm					ø 2.5	0167 200150					0167 210140				0167 220603	0167 220613				134-35 / 120-130
E50	-373 Same as E49, but welt groove 6 mm. 同 E49,但嵌条槽距针左侧距离 6mm。					ø 2.5	0167 200150					0167 210140				0167 220603	0167 220623				134-35 / 120-130



Sewing equipment
缝纫附件

267

Edition
版本
07.06
Replaced edition
取代版号
03.92

Page
页号 5

Continued page
下一页号 --

E-No.	For Subclass / 适用机型	Needle distance mm	Needle holder 针夹		Throat plate 针板		Main feed dog 主送料牙				Presser foot 压脚		Hook 旋梭								
			Needle bar	Needle holder, left	Needle holder, right	Stitch hole size mm	Throat plate	Slide, left	Slide, right	Stitch hole size mm	Serrated mm	Serrated, oblique mm	Cross toothed mm	Roof-shaped mm	Feed foot	Presser foot	Foot, articulated, with lever	Foot, articulated	Needle guard	Needle system	
Fig.No.	Use / 用途		针距	针夹	左针架	右针架	针板孔尺寸	针板	左推板	右推板	针板孔尺寸	锯齿	锯齿倾斜	十字齿	人字形齿	送料压脚	压脚	活络压脚,带连杆	活络压脚	护针架	针规格
E8/6	-273 Sewing equipment for general stitching operations in in the production of leather garments, upholstery, tarpaulins and leather articles. Needle distance 6 mm. Needle size Nm 110-140. Stitch length max. 6 mm 适用于缝制中厚料沙发、帐篷和皮革制品的缝纫附件。 针规格: Nm110-140 最大针距长度 :6mm	6	0068 232094				ø 2.5	0067 203890	0067 143010	0267 140160		0067 213460				0067 222343	0067 222523				134 / 110
E8/8	-273 Same as E8/6, but needle distance 8 mm. 同 E8/6, 但机针间距为 8mm.	8	0068 232114				ø 2.5	0067 203630	0067 143050	0067 142980		0067 213490				0067 222353	0067 222543				1134 / 110
E8/12	-273 Same as E8/6, but needle distance 12 mm. 同 E8/6, 但机针间距为12 mm。	12	0068 232154				ø 2.5	0067 203650	0067 143090	0067 143020		0067 213550				0067 222393	0067 222573				134 / 110
E8/14	-273 Same as E8/6, but needle distance 14 mm. 同 E8/6, 但机针间距为 14mm。	14	0068 232184				ø 2.5	0067 203750	0067 143090	0067 143020		0067 213590				0067 222413	0067 222593				134 / 110