



Unterklassen-Ausstattung

Subclass parts
Composition des sous-classes
Composición de las subclases









Subclass organizations

Dotación de las subclases

Unterklasse Subclass Sous-classe Subclase	Ausführung Model Version Tipo de máquina	Nadelslange Needle bar Barre à aiguille Barra de aguja	Stoßschieber ⁴ Feed dog Griffe Transportador	Stichplatte ¹ Needle plate Plaque à aiguille Placa de aguja	Nahfuß ¹ Presser foot Pied presseur Pie prensatelas	Fingerschutz Finger guard Protège-déigts Salvadedos
-6/01	A; B; BN	91-009 678-91	91-040 347-04	91-040 348-04	91-040 349-03	91-046 864-25
-6/01-900/16;/56	A; B; BN	91-009 678-91	91-040 347-04	91-058 955-05	91-040 349-03	91-046 864-25
-55/01	B; BN	91-009 678-91	91-047 029-04	91-048 079-04	91-051 339-93	
-944/01	A; B; BN	91-009 678-91	91-026 672-04	91-040 032-04	91-051 255-93	91-009 492-91

⁴ = Ausführung angeben
= Indicate model
= Préciser la version

Unterklassen-Übersicht / Table of subclasses / Table des sous-classes / Tabla de subclases

91-009 678-91  91-709 310-01 91-700 336-15 91-700 226-15 91-005 024-05 -6/01 -6/01-900/16;/56 -55/01 -944/01	91-026 672-04  -944/01	91-040 347-04  -6/01 -6/01-900/16;/56	
	91-047 029-04  -55/01		
91-040 032-04  -944/01	91-040 348-04  -6/01	91-048 079-04  -55/01	91-058 955-05  -6/01-900/16;/56
91-040 349-03  -6/01 -6/01-900/16;/56	91-051 255-93  -944/01	91-009 492-91  91-000 086-15 91-009 494-15 91-050 339-12 91-000 243-15 91-009 493-05 -944/01	
91-051 339-93  -55/01	91-046 864-25  -6/01 -6/01-900/16;/56		

PFAFF

**G.M. PFAFF
Aktiengesellschaft**

Postfach 3020
D-67653 Kaiserslautern

Königstr. 154
D-67655 Kaiserslautern

Telefon: (0631) 200-0
Telefax: (0631) 172 02
Telex: 45753 PFAFF D

Gedruckt in der BRD
Printed in Germany
Imprimé en R.F.A.
Impreso en la R.F.A.