



Spare Parts Catalogue

PFAFF 3335

G. M. PFAFF AG KAISERSLAUTERN BRANCH

Preface

This parts catalogue contains the front parts, arm parts, cylinder bed parts, machine base parts and accessory parts of the Pfaff 3335-0-1 as well as the organizational parts of Pfaff machines 3335-0-5, 3335-0-317/1 and 3335-300. Also included are two tables of organizational parts for Pfaff machines 3335-0-317/1 through /32 and 3335-300 through -309 as well as a list of obsolete parts.

Parts which differ according to the model (A, B or C), such as take-up lever and needle bar, are compiled in a table on page 4.

Wherever feasible, the individual parts which make up an assembly have been grouped on the illustration pages as they are arranged in the machine.

All underlined part numbers signify assemblies which are made up of several component parts.

An asterisk preceding the part number indicates that this part is available in an obsolete version also. Whenever this part needs replacement in an older machine, the obsolete version must be reordered.


A numerical index of all parts listed is included on the last pages of this catalogue.

Part number changes will be published on correction sheets and disseminated with our circulars.

Subject to alterations in design.

August 1964

G. M. PFAFF AG
Kaiserslautern Branch



Automatic Bartackers


















- PFAFF 3335-0-1** Automatic lockstitch bartacker fitted with link take-up, central bobbin shuttle, tack length and width adjustment, positive thread nipper, needle and bobbin thread trimmer, work clamp lifter locking device, and automatic stop motion.
- PFAFF 3335-0-5** Same as Pfaff 3335-0-1, but fitted with special work clamp.
- PFAFF 3335-0-317** Same as Pfaff 3335-0-1, but fitted with special work clamp and larger needle plate.

Component Parts of Pfaff Machines 3335 and 3335-0 in Models A, B and C

Part Name	Model		
	A	B	C
Needle bar crank	22312	22312	22539
Take-up lever, complete	22122	22122	22542
Take-up lever link	7016	7016	22776
Take-up crank	22313	22313	22541
Needle bar frame, complete	22450	22450	22569
Needle bar	722451	722451	722567
Needle plate, complete	24557 48666 (for -317)	124347	124348
Needle plate	24515 48668 (for -317)	24515	24515
Needle plate insert	22111	65543	65546

Front Parts

From the library of Diamond Needle Corp



700058 Fastening screw for No. 8020
64 Fastening screw for Nos. 8021; 22514
73 Fastening screw for No. 22860
700073 Fastening screw for Nos. 22455; 22568 and binding screw for No. 22115
94 Fastening screw for No. 7705
700150 Fastening screw for No. 6632
700152 Fastening screw for No. 10104
700153 Fastening screw for No. 20363
700173 Fastening screw for No. 20361
219 Fastening screw for No. 22325
700288 Fastening screw for No. 22104 and needle set screw
700336 Fastening screw for No. 22388
392 Regulating screw for No. 6525
437 Driving screw for No. 22860
510 Fastening screw for No. 22037
624 Fastening screw for No. 729
700681 Fastening screw for No. 22286
700717 Fastening screw for No. 22861
729 Tension stud for No. 20361
905 Tension stud for No. 20363
1241 Hinge screw for No. 22993
1522 Nut for No. 729
1636 Nut for No. 905
2061 Tension spring for No. 20361
2065 Tension disc for Nos. 20361; 20363
2531 Tension release washer for No. 20361
2536 Washer for No. 64
3005 Tension release pin for No. 20361
5544 Oil tube, 1" long, for No. 7016
6219 Washer for No. 700681
6523 Presser bar
6525 Presser bar spring
6526 Washer for No. 392
6611 Thread guide
6616 Oil wick for No. 8618
6632 Hinge stud for No. 7016
6640 Rivet for No. 20338
7014 Take-up lever
7015 Hinge pin for Nos. 7014; 7016
7016 Take-up lever link (Models A & B)
7705 Thread check spring stop for No. 20361
7718 Tension bracket, with fastening screw No. 624, for No. 729


8020 Lifting bracket guide for No. 22037
8021 Lifting bracket guide for No. 22037
8618 Oil tube, 1½" long, for No. 22775
8648 Thread check spring
10104 Hinge stud for No. 22568
10181 Tension release washer for No. 20363
10183 Tension spring for No. 20363
20338 Thread guide for No. 22455
20361 Thread tension, lower, complete, consisting of Nos. 94; 729; 1522; 2061; 2065; 2531; 7705; 7718; 8648; 105447
20363 Thread tension, upper, complete, consisting of Nos. 905; 1636; 2065; 10181; 10183; 105447
22037 Presser bar lifting bracket
22104 Thread wiper wire for No. 22398
22115 Needle bar connecting stud
22122 Take-up lever (Models A & B) complete, consisting of Nos. 700073; 6632; 7014; 7015; 7016; 22115; 22313; 22775; 100213
22128 Tension release plunger for No. 20361
22286 Thread wiper wire bracket for No. 22398
22313 Take-up crank (Models A & B)
22325 Thread nipper spring for No. 722451
22388 Thread guide
22398 Thread wiper, complete, consisting of Nos. 700288; 22104; 22286; 22975; 100217
22450 Needle bar frame (Models A & B), complete consisting of Nos. 219; 700288; 10104; 22325; 722451; 22568
722451 Needle bar (Models A & B)
22455 Face plate, complete, consisting of Nos. 6640; 20338; 22456
22456 Face plate
22514 Tension release bracket for No. 22037
22568 Needle bar frame
22672 Oil Wick for No. 5544
22775 Needle bar connecting link
22860 Thread wiper lever for No. 22975
22861 Clamp foot lifting lever
22975 Thread wiper wire holder for No. 22398
22993 Thread nipper lever for No. 22325
63048 Oil tube, 1¾" long, for No. 7014
63049 Oil wick for No. 63048
★ **100213** End screw for No. 22313
★ **100217** Hinge screw for No. 22975
105447 Washer for Nos. 1522; 1636

From the library of Diamond Needle Corp



Arm Parts

From the library of Diamond Needle Corp




- | | |
|--|---|
| 11 Hinge screw for No. 22059 | 20272 Stop cam spring for No. 20658 |
| 29 Hinge screw for No. 25165 | 20275 Novotex segment for No. 20658 |
| 46 Set screw for No. 22334 | 20276 Idler pulley |
| 58 Fastening screw for cap of No. 22059 | 20399 Ball bearing for No. 20276 |
| 700082 Fastening screw for Nos. 21030; 22328; 22454 | ★ 20658 Driving pulley w/
No. 700689 Fastening screw for No. 20658
No. 20061 Position pin for No. 21164 |
| 87 Fastening screw for No. 22335 | ★ 20659 Cap ring for No. 20658 |
| 700150 Fastening screw for Nos. 20002; 20205;
21195; 22042 | 21030 Stop tripping segment for No. 24934 |
| 153 Fastening screw for No. 22313 (see page 1) | 21111 Positioning pin for Nos. 24605; 24606 |
| 700243 Fastening screw for No. 22330 | 21164 Check block for No. 20272 |
| 700252 Fastening screw for Nos. 22333; 24606
and binding screw for Nos. 22331; 22334 | 21195 Arm shaft bushing, rear, w/oil wick No. 10198 |
| 700277 Fastening screw for No. 20659 | 21208 Feed cam position stud for No. 22009 |
| 700364 Spring suspension screw for No. 7329 | 22001 Arm shaft |
| 367 Fastening screw for No. 22313 (see page 1) | 22009 Worm wheel shaft |
| 405 Fastening screw for No. 22312 | 22042 Knife cam positioning flange for No. 22228 |
| 456 Fastening screw for No. 22312 | 22059 Shuttle drive connecting rod
w/fastening screw No. 58 |
| 700510 Fastening screw for
worm wheel of No. 24732 | 22228 Knife cam |
| 511 Fastening screw for No. 61104 | 22312 Needle bar crank (Models A & B) |
| 700680 Fastening screw, pointed,
for worm of No. 24732 | 22328 Thread nipper rod extension for No. 22329 |
| 700689 Fastening screw, blunt,
for No. 20658 and worm of No. 24732 | 22329 Thread nipper rod |
| 700865 Fastening screw for No. 22228 | 22330 Bearing bracket for No. 22329 |
| 701342 Fastening screw for No. 24605 | 22331 Thread nipper crank |
| 1512 Nut for No. 11 | 22332 Thread nipper hinge stud |
| 1513 Nut for No. 22329 | 22333 Top cover |
| 701515 Nut for No. 22506 | 22334 Thread nipper tripping lever |
| 1547 Nut for No. 46 | 22335 Finger for No. 22334 |
| 701635 Nut for No. 21208 | 22454 Thread nipper tripping segment for No. 24934 |
| 701638 Nut for No. 22009 | 22506 Thread guide |
| 1848 Positioning pin
for worm wheel of No. 24732 | 24605 Worm wheel shaft bearing bracket, front |
| 2056 Positioning pin for No. 20658 | 24606 Worm wheel shaft bearing bracket, rear |
| 7329 Tension spring for No. 22334 | 24732 Worm gear assembly, w/
No. 700510 Fastening screw
for worm wheel
No. 700680 Fastening screw, pointed,
for worm
No. 700689 Fastening screw, blunt,
for worm |
| 11238 Oil tube, 2 ⁹ / ₁₆ " long, for No. 24606 | 24934 Feed cam, w/
No. 700082 Fastening screw for Nos. 21030;
22454
No. 21030 Stop tripping segment
No. 22454 Thread nipper tripping segment |
| 18358 Oil cup for No. 20002 | 25165 Thread nipper rod joint for Nos. 22329;
22331 |
| 20002 Arm shaft bushing, front, w/ oil pad No. 12199
(outside dia. 1 ⁹ / ₆₄ " or 1 ³ / ₁₆ " = 29 or 30 mm) | 61104 Set collar for No. 22001 |
| 20061 Position pin for No. 20658 | ★ 101885 Positioning pin for No. 22042 |
| 20062 Stop cam for No. 20658, w/ position pin
No. 20063 for No. 21164 | 24577 Arm (not. ill.) |
| 20063 Position pin for No. 20062 | |
| 20205 Arm shaft bushing, center (outside dia. 1 ¹ / ₈ "
or 1 ⁹ / ₆₄ " = 28.5 or 29 mm) | |

From the library of Diamond Needle Corp



Arm Parts

From the library of Diamond Needle Corp




700017	Hinge screw for No. 22530	20353	Ball joint for No. 22772, complete, consisting of No. 20345 Ball joint end bearing No. 20346 Ball joint
700058	Fastening screw for No. 22533	20386	Pressure spring for No. 20067
700150	Fastening screw for No. 20030	20387	Spring collar for No. 20386
700152	Fastening screw for No. 20481	20396	Oil felt washer for No. 20067
153	Fastening screw for No. 700592	20467	Stop pin for No. 17584
700230	Set screw for No. 23019	20481	Stop pin for No. 23019
700297	Fastening screw for Nos. 11126; 21196	21065	Roller for Nos. 24588; 24591 (Orders should specify the number of dots on the face side: 1 x = 12.70 mm, or .4999" dia.; 2 x = 12.72 mm, or .5007" dia.; 3 x = 12.74 mm, or .5015" dia.; 4 x = 12.76 mm, or .5023" dia.)
700323	End screw for Nos. 20066; 20085; and fastening screw for No. 22586	21093	Brake block, complete, consisting of Nos. 21094; 21095; 25998
700352	Fastening screw for No. 20265	21094	Brake block for No. 21093
700364	Spring suspension screw for No. 7329	21095	Brake lining for No. 21093
407	Fastening screw for No. 24594	21097	Brake regulating bracket for No. 21093
700545	Spring suspension screw for No. 7329	21196	Belt shifter
700592	Hinge screw for No. 24535	21372	Washer for No. 11176
700654	Spring suspension screw for No. 20349	22003	Lifting lever
700655	Hinge screw for No. 22773	22004	Lifting lever guide
700659	Spring suspension screw for No. 9624	22171	Connecting rod for No. 22772
700660	Hook suspension screw for No. 22003	22238	Bearing bracket for No. 24535
700686	Fastening screw for Nos. 22512; 22680	22512	Ball joint connection, complete, consisting of No. 20346 Ball joint No. 22511 Connection
717	Fastening screw for No. 22680	22513	Bracket for Nos. 22512; 22680
700809	Fastening screw for Nos. 20353; 22004	★ 22530	Locking lever
700926	Fastening screw for No. 21097	22533	Bracket for No. 22530
700964	Hinge screw for Nos. 20065; 20066	22586	Tripping dog for No. 22701
700965	Spring suspension screw for No. 11903	22680	Lifting lever stop for No. 22003
700990	Fastening screw for Nos. 20269; 20271; 22238	22701	Tripping lever
701000	Fastening screw for Nos. 22512; 22513	22772	Ball joint connection for No. 22530, complete, consisting of Nos. 701662; 20353, complete; 22171; 22773
701154	Fastening screw for No. 20265	22773	Connecting rod joint for No. 22772
701199	Hinge screw for Nos. 20065; 20067	23019	Brake lever
1207	Fastening screw for cap of No. 24613	24429	Stop for No. 24593
701216	Hinge screw for No. 23019	24535	Knife bar tripping lever for No. 124149
701397	Fastening screw for Nos. 24589; 24592	24586	Slide block for No. 24588
701511	Nut for No. 700017	24587	Slide block stud for No. 24588
701515	Nut for Nos. 700230; 700686; 701000; 124150	24588	Feed regulator
701578	Wing nut for No. 24595	24589	Hinge stud for No. 24588
701658	Nut for No. 20067	24591	Feed across regulator
701662	Nut for Nos. 701199; 22171	24592	Hinge stud for No. 24591
701705	Nut for No. 24587	24593	Ball joint connection, complete, consisting of Nos. 407; 24594; 24595; 24596; 24613
1759	Slide block stud for No. 2170	24594	Guide fork for No. 24593
1849	Roller stud for No. 1864	24595	Ball screw stud for No. 24593
1864	Roller for No. 24535 (outside dia. = 7.0 mm; 7.02 mm; 7.04 mm; 7.06 mm; 7.08 mm; optional)	24596	Ball stud for No. 24593
2160	Washer for No. 2170	24613	Ball joint connection, w/fastening screw No. 1207, for No. 24593
2161	Positioning pin for No. 2160	25694	Pressure spring for No. 20396
2170	Slide block for No. 124149	25998	Rivet for No. 21095
2264	Positioning pin for Nos. 22004; 22238	28007	Washer for Nos. 700990; 22512; 701515
2536	Washer for No. 700058	28200	Washer for No. 20481
7328	Chain suspension hook for No. 22003	30240	Friction roller for No. 153
7329	Tension spring for No. 22701	30313	Washer for No. 25694
9624	Tension spring for No. 23019	31788	Circlip for No. 24587
11126	Stop motion lever hinge stud	98264	Spring washer for No. 701662
11176	Circlip for No. 20069	124149	Knife bar tripping lever, complete, consisting of: Nos. 1759; 1849; 2160; 2161; 2170; 24535
11903	Tension spring for No. 17584	124150	Roller stud for Nos. 24588; 24591
12526	Washer for No. 701578		
16328	Slip washer for No. 700660		
17584	Stop motion lever		
20030	Hinge stud for No. 22003		
20065	Stop link		
20066	Hinge stud for No. 20065		
20067	Stop link rod		
20069	Hinge stud for No. 20067		
20085	Hinge bolt for No. 22701		
20086	Washer for Nos. 700323; 20066; 20085		
20265	Bearing bracket for No. 17584		
20269	Catch for No. 17584		
20271	Latch for No. 22701		
20335	Roller stud, flanged, for No. 1864		
20349	Spring suspension bracket for Nos. 11903; 17584		

From the library of Diamond Needle Corp

Cylinder Bed Parts

From the library of Diamond Needle Corp



- | | |
|--|--|
| 700173 Fastening screw for Nos. 22091; 24513; 24557 | 24532 Pressure spring, left, for No. 24615 |
| ★ 700230 Fastening screw for No. 24598 | 24533 Pressure spring, right, for No. 24615 |
| 700252 Fastening screw for No. 24599 | 24557 Needle plate (Model A), complete, consisting of Nos. 512; 700772; 22093; 22099; 22111; 24515; 101501 |
| 512 Fastening screw for No. 22111 | 24586 Slide block for No. 24597 |
| 700681 Fastening screw for No. 24512 | 24597 Feed across driving lever for No. 24611 |
| 700772 Fastening screw for No. 22099 | 24598 Fulcrum stud, lower, for No. 24597 |
| 700799 Fastening screw for Nos. 22452; 22453 | 24599 Cylinder arm top cover |
| 701029 Fastening screw for No. 24935 | 24604 Slide block stud for No. 24597 |
| 701041 Fastening screw for Nos. 24936; 24937 | 24607 Work clamp frame for No. 24615 |
| 701099 Fastening screw for No. 22241 | 24608 Slide plate for No. 24615 |
| ★ 701269 Fastening screw for No. 24616 | 24611 Feed plate carrier bar for Nos. 24935; 24938 |
| 701278 Fastening screw for No. 24623 | 24615 Work clamp, complete, consisting of Nos. 701041; 701269; 701508; 22252; 245532; 24533; 24607; 24608; 24616; 24622; 100030 |
| 701344 Fastening screw for No. 24938 | 24616 Work clamp face plate for No. 24615 |
| 701386 Fastening screw for No. 24621 | ★ 24621 Fulcrum stud, upper, for No. 24597 |
| ★ 701387 Fastening screw for No. 24596 (see page III) | ★ 24622 Work clamp foot bracket for No. 24615 |
| 701508 Regulating nut for No. 22252 | 24623 Cover for No. 24599 |
| 5548 Washer for No. 701029 | 24935 Work clamp, w/work clamp feet, complete, consisting of Nos. 24615, complete; 24936; 24937 |
| 22091 Position bracket for No. 22241 | 24936 Work clamp foot, left |
| 22093 Knife carrier for No. 24557 | 24937 Work clamp foot, right |
| 22099 Knife holder pinion stud bracket for No. 24557 | 24938 Feed plate |
| 22111 Needle plate insert for No. 24557 (Model A) | 100030 Fastening screw for No. 24608 |
| 22241 Knife bar tripping fork for No. 24511 | 101501 Nut for No. 700772 |
| 22252 Stud, threaded, for No. 24615 | 24578 Cylinder arm (not ill.) |
| 22452 Bobbin thread knife for No. 24557 | 701063 Fastening screw for No. 24578 (not ill.) |
| 22453 Needle thread knife for No. 24557 | ★ 101824 Positioning pin for No. 24578 (not ill.) |
| 24511 Knife bar | |
| 24512 Knife bar rack for No. 24511 | |
| 24513 Position bracket for No. 24511 | |
| 24515 Needle plate for No. 24557 | |

Organizational Parts of the Pfaff 3335-0-1/2 (not ill.) (For standard parts please refer to the Pfaff 3335-0-1/1)


- 24939** Work clamp, w/ work clamp feet, complete, consisting of Nos. 24615, complete; 24940; 24941
- 24940** Work clamp foot, left
- 24941** Work clamp foot, right
- 24942** Feed plate

From the library of Diamond Needle Corp


V

Cylinder Bed and Machine Base Parts

From the library of Diamond Needle Corp




700070	Fastening screw for No. 24254	20273	Starting lever
700150	Fastening screw for No. 6571	21134	Positioning pin for Nos. 22565; 22566
700152	Fastening screw for Nos. 24585; 123778; 124148	21202	Pressure spring for No. 20273
★ 700152	Fastening screw for No. 24582	21372	Washer for No. 701705
★ 700230	Fastening screw for No. 24583	22061	Shuttle race
250	Regulating screw for No. 6892	22063	Shuttle race ring
700297	Fastening screw for No. 20273	22116	Pressure spring for No. 22063
700335	Fastening screw for No. 24505	22162	Shuttle race, complete, consisting of Nos. 700991; 22063; 22116; 24254 complete
★ 589	End screw for No. 6569	22565	Shuttle race cap, left, for No. 24254
★ 598	Slide block stud for No. 6569	22566	Shuttle race cap, right, for No. 24254
687	Fastening screw for No. 18502	22974	Shuttle race cap, left, for No. 24254
700689	Fastening screw for No. 24507	23005	Slip washer for No. 24508
700987	Guide screw for No. 21202	24048	Shuttle race, w/ shuttle and bobbin case, complete, consisting of Nos. 6694; 22162, complete; 24423 complete
700988	Set screw for No. 20273	24254	Shuttle race, complete, consisting of Nos. 700996; 21134; 22061; 22565; 22566
700991	Fastening screw for No. 22063	★ 24423	Bobbin case, complete, consisting of Nos. 250; 2134; 6847, complete; 6892; 24424
700996	Fastening screw for Nos. 22565; 22566	★ 24424	Bobbin case
701342	Fastening screw for No. 24510	24502	Cylinder arm cap w/ hinge pin No. 8814
701508	Nut for No. 100100	24505	Cylinder arm cap spring for No. 24502
1512	Nut for No. 598	24506	Machine base
701563	Nut for No. 700988	24507	Hinge stud for No. 24506
1635	Jam nut for No. 24509	24508	Plunger for No. 24506
701705	Nut for No. 24584	24509	Nut for No. 24508
2030	Bobbin	★ 24510	Position block for No. 24506
2044	Positioning pin for No. 6569	24536	Pressure spring for No. 24508
2134	Pressure spring for No. 6848	24554	Rubber cushion
6568	Shuttle driver shaft crank	24582	Shuttle driver shaft bushing, front
6569	Shuttle driver shaft crank, complete, consisting of Nos. 589; 598; 1512; 6568; 6601; 6644	24583	Shuttle driver shaft bushing, rear
6570	Oscillating rock shaft for No. 6764	24584	Bearing stud for No. 65548
★ 6571	Oscillating rock shaft hinge pin for No. 6764	24585	Bearing bushing for No. 65548
6601	Slide block for No. 6569	24601	Guide plate, left
6615	Oil pad for No. 6570	24602	Guide plate, right
★ 6644	Washer for No. 6569	24619	Slide block for No. 24584
6694	Shuttle	24930	Shuttle driver shaft
6764	Oscillating rock shaft, complete, consisting of Nos. 6570; 6571	65548	Bearing stud, complete, consisting of Nos. 700152; 24584; 24585
★ 6847	Bobbin case latch, complete, consisting of Nos. 6848; 6849; 100086; 101798	★ 100086	Stop screw for No. 6848
★ 6848	Bobbin case latch for No. 6847	100100	Set screw for No. 124148
★ 6849	Bobbin case latch lever for No. 6847	100187	Fastening screw for Nos. 24601; 24602
★ 6892	Tension spring for No. 24423	★ 101798	Hinge pin for No. 6847
8814	Hinge pin for No. 24502	123778	Set collar for No. 24930
9149	Oil wick for No. 6571	124148	Shuttle race regulating bushing
11126	Starting lever hinge stud for No. 20273		
18502	Shuttle driver		



From the library of Diamond Needle Corp

Accessory Parts
PFAFF 3335 & 3335-0

From the library of Diamond Needle Corp









- 62** Set screw for No. 5566
- 73** Fastening screw for No. 29686
- 700073** Fastening screw for No. 53591
- 82** Fastening screw for No. 5567
- 700150** Fastening screw for No. 31559
- 700152** Fastening screw for No. 30135
- ★ **153** Fastening screw for No. 46566
- 273** Fastening screw for No. 46570
- 359** Hinge screw for Nos. 5564; 5565
- 363** Fastening screw for No. 41075
- 364** Hinge screw for Nos. 5568; 5569
- 366** Hinge screw for Nos. 5568; 5569
- 431** Fastening screw for No. 24506 (see page V)
- 737** Tension stud for No. 32303
- 700772** Fastening screw for No. 32300
- 700798** Hinge screw for Nos. 53593; 53594
- 700983** Hinge screw for No. 29959
- 701195** Fastening screw for Nos. 53596; 53597
- ★ **701286** Fastening screw for Nos. 32302; 32303
- ★ **701378** Fastening screw for No. 29960
- 1416** Wood screw for No. 46367
- 1417** Wood screw for No. 31560
- ★ **1417** Wood screw for No. 46598
- 1418** Wood screw for No. 29840
- 1435** Wood screw for No. 32215
- 1529** Nut for No. 431
- 1533** Nut for No. 737
- 701628** Wing nut for No. 700983
- 4531** Washer for No. 73
- 5005** Tension disc for No. 32303
- 5125** Tension spring for No. 32303
- 5564** Bobbin winder frame for No. 41075
- 5565** Bobbin winder frame base for No. 41075
- 5566** Bobbin winder stop latch for No. 41075
- 5567** Bobbin winder frame spring for No. 41075
- 5568** Bobbin winder stop latch trip lever for Nos. 5564; 5569
- 5569** Bobbin winder thumb lever for No. 41075
- 10107** Position pin for No. 5005
- 20565** Slip washer for Nos. 53593; 53594
- 21485** Chain for No. 20273 (see page V)
- 21486** Chain for No. 22003 (see page III)
- 24553** Plastic pad for No. 24506 (see page V)
- 25976** Spool cap for No. 46598 (on special request)
- 26110** Spool pin for No. 46598
- 26179** Spool disc for No. 46598
- 28043** Washer for No. 1529
- 29371** Hexagon screw wrench for No. 701705 on No. 24587 (see page III)
- 29520** Washer for No. 29840
- 29571** Catch for No. 29840
- 29601** Washer for No. 1416
- 29683** Eye guard, complete, consisting of Nos. 29684; 29959 complete (Special model)
- 29684** Perspex eye guard for No. 29683
- 29685** Holder for No. 29684
- 29686** Screw washer for No. 29685
- 29840** Catch for No. 32299, complete, consisting of Nos. 29571; 29841
- 29841** Leather for No. 29840
- 29959** Bracket, for No. 29683, complete, consisting of Nos. 73; 700983; 701628; 4531; 29685; 29686; 36153; 36154; 36155; 36156; 36157; 36158
- ★ **29960** Thread unwinder base, w/ fastening screw No. 701378, for No. 46598
- 30135** Set collar for No. 31559
- 31251** Treadle, narrow
- 31559** Chain suspension stud for No. 31560
- 31560** Treadle, narrow, complete, consisting of Nos. 700150; 700152; 30135; 31251; 31559
- ★ **31986** Belt guard for No. 31986, complete
- ★ **31986** Belt guard for No. 32299, complete consisting of Nos. 700772; 31986; 32214; 32300; 98929; 101501
- 32214** Spacer for No. 31986
- 32215** Position strap bracket for No. 32299
- 32218** Support for No. 32299
- ★ **32299** Belt guard, complete, consisting of Nos. 701286; 1418; 1435; 29520; 29840, complete; 31986, complete; 32215; 32218; 32302; 32303, complete; 69047
- ★ **32300** Position strap for No. 31986
- ★ **32302** Baffle plate for No. 32299
- 32303** Bobbin winder tension bracket for No. 32299, complete, consisting of Nos. 737; 1533; 5005; 5125; 32304; 40623
- 32304** Bobbin winder tension bracket, w/ position pin No. 10107, for No. 32303
- 35461** Set collar, w/ fastening screw No. 153, for No. 46571
- 36153** Bracket for No. 29959
- 36154** Hinge plate, slotted, for No. 29959
- 36155** Hinge plate, pronged, for No. 29959
- 36156** Carrying arm section for No. 29959
- 36157** Washer for No. 36158
- 36158** Hinge cup for No. 29959
- 40623** Spool pin for No. 32303
- 41062** Bobbin winder spindle for No. 41075
- 41065** Bobbin winder pulley for No. 41075
- 41075** Bobbin winder, complete, consisting of Nos. 62; 82; 359; 364; 366; 5564; 5565; 5566; 5567; 5568; 5569; 41062; 41065
- 46366** Bobbin winder base for No. 41075
- 46367** Bobbin winder, table model, complete, consisting of Nos. 363; 41075, complete; 46366
- 46566** Thread guide for No. 46598
- 46570** Spool rest, w/ fastening screw No. 273, for No. 46598
- 46571** Spool rest rod for No. 46598
- 46598** Thread unwinder, complete, consisting of Nos. 26110; 26179; 29960; 35461; 46566; 46570; 46571; 46694
- ★ **46694** Spool pin washer (foam rubber) for No. 46598
- 53591** Eye guard, complete, consisting of Nos. 700798; 701195; 20565; 53592; 53593; 53594; 53595; 53596; 53597 (standard type; when used on older machines, drill and tap M4 borehole in machine at needle-bar end)
- 53592** Bracket for No. 53591
- 53593** Carrying arm, top, for No. 53591
- 53594** Carrying arm, bottom, for No. 53591
- 53595** Hinge stud, for Nos. 53593; 53594
- 53596** Perspex eye guard for No. 53591
- 53597** Reinforcing bar for No. 53591
- 53599** Suspension wire for No. 53591
- 69047** Washer for No. 701286
- 98929** Spring washer for No. 101501
- 101501** Nut for No. 700772





From the library of Diamond Needle Corp

**Organizational Parts
PFAFF 3335-0-5/1, /2 & /3**

From the library of Diamond Needle Corp



22200 vollst.



700011 Hinge screw for No. 22683
19 Hinge screw for No. 22687
700034 Guide screw for No. 22185
700073 Fastening screw for No. 22183
700082 Fastening screw for Nos. 21030; 22454
700150 Fastening screw for No. 22175
700252 Fastening screw for No. 21302
700034 Guide screw for No. 22185
700366 Guide and hinge screw for Nos. 22191; 22192
700668 Fastening screw for No. 22179
700681 Fastening screw for Nos. 21137; 22193; 22194
715 Fastening screw for cap of No. 22175
700926 Fastening screw for No. 22686
700973 Stop screw for No. 22687
700991 Fastening screw for Nos. 22185; 22195
700997 Binding screw for No. 22174 and Fastening screw for Nos. 24006; 24959
701031 Regulating screw for No. 22184
701039 Stop screw for No. 22686
701041 Fastening screw for No. 22688
701511 Nut for No. 22682
701513 Nut for Nos. 701031; 701039
701548 Nut for No. 700973
701662 Nut (right-hand thread) for Nos. 22181; 50254
701680 Nut (left-hand thread) for No. 50254
5548 Washer for No. 701511
9605 Shaft for Nos. 22174; 22175
20353 Ball joint (right-hand thread) for Nos. 24006; 24959, complete, consisting of No. 20345 Ball joint end bearing
21030 Stop tripping segment for No. 24950
21134 Position pin for No. 21137
21137 Work clamp spreader for Nos. 22191; 22192
21148 Hinge pin for Nos. 22180; 22182
21302 Stop
22174 Connection for Nos. 22200; 24006
22175 Thrust lever, w/ fastening screw No. 715, for No. 22200
22178 Ball stud for No. 22175
22179 Stop screw plate for No. 22200
22180 Bearing bracket for No. 22200
22181 Connecting rod for No. 24006
22182 Work clamp carrier for No. 22200
22183 Position bracket for No. 22182

22184 Pressure spring for No. 22200
22185 Interlocking rod for No. 22200
22187 Base plate for No. 22184
22190 Buttonhole position finger for No. 22200
22191 Work clamp foot bracket, left, for No. 22193
22192 Work clamp foot bracket, right, for No. 22194
22193 Work clamp foot, left, for No. 22200
22194 Work clamp foot, right, for No. 22200
22195 Connection for Nos. 21137; 22185
22196 Pressure spring for Nos. 22191; 22192
22200 Work clamp, complete, consisting of Nos. 19; 700034; 700073; 700150; 700364; 700366; 700668; 700681; 700926; 700973; 700991; 700997; 701031; 701039; 701041; 701513; 701548; 9605; 21134; 21137; 21148; 22174; 22175; 22178; 22179; 22180; 22182; 22183; 22184; 22185; 22187; 22190; 22191; 22192; 22193; 22194; 22195; 22196; 22686; 22687; 22688; 22689; 24006 complete; 28007; 28101
22454 Thread nipper tripping segment for No. 24950
22681 Bracket for No. 22683
22682 Stud, threaded, for No. 24959
22683 Connection lever, for Nos. 24006; 24959
22685 Clamp foot lifting lever
22686 Bearing bracket for No. 22200
22687 Locking lever for No. 22200
22688 Bearing bracket for No. 22687
22689 Torsion spring for No. 22687
24006 Ball joint connection for No. 22200, complete, consisting of Nos. 701662; 20353, complete; 22181
24950 Feed cam, w/ No. 700082 Fastening screw for Nos. 21030; 22454
24956 No. 21030 Stop tripping segment
24959 No. 22454 Thread nipper tripping segment
24956 Feed plate
24959 Ball joint connection for No. 22683, complete, consisting of Nos. 701662; 701680; 20353 complete; 50248 complete; 50254
28007 Washer for No. 700997
28101 Washer for Nos. 700034; 700991
50248 Ball joint (left-hand thread) for No. 24959, complete, consisting of No. 20346 Ball joint
50254 No. 50249 Ball joint end bearing
50254 Connecting rod for No. 24959

Organizational Parts of the Pfaff 3335-0-5/2 (not ill.) (For standard parts please refer to the Pfaff 3335-0-5/1)

24960 Feed cam, w/
 No. 700082 Fastening screw for Nos. 21030; 22858
 No. 21030 Stop tripping segment
 No. 22858 Thread nipper tripping segment

24961 Knife cam
124329 Worm gear assembly, w/
 No. 700680 Fastening screw, pointed
 No. 700689 Fastening screw, blunt


Organizational Parts of the Pfaff 3335-0-5/3 (not ill.) (For standard parts please refer to the Pfaff 3335-0-5/1)

22858 Thread nipper tripping segment for No. 24962
22897 Knife cam
24731 Worm gear assembly, w/
 No. 700680 Fastening screw, pointed
 No. 700689 Fastening screw, blunt

24962 Feed cam, w/
 No. 700082 Fastening screw for Nos. 21030; 22858
 No. 21030 Stop tripping segment
 No. 22858 Thread nipper tripping segment

**Organizational Parts
PFAFF 3335-0-317/1**

From the library of Diamond Needle Corp



73 Fastening screw for Nos. 124605; 124606
700082 Fastening screw for Nos. 21030; 22858
700510 Fastening screw for worm wheel of No. 24730
512 Fastening screw for No. 22111
700545 Spring suspension screw for No. 124608
700680 Fastening screw, pointed for worm of No. 24730
700689 Fastening screw, blunt, for worm of No. 24730
742 Positioning screw for No. 124612
700772 Fastening screw for No. 22099
780 Hinge screw for No. 124610
700798 Hinge screw for No. 124611
701000 Fastening screw for No. 124608
701228 Fastening screw for No. 124614
701269 Fastening screw for No. 124593
701515 Nut for No. 100221
2087 Washer for No. 124612
21030 Stop tripping segment for No. 124586
22093 Knife carrier for No. 48666
22099 Knife holder pinion stud bracket for No. 48666
22111 Needle plate insert for No. 48666
22693 Knife cam
★ **22702** Roller for No. 124586
(Orders should specify the number indicated on the face side: 1 = 9.84 mm, or .3873"; 2 = 9.86 mm, or .3881"; 3 = 9.88 mm, or .3889" dia.)
22858 Thread nipper tripping segment for No. 124586
24590 Roller stud for No. 22702
24608 Slide plate for No. 124588
24730 Worm gear assembly, w/
No. 700510 Fastening screw for worm wheel
No. 700680 Fastening screw, pointed, for worm
No. 700689 Fastening screw, blunt, for worm
48666 Needle plate, complete, consisting of Nos. 512; 700772; 22093; 22099; 22111; 48668; 101501
48668 Needle plate for No. 48666
69479 Needle bearing, front, for No. 124594
80220 Tension spring for No. 124608
100002 Fastening screw for No. 124607
100030 Fastening screw for No. 24608
100150 Hinge screw for No. 124596

100151 Fastening screw for No. 124594
100152 Fastening screw for No. 124600
100153 Fastening screw for No. 124601
100221 Regulating screw for No. 124588
101501 Nut for No. 700772
124139 x 37 x 19 Work clamp, w/work presser plate, complete, consisting of Nos. 124588, complete; 124594 x 8, complete; 124602; 124613, complete
124586 Feed cam w/
No 700082 Fastening screw for Nos. 21030; 22858
No. 21030 Stop tripping segment
No. 22858 Thread nipper tripping segment
124588 Work clamp, complete, consisting of Nos. 701269; 701515; 24608; 100030; 100221; 124590; 124591; 124592; 124593
124590 Work clamp frame for No. 124588
124591 Reversing mechanism bracket for No. 124588
124592 Pressure spring for No. 124588
124593 Work clamp face plate for No. 124588
124594 x 8 Cam stud reversing mechanism, complete, consisting of Nos. 69479; 100150; 100151; 100152; 100153; 124595; 124596; 124599 x 8; 124600; 124601; 124602; 124603
124595 Cam stud bracket for No. 124594
★ **124596** Reversing lever for No. 124594
124599 x 8 Cam stud for No. 124594
124600 Spur gear for No. 124594
124601 Washer for No. 124594
124602 Needle bearing, rear, for Nos. 124594; 124613
124603 Pressure spring for No. 124594
124605 Clamp foot lifting lever
124606 Bracket for No. 124605
124607 Stop for No. 124596
124608 Starting lever interlocking mechanism, complete, consisting of Nos. 700545; 742; 780; 700798; 2087; 80220; 124609; 124610; 124611; 124612
124609 Bracket for No. 124608
124610 Latch for No. 124608
124611 Locking lever for No. 124608
124612 Torsion spring for No. 124608
124613 x 37 x 19 Work presser plate, complete, consisting of Nos. 701228; 124614 x 37 x 19; 124615
124614 x 37 x 19 Work presser plate, for No. 124613
124615 Bearing bracket for No. 124613

**Table of Organizational Parts
PFAFF 3335-0-317/1
through /32**

From the library of Diamond Needle Corp

1) Table of Subclass Varieties of the

(For standard parts see page IX)

Part Name	/1	/2	/3	/4	/5
Work clamp, w/ work presser plate, complete	124139 x 37 x 19	124139 x 47 x 24	124165 x 40 x 11	124139 x 40 x 28	124139 x 47 x 15,5
Cam stud reversing mechanism, complete	124594 x 8	124594 x 8	124594 x 4	124594 x 8	124594 x 8
Cam stud	124599 x 8	124599 x 8	124599 x 4	124599 x 8	124599 x 8
Work presser plate, complete	124613 x 37 x 19	124613 x 47 x 24		124613 x 40 x 28	124613 x 47 x 15,5
Work presser plate	124614 x 37 x 19	124614 x 47 x 24	124623 x 40 x 11	124614 x 40 x 28	124614 x 47 x 15,5
Worm gear assembly, w/ set screws	24730	124086	24730	124086	124086
Knife cam	22693	124085	22693	124085	124085
Feed cam, w/ tripping segments and tripping segment set screws	124586	124616	124619	124624	124627
Thread nipper tripping segment	22858	24780	22858	24780	24780
Feed cam roller	2) ★ 22702	2) ★ 22702	2) ★ 22702	2) ★ 22702	2) ★ 22702
Roller stud	24590	24590	24590	24590	24590

Part Name	/19	/20	/21	/22	/23
Work clamp, w/ work presser plate, complete	124139 x 48 x 30	124139 x 37 x 21	124139 x 43 x 22	124845 x 40,4 x 13,6 x 31,4	124849
Cam stud reversing mechanism, complete	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 4
Cam stud	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 4
Work presser plate, complete	124613 x 48 x 30	124613 x 37 x 21	124613 x 43 x 22	124665 x 40,4 x 13,6 x 31,4	
Work presser plate	124614 x 48 x 30	124614 x 37 x 21	124614 x 43 x 22	124666 x 40,4 x 13,6 x 31,4	124668
Worm gear assembly, w/ set screws	124086	124086	24731	24771	24731
Knife cam	124085	124085	22573	24770	22573
Feed cam, w/ tripping segments and tripping segment set screws	124655	124658	124661	124664	124667
Thread nipper tripping segment	24780	24780	22858	24780	22858
Feed cam roller	2) ★ 22702	2) ★ 22702	3) 21065	2) ★ 22702	3) 21065
Roller stud	24590	24590	124150	24590	124150

- 1) To convert a machine from one variety to another one listed in this table, compare both varieties and orders.
- 2) Orders should specify the number indicated on the face side: 1 = 9.84 mm, or .3873"; 2 = 9.86 mm, or .3881"; 3 = 9.88 mm, or .3890".
- 3) Orders should specify the number of dots on the face side: 1 x = 12.70 mm, or .4999" dia.; 2 x = 12.72 mm, or .5008" dia.
- ★ See obsolete parts on page IX

he Pfaff 3335-0-317

age VIII)

Variety and Part Number								
/6	/7	/8	/9	/10	/11	/12	/14	/15
124165 x 43 x 12	124139 x 38 x 16,5	124139 x 48 x 23	124139 x 49 x 21	124139 x 32 x 26	124139 x 45 x 16	124139 x 48 x 28	124165 x 34 x 12	124139 x 42 x 16
124594 x 4	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 4	124594 x 8
124599 x 4	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 4	124599 x 8
	124613 x 38 x 16,5	124613 x 48 x 23	124613 x 49 x 21	124613 x 32 x 26	124613 x 45 x 16	124613 x 48 x 28		124613 x 42 x 16
124623 x 43 x 12	124614 x 38 x 16,5	124614 x 48 x 23	124614 x 49 x 21	124614 x 32 x 26	124614 x 45 x 16	124614 x 48 x 28	124623 x 34 x 12	124614 x 42 x 16
24730	124086	124086	124086	24730	124086	124086	24730	24730
22693	124085	124085	124085	22693	124085	124085	22693	124085
124630	124632	124635	124638	124641	124644	124647	124650	124652
22858	24780	24780	24780	22858	24780	24780	22858	22858
²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702	²⁾ ★ 22702
24590	24590	24590	24590	24590	24590	24590	24590	24590

Variety and Part Number								
/24	/25	/26	/27	/28	/29	/30	/31	/32
124139 x 29 x 28	124139 x 47 x 24	124139 x 22 x 25	124139 x 21 x 21	124139 x 28 x 24	124139 x 28 x 17	124139 x 27 x 11	124845 x 35,5 x 11,5 x 34	124139 x 34 x 34
124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8	124594 x 8
124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8	124599 x 8
124613 x 29 x 28	124613 x 47 x 24	124613 x 22 x 25	124613 x 21 x 21	124613 x 28 x 24	124613 x 28 x 17	124613 x 27 x 11	124665 x 35,5 x 11,5 x 34	124613 x 34 x 34
124614 x 29 x 28	124614 x 47 x 24	124614 x 22 x 25	124614 x 21 x 21	124614 x 28 x 24	124614 x 28 x 17	124614 x 27 x 11	124666 x 35,5 x 11,5 x 34	124614 x 34 x 34
24730	24771	24730	24730	24730	24730	24731	24730	24730
22693	24770	22693	22693	22693	22693	22573	22693	22693
124669	122618	122619	122620	122621	122622	122623	122624	122625
22858	24780	22858	22858	22858	22858	22858	22858	22858
²⁾ ★ 22702	²⁾ 22702	²⁾ 22702	²⁾ 22702	²⁾ 22702	²⁾ 22702	³⁾ 21065	²⁾ 22702	²⁾ 22702
24590	24590	24590	24590	24590	24590	124150	24590	24590


order the parts that differ.

r .3881" ; 3 = 9.88 mm, or .3889" dia.

nm, or .5007" dia.; 3x = 12.74 mm, or .5015" dia.; 4x = 12.76 mm, or .5023" dia.


**Obsolete Parts
PFAFF 3335-0**

From the library of Diamond Needle Corp



The number marked with an asterisk is no additional order number, but merely an aid to facilitate locating the obsolete part in this catalogue. Your orders should indicate the bold-type order number of the parts desired.

- | | | | |
|--------------------------|---|--------------------------|--|
| (★ 701269) 700169 | Fastening screw (taper head for No. 24616 | (★ 22530) 22531 | Catch for No. 22530 |
| (★ 100086) 249 | Stop screw for No. 2133 | (★ 24424) 22991 | Bobbin case for No. 24035 |
| (★ 701378) 273 | Fastening screw (9,4 mm, or .37" long) for thread unwinder base | (★ 24423) 24035 | Bobbin case, complete, (replaced by No. 24423) |
| (★ 153) 407 | Fastening screw for No. 46566 | (★ 24622) 24269 | Work clamp foot bracket (6 mm, or 1/4" thick) for No. 24615 |
| (★ 701286) 521 | Fastening screw for thread tension No. 31395 | (★ 32300) 28514 | Hinge for No. 31320 |
| 604 | Fastening screw for No. 22531 | (★ 32300) 28518 | Hinge for No. 31320 |
| (★ 701286) 700717 | Fastening screw for No. 31989 | 28540 | Hinge for Nos. 31318; 31320 |
| (★ 700230) 700785 | Fastening screw (M5 thread) for No. 24598 | (★ 31986) 31318 | Belt guard section (replaced by Nos. 701286; 1435; 31986, complete; 32215; 32218; 32302; 32303, complete; 69047) |
| (★ 700565) 700798 | Hinge screw (8 mm, or 5/16" head dia.) for No. 22975 | (★ 31986) 31320 | Belt guard section (replaced by Nos. 701286; 1435; 31986, complete; 32215; 32218; 32302; 32303, complete; 69047) |
| (★ 701378) 803 | Fastening screw (9.0 mm, or .35" long) for thread unwinder base | (★ 32299) 31395 | Belt guard, w/ thread tension, complete, (replaced by Nos. 701286; 1435; 31986, complete; 32215; 32218; 32302; 32303, complete; 69047) |
| 1032 | Fastening screw for Nos. 28514; 28518; 28540 | (★ 32300) 31987 | Position spring for No. 31986 |
| (★ 700152) 701316 | Fastening screw (M 4 thread) for No. 24582 | (★ 32300) 31988 | Position spring for No. 31986 |
| (★ 700230) 701316 | Fastening screw (M 4 thread) for No. 24583 | (★ 32302) 31989 | Baffle plate (1st version) for No. 32299; (replaced by Nos. 701286; 31990; 32218) |
| (★ 100213) 1317 | End screw for No. 22313 | (★ 32302) 31990 | Baffle plate (2nd version), w/ 35 mm (1 3/8")-wide mounting surface for No. 32299 |
| (★ 701387) 701329 | Fastening screw (M 4 thread) for No. 24596 | (★ 32300) 32213 | Position strap for No. 31986 |
| 1401 | Wood screw for Nos. 31987; 31988 | (★ 29960) 44196 | Thread unwinder base |
| (★ 1417) 1411 | Wood screw for No. 44196 | (★ 46694) 46728 | Friction washer (felt) for No. 44196 |
| 1448 | Wood screw for Nos. 28514; 28518 | (★ 6571) 69809 | Plug for borehole, for No. 6571 |
| (★ 598) 1759 | Slide block stud for No. 6569 | 100026 | Fastening screw for No. 124598 |
| (★ 6848) 2133 | Bobbin case latch slide for No. 2280 | (★ 24621) 101795 | Fulcrum stud, upper, for No. 24597 |
| (★ 6849) 2138 | Bobbin case latch lever for No. 2280 | (★ 22702) 101796 | Roller (10 mm, or 25/64" outside dia.) for feed cam |
| (★ 101798) 2139 | Hinge pin for No. 2280 | (★ 124596) 124596 | Reversing lever (1st version) for No. 124594; (replaced by No. 124596, 2nd version) |
| (★ 6644) 2160 | Washer for No. 6569 | (★ 124596) 124598 | Toothed segment for No. 124594; (replaced by No. 124596; 2nd version) |
| (★ 589) 2161 | Positioning pin for No. 6569 | (★ 24510) 495599 | Spacer for No. 24510 |
| (★ 6847) 2280 | Bobbin case latch complete, consisting of Nos. 2133; 2138; 2139 | (★ 101824) 6531 | Positioning pin (not ill.), (small dia: 6.5 mm, or 1/4"), for cylinder arm No. 24578 |
| (★ 101885) 2513 | Positioning pin (small dia: 3.3 mm, or .13") for No. 22042 | | |
| (★ 6892) 6662 | Tension spring for No. 24035 | | |
| (★ 20658) 20057 | Driving pulley for No. 20112 | | |
| (★ 20659) 20064 | Cap ring for No. 20057 | | |
| (★ 20658) 20112 | Driving pulley, complete, (w/ 4 tapped holes for attaching No. 20064) | | |




From the library of Diamond Needle Corp

X

**Organizational Parts
PFAFF 3335-300
(obsolete)**

From the library of Diamond Needle Corp



- 700017** Hinge screw for No. 24528
700083 Fastening screw for No. 24526
88 Fastening screw for No. 24522
700169 Fastening screw for No. 22508
700172 Fastening screw for No. 22459
700252 Fastening screw for Nos. 24529; 24534
700288 Fastening screw for No. 24191 and stop screw for No. 24520 (for large tacks)
700293 Thumb screw for No. 22467
700297 Binding screw for No. 24534
700336 Fastening screw for No. 21154 and stop screw for No. 22459
340 Positioning screw for No. 22467
700510 Fastening screw for worm wheel of No. 24730
700680 Fastening screw, pointed, for worm of No. 24730
700689 Fastening screw, blunt, for worm of No. 24730
700691 Fastening screw for No. 24530
700770 Fastening screw for No. 24309
700785 Fastening screw for No. 24524
700809 Fastening screw for Nos. 21032; 22016
700926 Fastening screw for cap of Nos. 24539; 24543
701041 Fastening screw for Nos. 24307; 24308
701043 Fastening screw for No. 24530
701343 Hinge screw for No. 24516
701344 Fastening screw for No. 24514
701353 Fastening screw for bearing cap of No. 24534
701511 Nut for No. 24517
701515 Nut for Nos. 22703; 22704; 70100012 and regulating nut for No. 24549
2044 Positioning pin for No. 21032
2513 Positioning pin for No. 22042 (see page II)
21032 Worm wheel shaft bearing bracket, front
21070 Hinge stud for No. 24521
21083 Tripping dog for No. 22701 (see page III)
21111 Positioning pin for No. 22016
21154 Guide plate for No. 22720
22016 Worm wheel shaft bearing bracket, rear
22058 Shuttle driver shaft
22459 Feed regulator post for No. 22720
22465 Feed regulator swivel for No. 22466
22466 Hinge stud for No. 22459
22467 Swivel clamp for No. 22465, complete, consisting of Nos. 700293; 340; 22468; 22469; 22477
22468 Swivel clamp for No. 22467
22469 Thrust washer for No. 22467
22477 Circlip for No. 22467
22508 Work clamp face plate for No. 24545
22693 Knife cam (as seen from reverse side)
22702 Roller for Nos. 24520; 24521 (Orders should specify the number indicated on the face side: 1 = 9.84 mm, or .3873"; 2 = 9.86 mm, or .3881"; 3 = 9.88 mm, or .3889" dia.)
22703 Roller stud for No. 24521
22704 Roller stud for No. 24520
22720 Feed plate carrier bar for Nos. 24309; 24565
22858 Thread nipper tripping segment for No. 24305
24191 Stop for No. 24520 (For small tacks, to be fitted when mounted on machine)
24305 Feed cam
24307 Work clamp foot, left
24308 Work clamp foot, right
24309 Feed plate
24514 Cover for No. 22720
24516 Feed across driving lever for No. 22720
24517 Roller stud for No. 24518
24518 Roller for No. 24516 (Orders should specify the number of lines on the bevelled face side: 1 line = 8.0 mm, or .3149"; 2 lines = 8.01 mm, or .3153"; 3 lines = 8.02 mm, or .3157" dia.)
24520 Feed regulator
24521 Feed across regulator
24522 Washer (2nd version) for No. 24539
24524 Ball stud for No. 24538
24525 Ball screw stud for No. 24542
24526 Feed across driving block for No. 22720
24527 Guide plate for No. 22720
24528 Slide block for No. 22720
24529 Guide plate for No. 22720
24530 Cylinder arm top cover for No. 24501
24534 Bearing bracket for Nos. 24520; 24521, with No. 700297 Binding screw No. 701353 Fastening screw
24537 Ball joint connection, complete, consisting of Nos. 701515; 24538, complete; 24542, complete; 70100012
24538 Ball joint for No. 24537, complete, consisting of Nos. 88; 24522; 24524; 24539
24539 Ball joint end bearing, w/fastening screw No. 700926, for No. 24538
24541 Guide fork (1st version) for No. 24539
24542 Ball joint for No. 24537, complete, consisting of Nos. 24525; 24543
24543 Ball joint end bearing, w/fastening screw No. 700926, for No. 24542
24545 Work clamp, complete, consisting of Nos. 700169; 701041; 701515; 22508; 24546; 24547; 24549
24546 Work clamp frame for No. 24545
24547 Work clamp foot bracket for No. 24545
24549 Pressure spring for No. 24545
24565 Work clamp, w/work clamp feet, complete, consisting of Nos. 24307; 24308; 24545, complete
24730 Worm gear assembly, w/ No. 700510 Fastening screw for worm wheel No. 700680 Fastening screw, pointed, for worm No. 700689 Fastening screw, blunt, for worm
28007 Washer for No. 701515
70100012 Connecting screw for Nos. 24538; 24542
22000 Armt (not ill.)
24501 Cylinder arm (not ill.)
701063 Fastening screw (not ill.) for No. 24501
6531 Positioning pin (not ill.) for No. 24501

**Table of Organizational Parts
PFAFF 3335-300 through -309
(obsolete)**

From the library of Diamond Needle Corp

1) Table of Organizational Parts for the Sul

(For standard parts see page

Part Name	-300	-301	-302	-303/1
Work clamp, w/ work clamp feet, complete	24565	24566	24567	24568
Work clamp, complete	24545	24545	24545	24296
Work clamp frame	24546	24546	24546	24531
Threaded stud for work clamp frame				22252
Work clamp foot bracket	24547	24547	24547	24269
Pressure spring for work clamp foot bracket	24549	24549	24549	
Pressure spring for work clamp foot bracket, left				24532
Pressure spring for work clamp foot bracket, right				24533
Pressure spring regulating nut	701515	701515	701515	701508
Work clamp foot, left	24307	24286	24291	
Work clamp foot, right	24308	24287	24292	
Work clamp foot				24297
Feed plate carrier bar	22720	22064	22720	22720
Feed plate	24309	24288	24293	24301
Worm gear assembly w/ set screws	24730	24732	24730	24730
Knife cam	22693	22230	22693	22783
Feed cam	24305	24283	24289	24294
Thread nipper tripping segment	22858	22454	22858	22858
Roller for feed regulator and feed across regulator	²⁾ 22702	³⁾ 21065	²⁾ 22702	²⁾ 22702
Feed across regulator roller stud	22703	21071	22703	22703
Feed regulator roller stud	22704	21064	22704	22704
Clamp foot lifting lever, complete	22859	22859	22859	24298

- 1) To convert a machine from one subclass to another one listed in this table, compare both subclasses and o
2) Orders should specify the number indicated on the face side: 1 = 9.84 mm, or .3873"; 2 = 9.86 mm, or .38
3) Orders should specify the number of dots on the face side: 1 x = 12.70 mm, or .4999" dia.; 2 x = 12.72 mm, c

ie Subclasses of the Pfaff 3335

page X)

Subclass and Part Number						
-303/2	-304	-305	-306	-307	-308	-309
24568	24569	24570	24571	24572	24573	24574
24296	24545	24545	24545	24545	24545	24545
24531	24546	24546	24546	24546	24546	24546
22252						
24269	24547	24547	24547	24547	24547	24547
	24549	24549	24549	24549	24549	24549
24532						
24533						
701508	701515	701515	701515	701515	701515	701515
		24316	24321	24326	24331	24336
		24317	24322	24327	24332	24337
24297	24312					
22720	22720	22720	22720	22720	22720	22064
24302	24313	24318	24323	24328	24333	24338
24730	24730	24731	24731	24731	24730	24732
22783	22693	22573	22573	22573	22693	22230
24294	24310	24314	24319	24324	24329	24334
22858	22858	22858	22858	22858	22858	22454
²) 22702	²) 22702	²) 22702	²) 22702	²) 22702	²) 22702	³) 21065
22703	22703	22703	22703	22703	22703	21071
22704	22704	22704	22704	22704	22704	21064
24298	22859	22859	22859	22859	22859	22859

nd order the parts that differ.
r .3881"; 3 = 9.88 mm, or .3889" dia.
nm, or .5007" dia.; 3 x = 12.74 mm, or .5015" dia.; 4 x = 12.76 mm, or .5023" dia.

Numerical Index

3335	1	3335	2	3335	3	3335	4	3335	5	3335	6
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	11 II		700150 II		273 VI		437 I		687 V		700926 III
	700011 VII		700150 III		+ 273 IX		456 II		700689 II		700926 VII
	700017 III		700150 V		700277 II		510 I		700689 V		700926 X
	700017 X		700150 VI		700288 I		700510 II		700689 VIII		700964 III
	19 VII		700150 VII		700288 X		700510 VIII		700689 X		700965 III
	29 II		700152 I		700293 X		700510 X		700691 X		700973 VII
	700034 VII		700152 III		700297 III		511 II		715 VII		700983 VI
	46 II		700152 V		700297 V		512 IV		717 III		700987 V
	58 II		700152 VI		700297 X		512 VIII		700717 I		700988 V
	700058 I		153 II		700323 III		+ 521 IX		+ 700717 IX		700990 III
	700058 III		153 III		700335 V		700545 III		729 I		700991 V
	62 VI		153 VI		700336 I		700545 VIII		737 VI		700991 VII
	64 I		700153 I		700336 X		589 V		742 VIII		700996 V
	700070 V		+ 700169 IX		340 X		700592 III		700770 X		700997 VII
	73 I		700169 X		700352 III		598 V		700772 IV		701000 III
	73 VI		700172 X		359 VI		+ 604 IX		700772 VI		701000 VIII
	73 VIII		700173 I		363 VI		624 I		700772 VIII		701029 IV
	700073 I		700173 IV		364 VI		700654 III		780 VIII		701031 VII
	700073 VI		219 I		700364 II		700655 III		+ 700785 IX		+ 1032 IX
	700073 VII		700230 III		700364 III		700659 III		700785 X		701039 VII
	82 VI		700230 IV		700364 VII		700660 III		700798 VI		701041 IV
	700082 II		700230 V		366 VI		700668 VII		700798 VIII		701041 VII
	700082 VII		700243 II		700366 VII		700680 II		+ 700798 IX		701041 X
	700082 VIII		+ 249 IX		367 II		700680 VIII		700799 IV		701043 X
	700083 X		250 V		392 I		700680 X		+ 803 IX		701063 IV
	87 II		700252 II		405 II		700681 I		700809 III		701063 X
	88 X		700252 IV		407 III		700681 IV		700809 X		701099 IV
	94 I		700252 VII		+ 407 IX		700681 VII		700865 II		701154 III
	700150 I		700252 X		431 VI		700686 III		905 I		701195 VI

Numerical Index

3335	7	3335	8	3335	9	3335	10	3335	11	3335	12
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	701199 III		701508 IV		701662 VII		2531 I		6616 I		10107 VI
	1207 III		701508 V		701680 VII		2536 I		6632 I		10181 I
	701216 III		701508 44a		701705 III		2536 III		6640 I		10183 I
	701228 VIII		701511 III		701705 V		3005 I		6644 V		11126 III
	1241 I		701511 VII		1759 III		4531 VI		+ 6662 IX		11126 V
	701269 IV		701511 X		+ 1759 IX		5005 VI		6694 V		11176 III
	701269 VIII		1512 II		1848 II		5125 VI		6764 V		11238 II
	701278 IV		1512 V		1849 III		5544 I		6847 V		11903 III
	701286 VI		1513 II		1864 III		5548 IV		6848 V		12526 III
	+ 701316 IX		701513 VII		2030 V		5548 VII		6849 V		16328 III
	+ 1317 IX		701515 II		2044 V		5564 VI		6892 V		17584 III
	+ 701329 IX		701515 III		2044 X		5565 VI		7014 I		18358 II
	701342 II		701515 VIII		2056 II		5566 VI		7015 I		18502 V
	701342 V		701515 X		2061 I		5567 VI		7016 I		20002 II
	701343 X		701515 44a		2065 I		5568 VI		7016 4		20030 III
	701344 IV		1522 I		2087 VIII		5569 VI		7328 III		+ 20057 IX
	701344 X		1529 VI		+ 2133 IX		6219 I		7329 II		20061 II
	701353 X		1533 VI		2134 V		6523 I		7329 III		20062 II
	701378 VI		1547 II		+ 2138 IX		6525 I		7705 I		20063 II
	701386 IV		701548 VII		+ 2139 IX		6526 I		7718 I		+ 20064 IX
	701387 IV		701563 V		2160 III		+ 6531 IX		8020 I		20065 III
	701397 III		701578 III		+ 2160 IX		6531 X		8021 I		20066 III
	+ 1401 IX		701628 VI		2161 III		6568 V		8618 I		20067 III
	+ 1411 IX		1635 V		+ 2161 IX		6569 V		8648 I		20069 III
	1416 VI		701635 II		2170 III		6570 V		8814 V		20085 III
	1417 VI		1636 I		2264 III		6571 V		9149 V		20086 III
	1418 VI		701638 II		+ 2280 IX		6601 V		9605 VII		+ 20112 IX
	1435 VI		701658 III		+ 2513 IX		6611 I		9624 III		20205 II
	+ 1448 IX		701662 III		2513 X		6615 V		10104 I		20265 III

From the library of Diamond Needle Corp

Numerical Index

3335	13	3335	14	3335	15	3335	16	3335	17	3335	18
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	20269 III		21065 44a		22009 II		22180 VII		22330 II		22513 III
	20271 III		21070 X		22016 X		22181 VII		22331 II		22514 I
	20272 II		21071 44a		22037 I		22182 VII		22332 II		22530 III
	20273 V		21083 X		22042 II		22183 VII		22333 II	+	22531 IX
	20275 II		21093 III		22058 X		22184 VII		22334 II		22533 III
	20276 II		21094 III		22059 II		22185 VII		22335 II		22539 4
	20335 III		21095 III		22061 V		22187 VII		22388 I		22541 4
	20338 I		21097 III		22063 V		22190 VII		22398 I		22542 4
	20349 III		21111 II		22064 44a		22191 VII		22450 I		22565 V
	20353 III		21111 X		22091 IV		22192 VII		22450 4		22566 V
	20353 VII		21134 V		22093 IV		22193 VII		722451 I		722567 4
	20361 I		21134 VII		22093 VIII		22194 VII		722451 4		22568 I
	20363 I		21137 VII		22099 IV		22195 VII		22452 IV		22569 4
	20386 III		21148 VII		22099 VIII		22196 VII		22453 IV		22573 36a
	20387 III		21154 X		22104 I		22200 VII		22454 II		22573 44a
	20396 III		21164 II		22111 4		22228 II		22454 VII		22586 III
	20399 II		21195 II		22111 IV		22230 44a		22454 44a		22672 I
	20467 III		21196 III		22111 VIII		22238 III		22455 I		22680 III
	20481 III		21202 V		22115 I		22241 IV		22456 I		22681 VII
	20565 VI		21208 II		22116 V		22252 IV		22459 X		22682 VII
	20658 II		21302 VII		22122 I		22252 44a		22465 X		22683 VII
	20659 II		21372 III		22122 4		22286 I		22466 X		22685 VII
	21030 II		21372 V		22128 I		22312 II		22467 X		22686 VII
	21030 VII		21485 VI		22162 V		22312 4		22468 X		22687 VII
	21030 VIII		21486 VI		22171 III		22313 I		22469 X		22688 VII
	21032 X		22000 X		22174 VII		22313 4		22477 X		22689 VII
	21064 44a		22001 II		22175 VII		22325 I		22506 II		22693 VIII
	21065 III		22003 III		22178 VII		22328 II		22508 X		22693 X
	21065 36a		22004 III		22179 VII		22329 II		22512 III		22693 36a

From the library of Diamond Needle Corp

Numerical Index

3335	19	3335	20	3335	21	3335	22	3335	23	3335	24
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	22693 44a		22993 I		24308 44a		24501 X		24532 44a		24569 44a
	22701 III		23005 V		24309 X		24502 V		24533 IV		24570 44a
	22702 VIII		23019 III		24309 44a		24505 V		24533 44a		24571 44a
	22702 X		24006 VII		24310 44a		24506 V		24534 X		24572 44a
	22702 36a	+	24035 IX		24312 44a		24507 V		24535 III		24573 44a
	22702 44a		24048 V		24313 44a		24508 V		24536 V		24574 44a
	22703 X		24191 X		24314 44a		24509 V		24537 X		24577 II
	22703 44a		24254 V		24316 44a		24510 V		24538 X		24578 IV
	22704 X	+	24269 IX		24317 44a		24511 IV		24539 X		24582 V
	22704 44a		24269 44a		24318 44a		24512 IV		24541 X		24583 V
	22720 X		24283 44a		24319 44a		24513 IV		24542 X		24584 V
	22720 44a		24286 44a		24321 44a		24514 X		24543 X		24585 V
	22772 III		24287 44a		24322 44a		24515 4		24545 X		24586 III
	22773 III		24288 44a		24323 44a		24515 IV		24545 44a		24586 IV
	22775 I		24289 44a		24324 44a		24516 X		24546 X		24587 III
	22776 4		24291 44a		24326 44a		24517 X		24546 44a		24588 III
	22783 44a		24292 44a		24327 44a		24518 X		24547 X		24589 III
	22858 VII		24293 44a		24328 44a		24520 X		24547 44a		24590 VIII
	22858 VIII		24294 44a		24329 44a		24521 X		24549 X		24590 36a
	22858 X		24296 44a		24331 44a		24522 X		24549 44a		24591 III
	22858 36a		24297 44a		24332 44a		24524 X		24553 VI		24592 III
	22858 44a		24298 44a		24333 44a		24525 X		24554 V		24593 III
	22859 44a		24301 44a		24334 44a		24526 X		24557 4		24594 III
	22860 I		24302 44a		24336 44a		24527 X		24557 IV		24595 III
	22861 I		24305 X		24337 44a		24528 X		24565 X		24596 III
	22897 VII		24305 44a		24338 44a		24529 X		24565 44a		24597 IV
	22974 V		24307 X		24423 V		24530 X		24566 44a		24598 IV
	22975 I		24307 44a		24424 V		24531 44a		24567 44a		24599 IV
+	22991 IX		24308 X		24429 III		24532 IV		24568 44a		24601 V

From the library of Diamond Needle Corp

Numerical Index

3335	25	3335	26	3335	27	3335	28	3335	29	3335	30
	Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.		Nr. Fig.
	24602 V		24935 IV		29371 VI		32215 VI		48668 4		100086 V
	24604 IV		24936 IV		29520 VI		32218 VI		48668 VIII		100100 V
	24605 II		24937 IV		29571 VI		32299 VI		50248 VII		100150 VIII
	24606 II		24938 IV		29601 VI		32300 VI		50254 VII		100151 VIII
	24607 IV		24939 IV		29683 VI		32302 VI		53591 VI		100152 VIII
	24608 IV		24940 IV		29684 VI		32303 VI		53592 VI		100153 VIII
	24608 VIII		24941 IV		29685 VI		32304 VI		53593 VI		100187 V
	24611 IV		24942 IV		29686 VI		35461 VI		53594 VI		100213 I
	24613 III		24950 VII		29840 VI		36153 VI		53595 VI		100217 I
	24615 IV		24956 VII		29841 VI		36154 VI		53596 VI		100221 VIII
	24616 IV		24959 VII		29959 VI		36155 VI		53597 VI		101501 IV
	24619 V		24960 VII		29960 VI		36156 VI		53599 VI		101501 VI
	24621 IV		24961 VII		30135 VI		36157 VI		61104 II		101501 VIII
	24622 IV		24962 VII		30240 III		36158 VI		63048 I	+	101795 IX
	24623 IV		25165 II		30313 III		40623 VI		63049 I	+	101796 IX
	24730 VIII		25694 III		31251 VI		41062 VI		65543 4		101798 V
	24730 X		25976 VI		+ 31318 IX		41065 VI		65546 4		101824 IV
	24730 36a		25998 III		+ 31320 IX		41075 VI		65548 V		101885 II
	24730 44a		26110 VI		+ 31395 IX		+ 44196 IX		69047 VI		105447 I
	24731 VII		26179 VI		31559 VI		46366 VI		69479 VIII		122618 36a
	24731 36a		28007 III		31560 VI		46367 VI		+ 69809 IX		122619 36a
	24731 44a		28007 VII		31788 III		46566 VI		80220 VIII		122620 36a
	24732 II		28007 X		31986 VI		46570 VI		98264 III		122621 36a
	24732 44a		28043 VI		+ 31987 IX		46571 VI		98929 VI		122622 36a
	24770 36a		28101 VII		+ 31988 IX		46598 VI		100002 VIII		122623 36a
	24771 36a		28200 III		+ 31989 IX		46694 VI		70100012 X		122624 36a
	24780 36a		+ 28514 IX		+ 31990 IX		+ 46728 IX		+ 100026 IX		122625 36a
	24930 V		+ 28518 IX		+ 32213 IX		48666 4		100030 IV		123778 V
	24934 II		+ 28540 IX		32214 VI		48666 VIII		100030 VIII		124085 36a

Numerical Index

333531	333532	333533	333534	333535	333536
Nr. Fig.	Nr. Fig.	Nr. Fig.	Nr. Fig.	Nr. Fig.	Nr. Fig.
124086 36a	124603 VIII	124658 36a			
124139 VIII	124605 VIII	124661 36a			
124139 36a	124606 VIII	124664 36a			
124148 V	124607 VIII	124665 36a			
124149 III	124608 VIII	124666 36a			
124150 III	124609 VIII	124667 36a			
124150 36a	124610 VIII	124668 36a			
124165 36a	124611 VIII	124669 36a			
124329 VII	124612 VIII	124845 36a			
124347 4	124613 VIII	124849 36a			
124348 4	124613 36a	+ 495599 IX			
124586 VIII	124614 VIII				
124586 36a	124614 36a				
124588 VIII	124615 VIII				
124590 VIII	124616 36a				
124591 VIII	124619 36a				
124592 VIII	124623 36a				
124593 VIII	124624 36a				
124594 VIII	124627 36a				
124594 36a	124630 36a				
124595 VIII	124632 36a				
124596 VIII	124635 36a				
+ 124596 IX	124638 36a				
+ 124598 IX	124641 36a				
124599 VIII	124644 36a				
124599 36a	124647 36a				
124600 VIII	124650 36a				
124601 VIII	124652 36a				
124602 VIII	124655 36a				




From the library of Diamond Needle Corp

-958/01

zur Pfaff

3300; 3304; 3334; 3335-0

From the library of Diamond Needle Corp







Provisorische Bestandteile-Liste

**PFAFF 3335-0-317-960
X322**

G. M. PFAFF AG WERK KAISERSLAUTERN




91-122 708-11	Auslösehebel
<u>91-122 746-91</u>	Rollenträger mit Rolle, vollst.
91-122 820-05	Scherenhälfte, untere
91-122 821-05	Scherenhälfte, obere
91-122 823-05	Druckfeder
91-122 832-05	Zugfeder



11-182 424-15	Gelenkschraube
91-010 523-05	Druckfeder
91-021 201-05	Druckfeder
91-031 887-35	Kugelpfanne
91-031 888-15	Kugelschraubenbolzen
91-060 119-05	Zugfeder
91-100 233-15	Klemm- und Mitnehmeschraube
91-122 728-05	Abstreifbügel
91-122 729-31	Fadenführung
91-122 732-05	Federbügel
91-122 734-15	Trägerwinkel
91-122 778-05	Drehfeder
91-122 799-11	Schaltwinkel

91-122 811-14 ¹⁾	Schiebefeder
91-122 842-11	Umbuggwinkel-Träger, linker; für /10 = Nr. 91-122 943-11
91-122 845-11	Umbuggwinkel-Träger, rechter; für /10 = Nr. 91-122 945-11
91-122 846-05	Biegefeder
91-122 848-05	Druckfeder
<u>91-122 857-93¹⁾</u>	Bandspanner vollst.
91-122 908-05	Druckfeder
99-096 049-91	Endtaster (4x)
99-096 076-91	Mikroschalter (4x)
99-097 004-91	Magnet
99-099 364-91	Magnet
99-099 989-91	Abdeckkappe

¹⁾ Bei Bestellung unbedingt Oberteil-Nr. und Klassenbezeichnung angeben !



91-066 109-05	Druckfeder	91-122 849-44 ¹⁾	Unterlagplatte
91-105 005-05	Druckfeder	91-122 851-04 ¹⁾	Umbuggwinkel, linker
91-122 735-15	Anschlag	91-122 852-04 ¹⁾	Umbuggwinkel, rechter
91-122 753-45	Hebel	91-122 853-33 ¹⁾	Etikettenführung
91-122 763-15	Schieber	91-122 905-05	Druckfeder
91-122 767-15	Zugstange	91-122 912-05	Druckfeder zu Nr. 99-097 004-91
91-122 768-15	Kugelscheibe	91-122 918-05	Druckfeder
91-122 772-11	Sperrklinke	91-124 603-05	Biegefeder
91-122 776-05	Drehfeder	99-096 048-91	Magnet
91-122 809-05	Drehfeder	99-097 004-91	Magnet

A Stoffdrückerplatte
(bei Bestellung unbedingt Oberteil-Nr. und Klassenbezeichnung angeben !)

¹⁾ Bei Bestellung unbedingt Oberteil-Nr. und Klassenbezeichnung angeben !