

TABLE OF CONTENTS


Needle Bar	2
Clamping	4
Thread Trimmer	6
Shifter Mechanism	8
Feed Mechanism	10
Looper Mechanism	14
Base	16
Bite Mechanism	18
Knife Thread Draw-OFF Mechanism	20
Main Cam	22
Head Assembly	24
Bedplate	26
Covers	28
Lubrication	30
Table Crosswise	32
Table Parallel	34
Table Universal	36
Electrical — I	38
Electrical — II	42
Electrical — III	44
Pneumatics	46
Accessories — Extra Parts	48

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

NEEDLE BAR



From the library of: Diamond Needle Corp

Revised 10/2005

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

NEEDLE BAR

DET	PART NUMBER	DESCRIPTION	QTY.
1	22.0195.0.000	Needle Bar	1
2	01.2193.0.000	4-60 Screw	1
3	22.0510.0.000	Needle Bar Holder ●	1
4	08.6400.5.005	M5 x 5 Set Screw	1
5	01.7447.1.000	Porcelain Guide ● ● ●	1
6	22.0520.0.000	Needle Bar Clamp	1
7	01.6551.0.000	Retaining Ring ● ● ●	1
8	22.0230.0.000	Cupped Washer ● ● ●	2
9	22.0239.0.000	Felt Washer	2
10	22.0530.0.000	Needle Bar Connecting Link	1
11	22.0542.0.000	Needle Bar Connecting Link Pin	1
12	08.6400.3.005	M3 x 5 Set Screw	4
13	22.0541.0.000	Needle Bar Shoulder Screw	1
14	22.0540.0.000	Needle Bar Connecting Link Pin ● ● ●	1
15	08.6000.6.030	M6 x 30 Screw	(1)
16	22.0525.0.000	Needle Bar Crank ●	(1)
17	01.7809.0.000	Retaining Ring	1
18	01.7804.0.000	Top Shaft Bearing	1
19	24.0500.0.000	Needle Bar Drive Shaft	1
20	12.2050.0.003	Bearing	1
21	08.6400.4.004	M4 x 4 Set Screw	2 (2)
22	08.6000.6.016	M6 x 16 Screw	2
23	01.7805.0.000	Shaft Bearing	1
24	22.0525.0.050	Needle Bar Crank Asm.	1
25	22.0545.0.000	Washer	1
26	24.0048.0.000	Needle Bar Drive Pulley ●	1
27	22.0175.0.000	Drive Shaft Key	1
28	24.0002.0.000	Clamp Collar	1
29	12.1045.2.001	Retaining Ring	1
30	22.0535.0.100	Needle Bar Crank Link Asm. ●	1
31	08.6200.6.025	M6 x 25 Screw	1
32	02.0750.2.110	Needle	1
33	24.0001.0.000	Bearing Carrier Upper Shaft	1
34	17.0026.2.077	Spring	1
35	17.0082.8.017	Tension Disk	2
36	24.0100.0.000	M3.5 x 0.35-11 Screw	1
37	08.6000.5.016	M5 x 16 Screw	1
38	12.0010.4.013	Plastic Cable Fitting	1


From the library of: Diamond Needle Corp

Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

CLAMPING



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

CLAMPING

DET	PART NUMBER	DESCRIPTION	QTY.
01	07.6045.0.046	Pin	2
02	22.0173.0.000	Clamp Toggle Pivot Pin	2
03	24.0036.0.000	Cylinder Mounting Bracket	1
04	See Page 3-45	Cylinder ● ● ● ●	—
05	08.6000.5.022	Screw M5 x 22	4
06	24.0035.0.000	Cylinder Clevis	1
07	08.6000.5.012	Screw M5 x 12	1
08	08.6400.4.004	Set Screw M4 x 4	2
09	24.0158.0.000	Tail Bracket Clamp	1
10	01.2084.0.000	Fill. Screw 6-52	1
12	24.0125.0.000	Clamp Plate	1
14	08.6100.5.012	Screw M5 x 12	2
15	20.0051.1.024	Throat Plate	1
16	22.0164.0.000	Clamp Mat	1
17	01.2376.0.000	Screw 4-60	4
18	08.6400.5.005	M5 x 5 Set Screw	1
19	24.0157.0.000	Tail Pivot Clamp	1
20	22.0159.0.000	Tail Pivot Clamp Pin	1
21	08.6400.4.012	Set Screw M4 x 12	1
22	08.6700.4.000	Nut M4	1
23	22.0224.0.000	R.H. Clamp Foot	1
24	22.0223.0.000	L.H. Clamp Foot	1
25	17.0031.0.460	Roll Pin	2
26	08.6710.3.000	Nut M3	2
27	08.6400.3.006	Set Screw M3 x 6	2
28	22.0227.0.000	R.H. Clamp Arm	1
29	22.0226.0.000	L.H. Clamp Arm	1
30	08.6000.6.008	Screw M6 x 8	2
31	See Page 3-49	Gauge Lock Screw M4 x 5	—
32	See Page 3-49	Crosswise Gauge Guide	—
33	See Page 3-49	Screw M5 x 8	—
34	See Page 3-49	Parallel Gauge Block	—
35	See Page 3-49	Parallel Gauge	—


From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

THREAD TRIMMER



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com


Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

DET	PART NUMBER	DESCRIPTION	QTY.
01	20.0093.2.004	Trimmer Hook	1
02	20.0092.0.004	Trimmer Actuator	1
03	01.2386.0.000	3/16-36 x .5 Hex Screw	1
04	12.1045.3.001	E-Clip	1
05	24.0080.0.000	Trimmer Shaft	1
06	24.0003.0.000	Trimmer Pivot	1
07	08.6000.4.012	M4 x 12 Screw	1
08	24.0004.0.000	Trimmer Clamp Lever	1
09	07.6045.0.042	E-Clip	1
10	24.0005.0.000	Clevis	1
11	08.6700.4.000	M4 Nut	1
12	See Page 3-45	Trimmer Cylinder ●	—
13	08.6850.4.000	Washer	1
14	24.0006.0.000	Pivot Screw	1

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

From the library of: Diamond Needle Corp

SHIFTER MECHANISM



From the library of: Diamond Needle Corp

Revised 10/2004


e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

DET	PART NUMBER	DESCRIPTION	QTY.
01	08.6000.4.010	M4 x 10 Screw	2
02	22.2653.0.000	Left Shifter Arm Spring	1
03	08.6000.4.016	M4 x 16 Screw	4
04	22.2652.0.000	Left Shifter Arm	1
05	08.6000.4.005	M4 x 5 Screw	4
06	22.2657.0.000	Right Shifter Arm Spring	1
07	22.2656.0.000	Right Shifter Arm	1
14	22.0405.0.000	Adjustable Link Nut	1
15	22.2651.0.000	Left Shifter Block	1
16	07.6440.0.040	Spring	1
17	08.6887.5.000	Washer	1
18	22.2655.0.000	Right Shifter Block	1
19	22.2665.0.000	Main Cam Shifter Plate	1
21	08.6100.4.006	M4 x 6 Screw	1
22	08.6400.4.005	M4 x 5 Set Screw	1
23	22.0400.0.000	Spring Load Pin	1
24	22.2664.0.000	Buttonhole Adjusting Link	1

From the library of: Diamond Needle Corp

FEED MECHANISM



From the library of: Diamond Needle Corp

Revised 10/2005

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

FEED MECHANISM

DET	PART NUMBER	DESCRIPTION	QTY.
01	08.6100.3.030	M3 x 30 Screw	2
02	22.0114.0.000	Feed Brake Pressure Plate	1
03	22.0121.0.000	Slip Clutch Drive Washer	1
04	22.0354.0.000	Slip Clutch Feed Gear	1
05	24.0126.0.000	Friction Washer ●●●	1
06	22.0312.0.000	Slip Clutch Feed Shaft	1
07	22.0061.0.000	Clamp Plate Gear Rack Retainer	1
08	07.6440.0.033	Spring	2
09	24.0351.0.000	Feed Gear Assembly	1
10	22.0325.0.000	Feed Reversing Shaft	1
11	07.6440.0.041	Spring	1
12	22.0228.0.000	Collar	1
13	08.6400.5.305	M5 x 0,5 - 5 Set Screw	4
14	24.0049.0.000	Set Collar	2
15	08.6000.5.020	M5 x 20 Screw	2
16	07.6045.0.037	3 x 16 Grooved Pin	2
17	22.0313.0.000	Feed Brake Pad ●●● (1)	
18	07.6440.0.050	Spring	1
19	07.6045.0.009	3 x 12mm Pin	2
20	22.0309.0.000	Feed Brake (1)	
21	22.0184.0.000	M5 x 8 Screw	3
22	22.0315.0.000	Feed Shaft Bracket ●●	1
23	07.6440.0.028	Spring	2
24	08.6733.3.000	M3 Lock Nut	2
25	17.0019.2.057	Lockwasher	1
26	22.0208.0.000	Flat Washer	1
27	22.0186.0.000	Washer Dia. 5.2/17-0.2	1
28	08.6400.4.005	M4 x 5 Set Screw	6
29	24.2035.0.000	Gear Cover	1
30	07.6045.0.034	E-Ring	1
31	22.0049.0.000	Feed Brake Mounting Block ●	1
32	08.6000.4.025	M4 x 25 Screw	2
33	08.6400.5.005	M5 x 5 Set Screw	1
34	22.0100.0.000	Shoulder Washer	4
35	22.0305.0.000	Feed Connecting Link ● ●●	1
36	22.0320.0.000	Feed Shaft Bearing Housing	1
37	17.0019.0.517	Washer	1
38	08.6000.3.010	M3 x 10 Screw	1
39	22.0183.0.000	Collar Dia. 8	1
40	22.0026.0.000	L.H. Feed Cam Follower ● ●●	1
41	07.6440.0.018	Spring	2
42	24.0127.0.000	R.H. Feed Cam Follower ● ●●	1
43	08.6800.4.000	M4 Lockwasher	2
44	22.0336.0.000	Feed Shaft	1
45	08.6000.4.014	M4 x 14 Screw	2
46	22.0370.0.000	Feed Crank	1
47	22.0021.0.000	Spring Retain Block	1
48	22.0353.0.000	Steel Bevel Gear ●	3
49	22.0032.0.000	Bearing Shoulder Screw	2
50	07.6321.0.025	Bearing	2


Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606



FEED MECHANISM



From the library of: Diamond Needle Corp

Revised 10/2005

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

FEED MECHANISM



DET	PART NUMBER	DESCRIPTION	QTY.
51	22.0031.0.000	Bearing Spacer	2
52	08.6710.5.000	M5 Nut	2
53	22.0232.0.000	Washer	1
54	22.0110.0.000	M5 Shoulder Nut	1
55	22.0022.0.000	Pivot Shaft	1
56	08.6850.8.000	M8 Flat Washer	1
57	08.6700.8.000	M8 Nut	1
58	08.6000.4.005	M4 x 5 Screw	2
59	22.0309.0.050	Feed Brake Assembly	1
60	24.0140.0.000	Washer Dia. 5.2/17-0.1	1
61	07.6321.0.030	Bearing	(1).


From the library of: Diamond Needle Corp

Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

LOOPER MECHANISM



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com


Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

LOOPER MECHANISM

From the library of: Diamond Needle Corp

3-15

BASE



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606


BASE

From the library of: Diamond Needle Corp

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

3-17

BITE MECHANISM



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com


Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

From the library of: Diamond Needle Corp

From the library of: Diamond Needle Corp

3-19

KNIFE THREAD DRAW-OFF MECHANISM



From the library of: Diamond Needle Corp

Revised 10/2004

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

KNIFE THREAD DRAW-OFF MECHANISM

DET	PART NUMBER	DESCRIPTION	QTY.
01	08.6710.6.000	M6 Nut ● ● ●	1
02	24.0037.0.000	Cylinder Clevis ● ● ●	1
03	08.6000.5.016	M5 x 16 Screw	1
04	07.6045.0.042	E-Clip	1
05	24.0011.0.000	Knife Drive Lever	1
06	24.0014.0.000	Pivot	1
07	08.6000.4.010	M4 x 10 Screw	1
08	24.0010.0.000	Clamp Collar	1
09	24.0009.0.000	Washer	1
10	08.6000.5.040	Screw M5x40	4
11	22.1415.0.050	Knife Lever Assembly	1
12	See Page 3-47	Knife Cylinder	—
13	24.0039.0.000	Thread Draw-Off Bracket	1
14	22.1436.0.000	Drive Plate Retainer ● ● ● ●	2
15	01.7447.1.000	Porcelain Guide	1
16	22.0046.0.000	Thread Guide Bracket	1
17	01.6551.0.000	Retaining Ring	1
18	08.6850.4.000	M4 Flat Washer	2
19	08.6800.4.000	M4 Lockwasher	2
20	22.1430.0.901	Knife Holder	1
21	24.0062.0.000	Knife Guide Link	1
22	08.6200.4.016	M4 x 16 Screw	2
23	24.0093.0.000	Pivot Eccentric	1
24	22.0091.0.000	Thread Take-Up	1
25	24.0063.0.000	Thread Draw-Off	1
26	08.6400.4.004	M4 x 4 Set Screw	1
27	08.6850.3.000	M3 Washer	1
28	24.0061.0.000	Shoulder Screw	1
29	08.6000.3.006	M3 x 6 Screw	1
30	24.0094.0.000	Collar	1
31	08.6400.3.003	Set Screw M3x3	1
32	08.6000.4.016	Screw M4x16	2
33	08.6700.4.000	Nut M4	1
34	22.0145.0.000	Knife Stop	1
35	22.1442.0.000	Knife Shim 0,1	1
36	22.1443.0.000	Knife Shim 0,05mm	1
37	22.1426.0.000	Knife Holder Shim Block	1
38	08.6000.4.012	Screw M4x12	1
39	08.6000.4.006	Screw M4x6	1
40	08.6000.5.008	Screw M5x8	1
41	23.2356.2.052	Knife 13mm	1


From the library of: Diamond Needle Corp

Revised 10/2004

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

MAIN CAM



From the library of: Diamond Needle Corp

Revised 10/2004


 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

DET	PART NUMBER	DESCRIPTION	QTY.
01	22.2607.0.000	Drive Disk/Worm Gear Hub	1
02	22.2627.0.000	Shoulder Nut	2
03	22.2626.0.000	Drive Disk Switch Spring	1
04	07.6440.0.037	Spring	2
05	24.0151.0.000	Stop Disk	1
06	22.2620.0.000	Feed Reversing Cam	1
07	22.3069.0.000	Washer	1
08	22.2600.0.000	Barring Cam	1
09	08.6100.5.010	M5 x 10 Screw	1
10	22.0137.0.000	M5 x 14 Screw	2
11	07.6321.0.001	Thrust Washer	1
12	22.0182.0.000	M5 x 4 Screw	2
13	22.0097.0.000	Main Cam Brace	1
14	22.2610.0.000	Main Cam Shoulder Screw	1
15	08.6100.4.012	M4 x 12 Screw	1
16	22.2635.0.000	Barring Lever Eccentric	1
17	22.2638.0.000	Barring Lever Roller	1
18	22.2639.0.000	Barring Lever Roller	1
19	08.6700.5.000	M5 Nut	1
20	08.6850.5.000	M5 Washer	1
21	22.2630.0.000	Barring Lever	1
22	22.2637.0.000	Barring Lever Stud	1
23	22.2633.0.000	Slidestone Retaining Screw	1
24	22.2631.0.000	Clamp Plate Slidestone	1
25	22.0106.0.000	Hub Shoulder Screw	2
26	22.2640.0.050	Feed Reversing Lever	1
27	07.6440.0.045	Extension Spring	1
28	22.3003.0.000	Spacer	1
29	08.6400.3.020	Screw M3x20	1
30	08.6700.3.000	Nut M3	1

From the library of: Diamond Needle Corp

HEAD ASSEMBLY



Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

HEAD ASSEMBLY

DET	PART NUMBER	DESCRIPTION	QTY.
01	See Page 3-39	Servomotor ● ● ● ● ● ● ● ●	1
02	08.6850.5.000	M5 Washer	7
03	08.6000.5.016	M5 x 16 Screw	8
04	24.6000.5.000	Head	1
05	08.6200.5.008	M5 x 8 Screw	1
06	22.0054.0.000	Upper Thread Guide	1
07	08.6000.8.025	M8 x 25 Screw	2
08	22.0058.0.000	Sewing Head Latch	1
09	07.6045.0.037	3 x 16 Grooved Pin	1
10	07.6440.0.051	Latch Tension Spring	1
11	22.0062.0.000	M4 x 3 Screw	1
12	08.6000.8.040	M8x40 Screw	2
13	12.0008.3.023	Ty-wrap ●	1
14	See Page 3-39	Encoder Cable ● ● ● ● ● ● ● ●	1
15	12.5050.2.009	Belt ● ● ● ●	1
16	24.0108.0.000	Motor Pulley ●	1
17	08.6400.5.010	M5 x 10 Screw	1
18	01.7806.0.000	Oilite Bushing ● ●	2
19	24.0044.0.000	Needle Guard	1
20	08.6000.4.005	M4 x 5 Screw	1
21	07.6045.0.053	6 x 20 Pin	1
22	22.1422.0.000	Knife Shaft Bushing	1
23	17.0082.8.082	Release Washer	2
24	23.2044.0.050	Large Tension Assembly ● ● ● ●	2
25	22.6002.0.000	Head Hinge Assembly	1
26	08.6100.5.020	M5 x 20 Screw	3
27	08.6400.5.005	M5 x 5 Set Screw	2
28	08.6400.5.008	M5x8 Set Screw	2
29	08.6000.6.025	M6 x 25 Screw	2
30	08.6850.6.000	M6 Washer	2
31	24.0106.0.000	Motor Bracket	1
32	24.0016.0.000	Cylinder Pivot Stud Assembly	1
33	12.1010.2.003	2 x 24 Pin	1
34	08.6700.5.000	M5 Nut	3
35	12.0008.4.598	Plastic Cable Fitting ● ● ● ●	1
36	12.1011.0.001	6 x 20 Pin	1
37	08.6100.3.016	M3 x 16 Screw	1
38	08.6700.3.000	M3 Nut	1
49	08.6310.6.035	Screw M6x35	1
50	08.6700.6.000	Nut M6	1


From the library of: Diamond Needle Corp

Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

BEDPLATE



From the library of: Diamond Needle Corp

Revised 10/2004

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

BEDPLATE

DET	PART NUMBER	DESCRIPTION	QTY.
1	24.0021.0.000	Tension Release Sensor Bracket	1
2	08.6000.4.014	M4x14 Screw	1
3	08.6120.3.008	M3x8 Screw	7
4	22.6101.0.000	Cover Plate	1
5	—	AMF Reece Label - small	1
6	22.0143.0.000	Screw	2
7	22.0096.0.000	Buttonhole Size Sticker	1
8	08.6100.4.006	M4x6 Screw	2
9	22.0408.1.000	Trimmer Cover Plate	1
10	24.6100.0.000	Bedplate	1
11	07.6045.0.054	5 x 20 mm Pin	1
12	08.6400.5.005	M5 x 5 Set Screw	2
13	08.6400.5.010	M5 x 10 Set Screw	2
14	24.0018.0.000	Main Shaft Drive Pulley ●	1
15	08.6000.3.006	M3 x 6 Screw	1
16	24.0051.0.066	Hand Wheel ●	1
17	08.6100.6.035	M6 x 35 Screw	1
18	22.3219.0.000	Needle Guard	1
19	08.6850.4.000	M4 Washer	1
20	08.6000.4.006	M4 x 6 Screw	1
21	08.6100.3.008	M3 x 8 Screw	2
22	See Page 3-39	End of Cycle Sensor with Cable (BQ1) ●●●	—
23	08.6400.3.004	M3 x 4 Set Screw	2
24	24.0020.0.000	End of Cycle Sensor Bracket	1
25	08.6850.5.000	M5 Washer	2
26	08.6000.5.016	M5 x 16 Screw	3
27	12.4030.0.002	Key 5x5x30	1
28	24.1000.0.000	Main Shaft	1
29	24.0019.0.000	Bearing Carrier Lower Shaft	1
30	12.2050.0.005	Bearing	1
31	08.6000.6.016	M6 x 16 Screw	2
32	24.0002.0.000	Clamp Collar	1
33	08.6400.5.305	M5 x 0.5-5 Set Screw	6
34	22.0006.0.000	Bite Cam	1
35	24.2400.0.000	Looper Cam	1
36	12.1045.2.001	Retaining Ring	1
37	01.7805.0.000	Shaft Bearing	2
38	22.0153.0.000	Screw	2
39	22.8400.0.000	Shaft Worm Gear	1
40	22.0300.0.000	Feed Cam	1
41	22.0545.0.000	Washer	1
42	24.0027.0.000	Sensor Mounting Plate	2
43	22.0115.0.000	Stop	1
44	08.6000.4.016	M4x16 Screw	1
45	See Page 3-39	Tension Release Sensor with Cable (BQ4)	1


From the library of: Diamond Needle Corp

Revised 10/2004

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

COVERS



From the library of: Diamond Needle Corp

Revised 10/2004


e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

DET	PART NUMBER	DESCRIPTION	QTY.
01	08.6100.5.016	Screw M5 x 16	7
02	24.0068.0.000	Net ●●●	1
03	24.0067.0.000	Fan Rack	1
04	08.6850.5.000	Washer M5	4
05	See Page 3-35	Fan Assembly ●●●●●	—
06	24.6004.1.001	Pulley Cover ●	1
07	08.6000.4.070	Screw M4 x 70	4
08	08.6000.3.040	Screw M3 x 40	1
09	08.6000.3.016	Screw M3 x 16	4
10	24.6001.2.000	Head Rear Cover ●	1
11	24.0112.0.000	Cover Sound Deadener ●●●	1
12	—	Label	1
13	24.6003.0.000	Needle Bar Cover ●	1
14	22.0057.0.000	Cover Latch	1
15	08.6000.4.006	Screw M4 x 6	2
16	24.0154.0.000	Eye Shield ●●●	1
17	08.6200.4.008	Screw M4 x 8	2

From the library of: Diamond Needle Corp

LUBRICATION



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com


Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

LUBRICATION

DET	PART NUMBER	DESCRIPTION	QTY.
01	24.0141.0.000	Tubing ● ● ●	1
02	24.0139.0.000	Lubricating Wick ● ● ●	1
03	22.0229.0.000	Straight Fitting	2
04	08.6000.4.006	M4 x 6 Screw	2
05	22.0120.0.000	Holder	1
06	22.0104.0.000	Oil Gauge Reservoir	1
07	17.0095.1.329	Wheel ● ● ●	1
08	22.0108.0.000	Wick Holder	1
09	17.0027.1.799	Spring	1
10	17.0082.6.000	Clamp	1
11	08.6000.3.006	M3 x 6 Screw	1
12	17.0094.5.310	Felt ● ● ●	1
13	22.0107.0.000	Worm Gear Felt Retainer	1
14	12.0008.3.023	Ty-wrap ● ● ●	1

From the library of: Diamond Needle Corp

TABLE CROSSWISE



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com


Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

From the library of: Diamond Needle Corp

From the library of: Diamond Needle Corp

3-33

TABLE PARALLEL



From the library of: Diamond Needle Corp

Revised 10/2004


e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

DET	PART NUMBER	DESCRIPTION	QTY.
01	24.0149.0.050	Table Crosswise Assembly	1
02	08.6700.8.000	M8 Nut	(4)
03	17.0019.0.441	Washer	(4)
04	17.0095.1.272	Washer	(4)
05	12.0008.6.900	Machine Rest Table Pin	(1)
06	12.0008.6.801	Rubber Spring	(4)
08	12.1016.1.000	Nail	(6)
09	04.1416.0.003	Label "No. xxxx"	(1)
10	24.0149.0.000	Table Crosswise	(1)
11	08.6742.8.000	M8 Nut	(4)
12	24.0059.9.065	Wire Raceway Kit	1
13	08.6663.5.025	Screw 4,8 - 25	10
14	17.0094.0.200	Washer	(4)
15	04.9000.2.123	Frame Kit	1
16	12.0008.6.901	Drawer Kit	(1)
17	22.0219.0.000	Thread Stand	1
19	08.6532.8.055	Screw M8x55	(4)
20	08.6852.8.000	Washer	(4)
21	08.6702.8.000	Nut	(4)
22	08.6752.8.000	Nut	(4)

From the library of: Diamond Needle Corp

TABLE UNIVERSAL



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com


Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

From the library of: Diamond Needle Corp

From the library of: Diamond Needle Corp

3-37

ELECTRICAL — I



Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

ELECTRICAL — I

DET	PART NUMBER	DESCRIPTION	QTY.
01	03.5524.0.009	Panel Kit	1
02	12.0008.4.565	Screw	(2)
03	08.6000.4.006	Screw	(2)
04	08.6702.4.000	Nut M4	8
05	12.0008.4.574	Cable	(1)
06	08.6200.6.012	Screw	(2)
07	08.6832.6.000	Serrated Washer	(2)
08	24.0146.0.000	Display Box	(1)
09	12.0008.4.571	Plug	(2)
10	24.0147.0.000	Panel Holder	(2)
11	24.8001.0.005	Display	(1)
12	08.6200.6.016	Screw M6x16	1
13	12.0010.4.013	Plastic Cable Fitting	1
14	12.0008.4.570	Plug	2
15	12.0008.4.563	Emergency Stop Button	1
16	12.8000.0.047	Label	1
17	08.6102.3.008	Screw	2
18	24.0148.0.000	Emergency Stop Cover	1
19	24.0069.9.023	Emergency Stop Cable	1
20	24.0069.9.022	Tension Release Sensor Witch Cable (BQ4)	1
23	24.0069.9.024	Cable	1
24	12.0008.4.710	Screw Kit	1
25**	12.0008.4.679	Bulb 12V/12W	(1)
26**	12.0008.4.403	Halogen Lamp Kit 12 V Assembly	1
27**	—	Screw	(4)
28	24.0059.9.069	Fan	1
29	24.0069.9.027	Fan Cable	1
30	24.0069.9.006	End of Cycle Sensor with Cable (BQ1)	1
32	24.0059.9.064	Servomotor Assembly	1
33	24.0069.9.008	Encoder Cable	1
34	—	Cable	1
35	24.0069.9.002	Motor Power Cable	1
36	08.6100.4.010	Screw	4
37	12.0008.4.207	Bushing ●●●	7
38	12.0008.4.713	Cable	1
39	12.0008.4.231	Bushing	3
40	08.6802.4.000	Washer	4
41	08.6852.4.000	Washer	4
42	12.0008.4.366	Plug PG 29	1
43	24.0138.0.000	Connectors Plate ISBH	1
44	12.0008.4.863	Block	1
45	12.0008.4.861	Switch (Black)	1
46	12.0008.4.835	Switch ON — OFF	1
47	12.8000.0.041	Label (Clamp Up/Down)	1
48	12.8000.0.040	Label	1
49	08.6100.4.014	Screw	1
50	12.0008.4.762	Fan Cover With Filter ●●●	2
51	70.4165.1.125	Electrical Box	1
52	08.6032.4.010	Screw M4x10	(6)

** Extra Parts


Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606



ELECTRICAL — I



Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

From the library of: Diamond Needle Corp

Extra Parts

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

3-42



ELECTRICAL — II

DET	PART NUMBER	DESCRIPTION	QTY.
1	24.0069.9.009	Pedal Assembly	1
2	12.0008.4.204	Pedal ●●●	(1)
3	12.0008.4.296	Bushing ●●●	(1)
4	24.0069.9.003	Cable	(1)
5	08.6312.8.020	Screw M8x20	(2)
6	08.6852.8.000	Washer M8	(4)
7	24.0097.0.000	Holder Pedal	(1)
8	08.6100.4.012	Screw M4x12	(4)
9	08.6802.8.000	Spring Washer M8	(2)
10	08.6702.8.000	Nut M8	(2)
11			
12			
13	12.0008.4.280	Cord Clamp	1
14	08.6852.4.000	Washer M4	1
15	08.6683.4.007	Screw M4x7	1
16	12.0008.4.214	Bushing	(3)
17	12.0008.3.604	Cable Valve	1

From the library of: Diamond Needle Corp

Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com


Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

ELECTRICAL — III

ISBH+I, ISBH+I Easy View



BH, ISBH, TKF, LS, BH, CAED




From the library of: Diamond Needle Corp

ELECTRICAL — III

DET	PART NUMBER	DESCRIPTION	QTY.
01	24.8001.0.004	Servo (U1)	1
02	12.0008.4.744	Filter (Z2)	2
03	24.0144.0.000	Plate	1
04	24.8001.0.001	PLC (FX1N)	1
06	12.0008.4.043	Filter (Z1)	1
07	24.0069.9.018	Monitoring Overvoltage / Undervoltage Relay HRN-3 (VC1)	1
08	12.0008.4.484	Circuit Breaker (FA1)	1
09	12.0008.4.833	Contactor (KM1)	2
10	12.0008.4.568	Power (GS1)	2
11	12.0008.4.748	Extension Block (FX0N)	1
12	12.0008.4.050	Bridge GND	1
13	12.0008.4.665	Fuse T2A	1

From the library of: Diamond Needle Corp

PNEUMATICS



From the library of: Diamond Needle Corp

Revised 10/2004

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com


Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts) ; Fax: +420 582 360 606

PNEUMATICS

From the library of: Diamond Needle Corp

3-47

ACCESSORIES — EXTRA PARTS



Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

ACCESSORIES — EXTRA PARTS

DET	PART NUMBER	DESCRIPTION	QTY.
01	20.0093.2.004	Trimmer Hook	1
02	20.0094.0.000	Trimmer Knife	1
03	22.0209.0.000	Looper Gauge	1
04	24.0030.0.000	Main Shaft Pulley Bracket	1
05	24.0024.0.000	Needle Bar Shaft Pulley Bracket	1
06	02.0750.2.110	Needles, Size 90	10
07	05.1322.0.000	Oiler ●●●	1
08	12.0008.6.001	Screwdriver	1
09	22.0213.0.000	Bracket	1
10	08.6850.4.000	Washer M4	1
11	08.6000.4.005	Screw M4x5	1
12	12.0008.6.109	Wrench	1
13	12.0008.6.102	Allen Key Wrench 4	1
14	12.0008.6.101	Allen Key Wrench 3	1
15	12.0008.6.112	Allen Key Wrench 2-1/2	1
16	12.0008.6.100	Allen Key Wrench 2	1
17	12.0008.6.105	Needle Threader	1
18*	12.0008.3.464	Connector ●●●	1
19	12.0008.3.251	Air Tubing Clamp	1
20*	12.0008.3.466	Connector ●●●	1
21*	12.0008.3.467	Connector ●●●	1
22*	12.0008.3.465	Connector ●●●	1
23	23.2356.2.052	Knife 13mm	1
24	23.2356.2.054	Knife 16mm	1
25	23.2356.2.055	Knife 19mm	1
26	08.6010.5.008	Screw M5 x 8	1
27	22.0010.0.000	Crosswise Gauge	1
28	08.6400.4.005	Gauge Lock Screw M4 x 5	1
29	22.0011.0.000	Parallel Gauge Block	1
30	22.0012.0.000	Parallel Gauge	1
31	22.0044.0.000	Crosswise Gauge Guide	1
32*	23.2356.2.050	Knife 10mm	—
33*	23.2356.2.051	Knife 11mm	—
34*	23.2356.2.053	Knife 14mm	—
35*	23.2356.2.056	Knife 22mm	—
36*	23.2356.2.057	Knife 25mm	—
37*	23.2356.2.058	Knife 29mm	—
38*	23.2356.2.059	Knife 32mm	—
39*	23.2356.2.060	Knife 35mm	—
40*	12.0008.3.607	Connector Dia 8	—
41	12.0008.3.608	Connector Dia 10	—
42	12.0008.3.420	Connector	—
43*	12.0008.3.081	Pneumatic Adapter (1/8" / NPT 1/8")	—
44*	02.0750.2.100	Needle, Size 80	—
45*	02.0750.2.109	Needle, Size 70	—
46*	12.0008.3.463	Handvalve	—
47*	24.0073.0.000	Clamp Arm, L.H.	—
48*	24.0074.0.000	Clamp Arm, R.H.	—
49*	08.6400.3.006	Set Screw, M3x6	—

* — EXTRA PARTS




Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

ACCESSORIES — EXTRA PARTS



Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

ACCESSORIES — EXTRA PARTS



DET	PART NUMBER	DESCRIPTION	QTY.
50*	08.6710.3.000	Nut M3	
51*	17.0031.0.460	Roll Pin	
52*	24.0071.0.000	Clamp Foot, L.H.	
53*	24.0072.0.000	Clamp Foot, R.H.	
54*	24.9920.9.990	Short Clamping Kit	
55*	23.2356.1.049	Knife 6mm	
56*	24.9920.9.988	Knitwear Clamping Kit	
57*	24.0165.0.000	Clamping Mat-Flat	2
58*	12.1045.0.012	E-Clip	2
59*	22.0223.4.000	L.H. Clamp Foot	1
60*	24.2055.0.000	Stud	2
61*	24.0224.4.000	R.H. Clamp Foot	1
62*	22.0226.0.000	L.H. Clamp Arm	1
63*	22.0227.0.000	R.H. Clamp Arm	1

* — EXTRA PARTS

Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

INDEX

PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY
00.2751.3.602				07.6440.0.018				08.6000.5.016			
00.2751.3.602	3-39	59	1	07.6440.0.028	3-11	23	2	08.6000.5.016	3-21	03	1
				07.6440.0.028	3-19	18	2	08.6000.5.016	3-25	03	8
01.1382.0.000				07.6440.0.033	3-11	08	2	08.6000.5.016	3-27	26	3
01.1382.0.000	3-15	06	1	07.6440.0.036	3-15	21	3	08.6000.5.020	3-11	15	2
01.1397.0.000	3-15	11	4	07.6440.0.037	3-23	04	2	08.6000.5.022	3-5	05	4
01.2084.0.000	3-5	10	1	07.6440.0.040	3-9	16	1	08.6000.5.040	3-21	10	4
01.2193.0.000	3-3	2	1	07.6440.0.041	3-11	11	1				
01.2376.0.000	3-5	17	4	07.6440.0.045	3-23	27	1	08.6000.6.008			
01.2386.0.000	3-7	03	1	07.6440.0.050	3-11	18	1	08.6000.6.008	3-5	30	2
01.6551.0.000	3-3	7	1	07.6440.0.051	3-25	10	1	08.6000.6.016	3-3	22	2
01.6551.0.000	3-21	17	1					08.6000.6.016	3-27	31	2
01.7447.1.000	3-3	5	1	08.6000.3.006				08.6000.6.025	3-19	01	1
01.7447.1.000	3-21	15	1	08.6000.3.006	3-21	29	1	08.6000.6.025	3-25	29	2
01.7804.0.000	3-3	18	1	08.6000.3.006	3-27	15	1	08.6000.6.030	3-3	15	(1)
01.7805.0.000	3-3	23	1	08.6000.3.006	3-31	11	1				
01.7805.0.000	3-27	37	2	08.6000.3.010	3-11	38	1	08.6000.8.025			
01.7806.0.000	3-25	18	2	08.6000.3.010	3-15	17	1	08.6000.8.025	3-25	07	2
01.7809.0.000	3-3	17	1	08.6000.3.010	3-19	06	1	08.6000.8.030	3-37	02	(4)
02.0750.2.100	3-49	44*		08.6000.3.016	3-29	09	4	08.6000.8.040	3-25	12	2
02.0750.2.109	3-49	45*		08.6000.3.040	3-29	08	1				
02.0750.2.110	3-3	32	1					08.6010.5.008			
02.0750.2.110	3-49	06	10	08.6000.4.005				08.6010.5.008	3-49	26	1
03.5524.0.009	3-39	01	1	08.6000.4.005	3-9	05	4	08.6012.4.010	3-17	11	1
				08.6000.4.005	3-11	58	2	08.6032.4.010	3-39	52	(6)
04.1416.0.003				08.6000.4.005	3-25	20	1	08.6032.4.012	3-47	01	2
04.1416.0.003	3-33	09	(1)	08.6000.4.005	3-49	11	1				
04.1416.0.003	3-35	09	(1)	08.6000.4.006	3-21	39	1	08.6100.3.008			
04.1416.0.003	3-37	09	(1)	08.6000.4.006	3-27	20	1	08.6100.3.008	3-19	05	2
04.9000.2.123	3-33	15	1	08.6000.4.006	3-29	15	2	08.6100.3.008	3-27	21	2
04.9000.2.123	3-35	15	1	08.6000.4.006	3-31	04	2	08.6100.3.016	3-25	37	1
04.9000.2.123	3-37	15	1	08.6000.4.006	3-39	3	(2)	08.6100.3.030	3-11	01	2
05.1322.0.000	3-49	07	1	08.6000.4.010	3-9	01	2	08.6100.4.006	3-9	21	1
				08.6000.4.010	3-21	07	1	08.6100.4.006	3-27	8	2
07.6045.0.009				08.6000.4.012	3-7	07	1	08.6100.4.010	3-39	36	4
07.6045.0.009	3-11	19	2	08.6000.4.012	3-21	38	1	08.6100.4.012	3-23	15	1
07.6045.0.034	3-11	30	1	08.6000.4.014	3-11	45	2	08.6100.4.012	3-43	8	(4)
07.6045.0.037	3-11	16	2	08.6000.4.014	3-15	25	2	08.6100.4.014	3-39	49	1
07.6045.0.037	3-25	09	1	08.6000.4.014	3-19	08	2	08.6100.5.010	3-23	09	1
07.6045.0.042	3-7	09	1	08.6000.4.014	3-27	2	1	08.6100.5.012	3-5	14	2
07.6045.0.042	3-21	04	1	08.6000.4.016	3-9	03	4	08.6100.5.012	3-17	02	5
07.6045.0.046	3-5	01	2	08.6000.4.016	3-21	32	2	08.6100.5.016	3-29	01	7
07.6045.0.053	3-25	21	1	08.6000.4.016	3-27	44	1	08.6100.5.020	3-15	04	2
07.6045.0.054	3-27	11	1	08.6000.4.025	3-11	32	2	08.6100.5.020	3-17	07	1
07.6321.0.001	3-23	11	1	08.6000.4.070	3-29	07	4	08.6100.5.020	3-25	26	3
07.6321.0.025	3-11	50	2					08.6100.6.035	3-27	17	1
07.6321.0.025	3-19	16	2	08.6000.5.008				08.6100.8.012	3-37	26	(6)
07.6321.0.029	3-19	13	(2)	08.6000.5.008	3-21	40	1	08.6100.8.020	3-37	18	(4)
07.6321.0.030	3-11	61	(1)	08.6000.5.012	3-5	07	1	08.6102.3.008	3-39	17	2
07.6440.0.018	3-11	41	2	08.6000.5.016	3-3	37	1	08.6120.3.008	3-27	3	7

From the library of: Diamond Needle Corp

Revised 10/2005

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

INDEX

PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY
08.6200.4.006				08.6663.5.025				08.6832.6.000			
08.6200.4.006	3-47	18	2	08.6663.5.025	3-33	13	10	08.6832.6.000	3-39	7	(2)
08.6200.4.008	3-29	17	2	08.6663.5.025	3-35	13	10	08.6850.0.000	3-37	34	(4)
08.6200.4.016	3-21	22	2	08.6663.5.025	3-37	13	10	08.6850.3.000	3-21	27	1
08.6200.5.008	3-25	05	1	08.6683.4.007	3-43	15	1	08.6850.4.000	3-7	13	1
08.6200.5.012	3-17	03	6	08.6683.4.007	3-47	16	3	08.6850.4.000	3-21	18	2
08.6200.5.020	3-17	16	1					08.6850.4.000	3-27	19	1
08.6200.6.012	3-39	6	(2)	08.6700.3.000				08.6850.4.000	3-49	10	1
08.6200.6.016	3-39	12	1	08.6700.3.000	3-25	38	1	08.6850.5.000	3-23	20	1
08.6200.6.025	3-3	31	1	08.6700.4.000	3-5	22	1	08.6850.5.000	3-25	02	7
08.6300.0.070	3-37	35	(2)	08.6700.4.000	3-7	11	1	08.6850.5.000	3-27	25	2
08.6310.6.035	3-25	49	1	08.6700.4.000	3-21	33	1	08.6850.5.000	3-29	04	4
08.6312.8.020	3-43	5	(2)	08.6700.5.000	3-17	09	2	08.6850.6.000	3-25	30	2
				08.6700.5.000	3-19	24	2	08.6850.8.000	3-11	56	1
08.6400.3.003				08.6700.5.000	3-23	19	1	08.6850.8.000	3-15	32	1
08.6400.3.003	3-21	31	1	08.6700.5.000	3-25	34	3	08.6852.4.000	3-39	41	4
08.6400.3.004	3-27	23	2	08.6700.6.000	3-25	50	1	08.6852.4.000	3-43	14	1
08.6400.3.005	3-3	12	4	08.6700.6.000	3-37	31	(1)	08.6852.4.000	3-47	05	2
08.6400.3.006	3-49	49*		08.6700.8.000	3-35	02	(4)	08.6852.8.000	3-33	20	(4)
08.6400.3.006	3-5	27	2	08.6700.8.000	3-11	57	1	08.6852.8.000	3-35	20	(4)
08.6400.3.020	3-23	29	1	08.6700.8.000	3-15	33	1	08.6852.8.000	3-37	20	(4)
				08.6700.8.000	3-33	02	(4)	08.6852.8.000	3-43	6	(4)
08.6400.4.004				08.6702.4.000	3-39	4	8	08.6887.5.000	3-9	17	1
08.6400.4.004	3-3	21	2 (2)	08.6702.4.000	3-47	06	2	08.6700.3.000	3-23	30	1
08.6400.4.004	3-5	08	2	08.6702.8.000	3-33	21	(4)				
08.6400.4.004	3-15	01	2	08.6702.8.000	3-35	21	(4)	12.0008.3.023			
08.6400.4.004	3-19	27	1	08.6702.8.000	3-37	21	(4)	12.0008.3.023	3-25	13	1
08.6400.4.004	3-21	26	1	08.6702.8.000	3-43	10	(2)	12.0008.3.023	3-31	14	1
08.6400.4.005	3-9	22	1	08.6702.8.000	3-45	5	8	12.0008.3.023	3-47	12	4
08.6400.4.005	3-11	28	6	08.6710.0.300	3-37	33	(4)	12.0008.3.081	3-49	43*	
08.6400.4.005	3-19	20	1	08.6710.3.000	3-49	50*		12.0008.3.251	3-49	19	1
08.6400.4.005	3-49	28	1	08.6710.3.000	3-5	26	2	12.0008.3.408	3-47	27	1
08.6400.4.012	3-5	21	1	08.6710.5.000	3-11	52	2	12.0008.3.409	3-47	28	2
				08.6710.5.000	3-15	23	2	12.0008.3.411	3-47	29	4
08.6400.5.005				08.6710.6.000	3-21	01	1	12.0008.3.412	3-47	30	1
08.6400.5.005	3-3	4	1	08.6733.3.000	3-11	24	2	12.0008.3.413	3-47	25	1
08.6400.5.005	3-11	33	1	08.6742.8.000	3-33	11	(4)	12.0008.3.414	3-47	26	1
08.6400.5.005	3-25	27	2	08.6742.8.000	3-35	11	(4)	12.0008.3.418	3-47	17	1
08.6400.5.005	3-27	12	2	08.6742.8.000	3-37	11	(4)	12.0008.3.420	3-49	42	
08.6400.5.005	3-5	18	1	08.6752.8.000	3-33	22	(4)	12.0008.3.420	3-47	07	1
08.6400.5.008	3-25	28	2	08.6752.8.000	3-35	22	(4)	12.0008.3.426	3-47	24	1
08.6400.5.010	3-25	17	1	08.6752.8.000	3-37	22	(4)	12.0008.3.430	3-47	23	1
08.6400.5.010	3-27	13	2					12.0008.3.437	3-47	34	1
08.6400.5.305	3-11	13	4	08.6800.4.000				12.0008.3.463	3-49	46*	
08.6400.5.305	3-27	33	6	08.6800.4.000	3-11	43	2	12.0008.3.464	3-49	18*	1
				08.6800.4.000	3-15	26	2	12.0008.3.465	3-49	22*	1
08.6532.8.055				08.6800.4.000	3-21	19	2	12.0008.3.466	3-49	20*	1
08.6532.8.055	3-33	19	(4)	08.6802.4.000	3-39	40	4	12.0008.3.467	3-49	21*	1
08.6532.8.055	3-35	19	(4)	08.6802.8.000	3-43	9	(2)	12.0008.3.476	3-47	15	1
08.6532.8.055	3-37	19	(4)	08.6832.4.000	3-17	12	1	12.0008.3.477	3-47	14	18

Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

INDEX

PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY
12.0008.3.478				12.0008.6.101				17.0027.1.799			
12.0008.3.478	3-47	21	1	12.0008.6.101	3-49	14	1	17.0027.1.799	3-31	09	1
12.0008.3.479	3-47	09	1	12.0008.6.102	3-49	13	1	17.0031.0.460	3-49	51*	
12.0008.3.482	3-47	13	4	12.0008.6.105	3-49	17	1	17.0031.0.460	3-5	25	2
12.0008.3.484	3-47	08	1	12.0008.6.109	3-49	12	1	17.0082.6.000	3-31	10	1
12.0008.3.604	3-43	17	1	12.0008.6.112	3-49	15	1	17.0082.8.082	3-25	23	2
12.0008.3.605	3-47	19	1	12.0008.6.800	3-19	23	1	17.0094.0.200	3-33	14	(4)
12.0008.3.606	3-47	22	1	12.0008.6.801	3-33	06	(4)	17.0094.0.200	3-35	14	(4)
12.0008.3.607	3-49	40*		12.0008.6.801	3-35	06	(4)	17.0094.0.200	3-37	14	(4)
12.0008.3.608	3-49	41		12.0008.6.807	3-37	25	(2)	17.0094.5.310	3-31	12	1
12.0008.3.658	3-47	04	1	12.0008.6.900	3-33	05	(1)	17.0095.1.272	3-33	04	(4)
12.0008.3.659	3-47	03	1	12.0008.6.900	3-35	05	(1)	17.0095.1.272	3-35	04	(4)
12.0008.3.661	3-47	20	1	12.0008.6.900	3-37	05	(1)	17.0095.1.272	3-37	04	(8)
				12.0008.6.901	3-33	16	(1)	17.0095.1.329	3-31	07	1
				12.0008.6.901	3-35	16	(1)				
				12.0008.6.901	3-37	16	(1)	19.0081.5.419			
12.0008.4.043								19.0081.5.419	3-47	02	1
12.0008.4.043	3-45	6	1	12.0010.4.013							
12.0008.4.052	3-17	10	1	12.0010.4.013	3-3	38	1	20.0051.1.024			
12.0008.4.058	3-47	11	4	12.0010.4.013	3-39	13	1	20.0051.1.024	3-5	15	1
12.0008.4.100	3-17	17	1	12.1010.2.003	3-25	33	1	20.0092.0.004	3-7	02	1
12.0008.4.155	3-39	58	1	12.1011.0.001	3-25	36	1	20.0093.2.004	3-7	01	1
12.0008.4.197	3-17	08	1	12.1016.1.000	3-33	08	(6)	20.0093.2.004	3-49	1	1
12.0008.4.204	3-43	2	(1)	12.1016.1.000	3-35	08	(6)	20.0094.0.000	3-15	07	1
12.0008.4.207	3-39	37	7	12.1016.1.000	3-37	08	(6)	20.0094.0.000	3-49	02	1
12.0008.4.214	3-43	16	(3)	12.1040.1.009	3-37	29	(1)	20.0111.0.000	3-15	08	1
12.0008.4.231	3-39	39	3	12.1045.2.001	3-3	29	1	20.0112.0.000	3-15	10	1
12.0008.4.598	3-25	35	1	12.1045.2.001	3-27	36	1				
12.0008.4.280	3-43	13	1	12.1045.3.001	3-7	04	1	22.0005.0.000			
12.0008.4.296	3-43	3	(1)					22.0005.0.000	3-19	03	1
12.0008.4.366	3-39	42	1	12.2010.1.002				22.0006.0.000	3-27	34	1
12.0008.4.403	3-39	26**	1	12.2010.1.002	3-15	14	2	22.0008.0.000	3-19	02	1
12.0008.4.484	3-45	8	1	12.2050.0.003	3-3	20	1	22.0009.0.000	3-19	12	(1)
12.0008.4.563	3-39	15	1	12.2050.0.005	3-27	30	1	22.0009.0.050	3-19	28	1
12.0008.4.565	3-39	2	(2)	12.4030.0.002	3-27	27	1	22.0010.0.000	3-49	27	1
12.0008.4.570	3-39	14	1	12.5050.2.009	3-25	15	1	22.0011.0.000	3-49	29	1
12.0008.4.571	3-39	9	(2)					22.0012.0.000	3-49	30	1
12.0008.4.574	3-39	5	(1)	12.8000.0.016				22.0020.0.000	3-19	22	1
12.0008.4.679	3-39	25**	(1)	12.8000.0.016	3-17	06	1	22.0021.0.000	3-11	47	1
12.0008.4.710	3-39	24	1	12.8000.0.040	3-39	48	1	22.0021.0.000	3-15	27	1
12.0008.4.713	3-39	38	1	12.8000.0.041	3-39	47	1	22.0022.0.000	3-11	55	1
12.0008.4.744	3-45	2	2	12.8000.0.045	3-39	54	1	22.0022.0.000	3-15	31	1
12.0008.4.762	3-39	50	2	12.8000.0.047	3-39	16	1	22.0023.0.000	3-15	28	1
12.0008.4.833	3-45	9	2					22.0024.0.000	3-15	22	1
12.0008.4.835	3-39	46	1	17.0019.0.441				22.0026.0.000	3-11	40	1
12.0008.4.861	3-39	45	1	17.0019.0.441	3-33	03	(4)	22.0027.0.000	3-19	19	1
12.0008.4.863	3-39	44	1	17.0019.0.441	3-35	03	(4)	22.0028.0.000	3-19	17	2
12.0008.4.568	3-45	10	1	17.0019.0.441	3-37	03	(4)	22.0029.0.000	3-19	15	2
12.0008.6.001				17.0019.0.517	3-11	37	1	22.0030.0.000	3-19	26	1
12.0008.6.001	3-49	08	1	17.0019.2.057	3-11	25	1	22.0031.0.000	3-11	51	2
12.0008.6.100	3-49	16	1								

Revised 10/2005

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

INDEX

PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY
22.0031.0.000				22.0186.0.000				22.0541.0.000			
22.0031.0.000	3-15	15	2	22.0186.0.000	3-11	27	1	22.0541.0.000	3-3	13	1
22.0032.0.000	3-11	49	2	22.0195.0.000	3-3	1	1	22.0542.0.000	3-3	11	1
22.0033.0.000	3-19	25	1	22.0208.0.000	3-11	26	1	22.0545.0.000	3-3	25	1
22.0044.0.000	3-49	31	1	22.0209.0.000	3-49	03	1	22.0545.0.000	3-27	41	1
22.0046.0.000	3-21	16	1	22.0213.0.000	3-49	09	1				
22.0049.0.000	3-11	31	1	22.0214.0.000	3-19	10	1	22.1010.0.000			
22.0054.0.000	3-25	06	1	22.0219.0.000	3-33	17	1	22.1010.0.000	3-17	04	2
22.0057.0.000	3-29	14	1	22.0219.0.000	3-35	17	1	22.1415.0.050	3-21	11	1
22.0058.0.000	3-25	08	1	22.0219.0.000	3-37	17	1	22.1422.0.000	3-25	22	1
22.0061.0.000	3-11	07	1	22.0223.0.000	3-5	24	1	22.1426.0.000	3-21	37	1
22.0062.0.000	3-25	11	1	22.0224.0.000	3-5	23	1	22.1430.0.901	3-21	20	1
22.0063.0.000	3-19	04	1	22.0226.0.000	3-5	29	1	22.1436.0.000	3-21	14	2
22.0064.0.000	3-15	16	1	22.0227.0.000	3-5	28	1	22.1442.0.000	3-21	35	1
22.0064.0.000	3-19	14	2	22.0228.0.000	3-11	12	1	22.1443.0.000	3-21	36	1
22.0069.0.000	3-19	21	1	22.0229.0.000	3-31	03	2				
22.0091.0.000	3-21	24	1	22.0230.0.000	3-3	8	2	22.2410.0.000			
22.0096.0.000	3-27	7	1	22.0232.0.000	3-11	53	1	22.2410.0.000	3-15	03	1
22.0097.0.000	3-23	13	1	22.0232.0.000	3-15	24	1	22.2425.0.050	3-15	19	1
				22.0233.0.000	3-15	30	1	22.2440.0.000	3-15	05	2
22.0100.0.000				22.0239.0.000	3-3	9	2	22.2442.0.000	3-15	02	2
22.0100.0.000	3-11	34	4					22.2600.0.000	3-23	08	1
22.0100.0.000	3-15	20	3	22.0300.0.000				22.2607.0.000	3-23	01	1
22.0100.0.000	3-19	11	4	22.0300.0.000	3-27	40	1	22.2610.0.000	3-23	14	1
22.0104.0.000	3-31	06	1	22.0305.0.000	3-11	35	1	22.2620.0.000	3-23	06	1
22.0105.0.000	3-15	29	1	22.0309.0.000	3-11	20	(1)	22.2626.0.000	3-23	03	1
22.0106.0.000	3-23	25	2	22.0309.0.050	3-11	59	1	22.2627.0.000	3-23	02	2
22.0107.0.000	3-31	13	1	22.0312.0.000	3-11	06	1	22.2630.0.000	3-23	21	1
22.0108.0.000	3-31	08	1	22.0313.0.000	3-11	17	(1)	22.2631.0.000	3-23	24	1
22.0110.0.000	3-11	54	1	22.0315.0.000	3-11	22	1	22.2633.0.000	3-23	23	1
22.0110.0.000	3-19	09	1	22.0320.0.000	3-11	36	1	22.2635.0.000	3-23	16	1
22.0114.0.000	3-11	02	1	22.0325.0.000	3-11	10	1	22.2637.0.000	3-23	22	1
22.0115.0.000	3-27	43	1	22.0336.0.000	3-11	44	1	22.2638.0.000	3-23	17	1
22.0120.0.000	3-31	05	1	22.0353.0.000	3-11	48	3	22.2639.0.000	3-23	18	1
22.0121.0.000	3-11	03	1	22.0354.0.000	3-11	04	1	22.2640.0.050	3-23	26	1
22.0137.0.000	3-23	10	2	22.0370.0.000	3-11	46	1	22.2651.0.000	3-9	15	1
22.0143.0.000	3-27	6	2					22.2652.0.000	3-9	04	1
22.0145.0.000	3-21	34	1	22.0400.0.000				22.2653.0.000	3-9	02	1
22.0153.0.000	3-27	38	2	22.0400.0.000	3-9	23	1	22.2655.0.000	3-9	18	1
22.0159.0.000	3-5	20	1	22.0405.0.000	3-9	14	1	22.2656.0.000	3-9	07	1
22.0164.0.000	3-5	16	1	22.0408.1.000	3-27	9	1	22.2657.0.000	3-9	06	1
22.0173.0.000	3-5	02	2					22.2664.0.000	3-9	24	1
22.0175.0.000	3-3	27	1	22.0510.0.000				22.2665.0.000	3-9	19	1
22.0177.0.000	3-3	35	2	22.0510.0.000	3-3	3	1				
22.0178.0.000	3-3	34	1	22.0520.0.000	3-3	6	1	22.3003.0.000			
22.0182.0.000	3-23	12	2	22.0525.0.000	3-3	16	(1)	22.3003.0.000	3-23	28	1
22.0183.0.000	3-11	39	1	22.0525.0.050	3-3	24	1	22.3069.0.000	3-23	07	1
22.0183.0.000	3-15	18	1	22.0530.0.000	3-3	10	1	22.3219.0.000	3-27	18	1
22.0183.0.000	3-19	07	1	22.0535.0.100	3-3	30	1				
22.0184.0.000	3-11	21	3	22.0540.0.000	3-3	14	1				

Revised 10/2005

e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

INDEX

PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY	PART NUMBER	PAGE	DET	QTY
22.6002.0.000				24.0044.0.000				24.0106.0.000			
22.6002.0.000	3-25	25	1	24.0044.0.000	3-25	19	1	24.0106.0.000	3-25	31	1
22.6101.0.000	3-27	4	1	24.0048.0.000	3-3	26	1	24.0108.0.000	3-25	16	1
22.8400.0.000	3-27	39	1	24.0049.0.000	3-11	14	2	24.0111.0.000	3-17	01	1
				24.0050.0.000	3-47	31	1	24.0112.0.000	3-29	11	1
23.2044.0.050				24.0051.0.066	3-27	16	1	24.0117.0.000	3-47	32	1
23.2044.0.050	3-25	24	2	24.0059.9.017	3-39	53	1	24.0125.0.000	3-5	12	1
23.2106.0.000	3-15	09	1	24.0059.9.064	3-39	32	1	24.0126.0.000	3-11	05	1
23.2107.0.000	3-15	12	1	24.0059.9.065	3-33	12	1	24.0127.0.000	3-11	42	1
23.2356.1.049	3-49	55*	—	24.0059.9.065	3-35	12	1	24.0138.0.000	3-39	43	1
23.2356.2.050	3-49	32*	—	24.0059.9.065	3-37	12	1	24.0139.0.000	3-31	02	1
23.2356.2.051	3-49	33*	—	24.0059.9.069	3-39	28	1	24.0140.0.000	3-11	60	1
23.2356.2.052	3-21	41	1					24.0141.0.000	3-31	01	1
23.2356.2.052	3-49	23	1	24.0061.0.000				24.0142.0.000	3-33	10	(1)
23.2356.2.053	3-49	34*	—	24.0061.0.000	3-21	28	1	24.0142.0.050	3-33	01	1
23.2356.2.054	3-49	24	1	24.0062.0.000	3-21	21	1	24.0144.0.000	3-45	3	1
23.2356.2.055	3-49	25	1	24.0063.0.000	3-21	25	1	24.0146.0.000	3-39	8	(1)
23.2356.2.056	3-49	35*	—	24.0066.0.000	3-15	13	2	24.0147.0.000	3-39	10	(2)
23.2356.2.057	3-49	36*	—	24.0067.0.000	3-29	03	1	24.0148.0.000	3-39	18	1
23.2356.2.058	3-49	37*	—	24.0068.0.000	3-29	02	1	24.0149.0.000	3-35	10	(1)
23.2356.2.059	3-49	38*	—	24.0069.9.002	3-39	35	1	24.0149.0.050	3-35	01	1
23.2356.2.060	3-49	39*	—	24.0069.9.003	3-43	4	(1)	24.0150.0.000	3-37	10	(1)
				24.0069.9.006	3-39	30	1	24.0150.0.050	3-37	01	1
24.0001.0.000				24.0069.9.008	3-39	33	1	24.0151.0.000	3-23	05	1
24.0001.0.000	3-3	33	1	24.0069.9.009	3-43	1	1	24.0154.0.000	3-29	16	1
24.0002.0.000	3-3	28	1	24.0069.9.018	3-45	07*	1	24.0351.0.000	3-11	09	1
24.0002.0.000	3-27	32	1	24.0069.9.022	3-39	20		24.0500.0.000	3-3	19	1
24.0003.0.000	3-7	06	1	24.0069.9.023	3-39	19					
24.0004.0.000	3-7	08	1	24.0069.9.024	3-39	23	1	24.1000.0.000			
24.0005.0.000	3-7	10	1	24.0069.9.027	3-39	29	1	24.1000.0.000	3-27	28	1
24.0006.0.000	3-7	14	1	24.0071.0.000	3-49	52*		24.2035.0.000	3-11	29	1
24.0009.0.000	3-21	09	1	24.0072.0.000	3-49	53*		24.2400.0.000	3-27	35	1
24.0010.0.000	3-21	08	1	24.0073.0.000	3-49	47*		24.3209.0.000	3-5	19	1
24.0011.0.000	3-21	05	1	24.0074.0.000	3-49	48*		24.3210.0.000	3-5	09	1
24.0014.0.000	3-21	06	1	24.0079.0.000	3-37	23	(1)	24.6000.5.000	3-25	04	1
24.0016.0.000	3-25	32	1					24.6001.2.000	3-29	10	1
24.0018.0.000	3-27	14	1	24.0080.0.000				24.6003.0.000	3-29	13	1
24.0019.0.000	3-27	29	1	24.0080.0.000	3-7	05	1	24.6004.1.001	3-29	06	1
24.0020.0.000	3-27	24	1	24.0081.0.000	3-37	06	(6)	24.6005.1.002	3-17	13	1
24.0021.0.000	3-27	1	1	24.0082.0.000	3-37	07		24.6100.0.000	3-27	10	1
24.0024.0.000	3-49	05	1	24.0084.0.000	3-37	28	(8)				
24.0027.0.000	3-27	42	2	24.0086.0.000	3-37	24	(1)	24.8001.0.001			
				24.0087.0.000	3-37	30	(2)	24.8001.0.001	3-45	4	1
24.0030.0.000				24.0089.0.000	3-37	32	(1)	24.8001.0.004	3-45	1	1
24.0030.0.000	3-49	04	1	24.0093.0.000	3-21	23	1	24.8001.0.005	3-39	11	(1)
24.0035.0.000	3-5	06	1	24.0094.0.000	3-21	30	1	24.9920.9.990	3-49	54*	
24.0036.0.000	3-5	03	1	24.0097.0.000	3-43	7	(1)				
24.0037.0.000	3-21	02	1					70.4165.1.125			
24.0038.0.000	3-17	05	1	24.0100.0.000				70.4165.1.125	3-39	51	1
24.0039.0.000	3-21	13	1	24.0100.0.000	3-3	36	1				

Revised 10/2005

 e-mail: service@amfreece.cz; parts@amfreece.cz; website: www.amfreece.com

Phones: +420 582 309 146 (Service), +420 582 309 286 (Spare Parts); Fax: +420 582 360 606

INDEX
