

# **SINGER**

## **6K1**

# PRICE LIST OF PARTS

FOR

## 6 K 1

(10 INCH)

# BELT-SEWING MACHINE.



THE SINGER MANUFACTURING CO.

1900.

# LIST OF PARTS

FOR

## 6 K 1

(10 Inch)

# BELT-SEWING MACHINE.

In ordering from any Section of this List, be careful to quote the abbreviated title shown at the head of the Section.

Where distinguishing letters are used with the numbers, always give them in exactly the same position **BEFORE** or **AFTER** the number, as printed in the List.

*S* or *SS* indicates Screw Number.  
*N* or *NN* „ Nut Number.  
*R* or *RR* „ Roller and Stud Number.

Order as "6 K 1."

No.		Each.
1	Arm .....	—
SS 263	" Screw (3) .....	2
3	" " Washer (3) .....	½
SS 273	" Bolt (Polished) .....	1 3
N 4	" " Nut .....	2
—	" " Washer .....	½
	(63/2 K)	
7	Balance Wheel .....	12 0
8	" " Pin .....	4
SS 144	" " Set Screw .....	3
10	Bed .....	—
193, 16	11 Belt Shipper .....	15 0
27, 02	12 " " Handle .....	2 0
6, 2 S 478	" " Stud .....	1 0
1, 2 N 4	" " " Nut .....	2
2, S 343	" " " Set Screw .....	3
26	" " " Pin .....	½
	(67/2 K)	
148	16 " " " Washer .....	½

From the library of: Diamond Speed Corp

No.		Each.
17	Belt Pulley, 10" x 2 1/2" (Loose)	7 6
18	Brake Wheel, 10" x 1 3/4"	7 0
SS 144	" " Set Screw	3
20	" " Lever	5 0
21	" " " Weight	4 6
SS 280	" " " Thumb Screw	3
23	" " " Stud	5 0
—	" " " Pin (67/2 K)	1/2
25	" " " Friction Block	6
27	Check Bracket	5 0
S 343	" " Binding Screw (2)	3
29	Check Lever	2 9
30	" " Joint Pin	1/3
31	" " Spring (2)	6
32	Cloth Guide (Right)	7 6
33	" " " Joint Stud	1 9
SS 279	" " " Thumb Screw	6
35	Cloth Guide (Left)	6 0
SS 279	" " " Thumb Screw	6 0
37	" " Adjusting Shaft	30 0
38	" " Hand Wheel	6 6
39	" " " Handle	2 0
SS 144	" " " Set Screw	3
41	" " Bearing and Belt Shipper Bracket (Right)	7 6
—	" " " Steady Pin (110/2 K)	1/2
SS 258	" " " Binding Screw	1 1/2
SS 251	" " " Bolt	4
NV 2	" " " Nut	2
SS 278	" " " Thumb Screw	3
47	" " " Feather	1 9
48	" " " Bracket (Left)	4 0
—	" " " Steady Pin (110/2 K)	1/2
SS 258	" " " Binding Screw (2)	1 1/2
51	" " Collar (Right)	1 6
52	" " " (Left)	1 6
S 434	" " " Set Screw (2)	1 1/2
54	" " Breadth Rod	7 0
55	Extension Bracket for Horizontal Shaft	5 0
SS 253	" " Bolt (2)	2
NV 2	" " Nut	1
56A	" " Washer	1/2
57	Face Plate	7 0
SS 257	" " Binding Screw (3)	2
SS 31	" " " "	9
60	" " Staple	2 0
SS 38	" " Binding Screw	1 1/2
62	" " Steady Pin (2)	1
63	" " Pad (Leather)	1/2

No.		Each.
64	Feed Cam and Driving Pulley (Fast)	32 6
RR 1	" " Roller and Stud	3 6
SS 144	" " Set Screw	3
67	" " " " Key	1 6
68	Feed Roller (Top)	—
69	" " (Bottom)	—
70	" " Guard	1 6
SS 38	" " " Screw (2)	1 1/2
72	" " Bearing Bracket for Gears (Right)	22 6
SS 252	" " " Binding Screw for No. 72	2
SS 254	" " " " " " " " (Inside)	2
74	" " " " Plain (Left)	20 0
SS 252	" " " " Binding Screw for No. 74	2
SS 254	" " " " " " " " (Inside)	2
76	" " Top Bush (2)	12 6
77	" " Bottom Bush (2)	7 6
78	" " Eccentric Shaft	17 6
79	" " " Eccentric (2)	10 0
80	" " " Key (2)	1 6
81	" " " Link (2)	5 6
82	" " " Stud (2)	1 3
83	" " " Bearing Bracket (Right)	5 0
—	" " " " " Steady Pin (2) (110 Standard)	1/2
SS 252	" " " Bearing Bracket Binding Screw (2)	2
86	" " " Bearing Bracket (Left)	5 0
—	" " " " " Steady Pin (2) (110 Standard)	1/2
SS 252	" " " Bearing Bracket Binding Screw (2)	2
89	" " Lifting Shaft Hand Lever	7 6
90	" " " " " Hub	6 6
SS 142	" " " " " Set Screw (2)	3
92	" " " " " Key	2 6
93	" " " " " Jam Lever	2 0
SS 264	" " " " " Bolt	6
95	" " " " " Washer	1/2
96	" " Quadrant	5 6
97	" " Stud	4 6
98	" " Gear (2)	4 0
99	" " " Key (2)	1 9
100	" " Intermediate Gear (2)	4 6
SS 267	" " " Stud	3 9
NV 1	" " " Nut	2
102A	" " " Washer	1/2

Buy the Best Quality: Diamond Need Cop

No.		Each.
103	Feed Roller Retaining Pawl	7 6
104	" " " " Washer	9
SS 39	" " " " " Screw	2
SS 266	" " " " and Gear Stud	4 0
N 1	" " " " " " Nut	3
107A	" " " " " " Washer	1 1/2
108	" " " " " Spring	2 0
S 207	" " " " " Screw (2)	1
110	" " Ratchet Wheel	17 6
111	" " " " Key	1 9
112	" " Bell Crank	10 0
113	" " " " Stud	4 0
SS 149	" " " " Binding Screw	2
115	" " " " Pawl	7 6
116	" " " " Stud	2 0
118	" " " " Spring	1 0
119	Horizontal Shaft	12 6
120	" " Gear	3 6
121	" " " Pin	3
SS 42	" " " Set Screw	2
123	Leg (2)	—
SS 261	" Binding Bolt (3)	2
NN 2	" " " Nut (3)	2
126	" " " Washer (3)	1 1/2
127	Lifting Arm (Over the Cam)	10 0
RR 2	" " Roller and Stud	2 0
129	" " Pin (2)	2
SS 42	" " Set Screw	2
131	Lifting Arm (Connecting the Presser Bar)	5 0
132	" " Shaft	3 0
133	" " Pin	2
134	Needle Bar	10 0
135	" " Tail Piece	6 0
136	" " " " Pin (2)	2
137	" " Staple	6 0
RR 14	" " " Roller	6 6
139	" " " " Stud	1 6
140	" " " " Pin (2)	2
141	" " Cam	4 6
142	" " " " Pin (3)	2
143	" " " " Wheel	10 0
144	" " " " Pin	2
145	" " Cam Wheel Key	1 6
RR 14	" " Roller and Stud	6
147-147a	" " Clamp <i>SS 311 3/16"</i>	5 0
SS 311 SS 150	" " Screw <i>CS 373 3/16"</i>	3

No.		Each.
149	Presser Bar	7 6
150	" " Joint Pin	1 6
151	" " Lifting Handle	3 0
SS 2	" " " " Screw	1 6
153	" " Spring	7 6
SS 141	" " " " Screw	6
NN 4	" " " " Nut	1
156	" " Re-acting Bracket	3 6
—	" " " " Steady Pin (110/2 K)	1 1/2
NN 17	" " " " Cap Nut	6
159	" " " " Spring	1
160	" " " " Plunger	1 0
S 343	" " " " Binding Screw (2)	3
162	Presser Foot	7 6
S 145	" " Screw	1
—	" " Steady Pin (2) (110/2 K)	1 1/2
165	Shuttle Race Slide (Right)	2 6
166	" " " (Left)	2 6
167	Shuttle Carrier	7 6
168	" " Spring	6
SS 32	" " Screw (2)	3
170	" " Releasing Slide	1 9
S 278	" " " " Knob	3
171	" " " " Stopper	3 0
172	" " " " Plunger and Knob	3 0
172A	" " " " Spring	2
173	" " Hanger	3 0
174	" " " Stud	1 6
—	" " " Pin (89/2 K)	1 1/2
—	" " " Washer (11 T.M.S.)	1 1/2
177	" " " Cap Bar	7 6
SS 39	" " " " Screw (2)	2
—	" " " " Steady Pin (2) (110/2 K)	1 1/2
181	" " Crank	3 0
182	" " " Pin	3
183	" " " Stud	1 3
—	" " " " Pin (89/2 K)	1 1/2
—	" " " " Washer (11 T.M.S.)	1 1/2
186	" " Pitman	3 6
187	Tension Bracket	1 6
S 343	" " Binding Screw	3
—	" " Steady Pin (110/2 K)	1 1/2
190	" " Wire	3
—	" " Pin (2) (3/13 K)	1 1/2
192	" " Clamp	3

From the library of: Diamond Needle Corp

No.		Each.
193	<b>Tension Reel</b>	7 6
194	" " Column Bracket	2 6
S 341	" " " Binding Screw (2)	3
196	" " Spindle	2 6
—	" " " Pin (89/2 K)	$\frac{1}{2}$
—	" " " Washer (61/2 K)	$\frac{1}{2}$
199	<b>Tension Lever</b>	7 6
200	" " Weight	2 0
SS 280	" " " Thumbscrew	3
S 145	" " Screw	1
203	" " Washer	3
204	<b>Throat Plate</b>	3 0
SS 45	" " Screw (2)	1 $\frac{1}{2}$
206	" " Slip	3 0
S 180	" " " Screw (2)	1
208	<b>Upright Shaft</b>	5 6
209	" " Gear	3 6
210	" " " Pin	3
211	" " Collar	2 0
212	" " " Pin	3
SS 42	" " Set Screw	2
214	<b>Wax Box</b>	2 0
S 140	" " Screw (2)	1 $\frac{1}{2}$
216	" " Thread Guide	3
217	" " Leather	$\frac{1}{2}$
218	" " " Retaining Pin	3
219	<b>Wrench (Small)</b>	6
220	" (Large)	1 0
88216- <del>221</del>	<b>Shuttle Complete, for Cop</b> <i>6-S # 431</i>	10 0
222	" Body	7 0
223	" Cover, with 224, 225, 226, and 227	2 3
224	" " Catch	4
225	" " " Pin	2
226	" " " Spring	3
227	" " " Rivet (2)	$\frac{1}{2}$
228	" " Hinge Pin	2
229	" Tension	6
230	" " Pin	2