

SINGER

400W29

Form 3038w
(651)
Supplement for
Form 2968w
Printed in U.S.A.

LIST OF PARTS



FOR

MACHINE No. 400w29

Which Differs From Machine No. 400w21


** A TRADE MARK OF

THE SINGER MANUFACTURING COMPANY

INSTRUCTIONS FOR OILING

To ensure easy running and prevent unnecessary wear of the parts which are in movable contact, the machine requires oiling and when in continuous use, "TYPE A" or "TYPE C" OIL, sold only by Singer Sewing Machine Company, should be applied at the beginning of each working day to all oil holes marked "OIL", as instructed in Form 3018w.

"TYPE C" OIL is stainless.



Copyright, U. S. A., 1951, by The Singer Manufacturing Company
All Rights Reserved for all Countries

LIST OF PARTS FOR MACHINE No. 400w29

DOUBLE ROTARY DISC TAKE-UP
HIGH SPEED. CYLINDER BED BASE. DROP FEED.
SINGLE NEEDLE. LOCK STITCH.
FOR STITCHING TUBULAR ARTICLES.

Same as Machine No. 400w21 with the following exceptions:

| No. | Plate | Name |
|---------|-------|---|
| *270471 | ----- | Bed |
| 270472 | ----- | " Base (5 in. high) |
| 203184 | 18555 | " Clamp |
| 200262H | 18555 | " " Hinge Screw |
| 202622 | 18555 | " " Packing Washer |
| 200728X | 18555 | " " Thumb Screw |
| 203185 | 18555 | " " Washer |
| 202618 | 18555 | " Hinge |
| 200060H | 18555 | " " Screw (6) |
| 270404 | 18555 | " Slide |
| 143185 | 18555 | Feed Bar Body with two each 1607C and 51220AL |
| 51220AL | 18555 | Feed Bar Body Adjusting Screw |
| 1607C | 18555 | " " " " " Lock Nut |
| 704C | 18555 | " " " Screw |
| 143186 | 18555 | " " Shank |
| 143187 | 18555 | Feed Bar (tilting, adjustable) complete, Nos. 704C, 143185 and 143186 |

Note: Nos. 143030, 270008 and 270009, not used

ACCESSORIES

Same as for Machine No. 400w21 with the following exceptions:

| | | |
|---------|-------|--|
| 228453 | 18555 | Auxiliary Knee Lifter Rock Lever Rod with 227785 |
| *227785 | 18555 | Auxiliary Knee Lifter Rock Lever Rod Cap |
| 51078 | 18555 | Machine Bolt (4) |

ACCESSORIES

| No. | Plate | Name |
|--------|-------|-------------------------|
| 6055 | 18555 | Machine Bolt Washer (4) |
| 228454 | 18555 | " Cushion (felt) (2) |
| 41401 | 18555 | " Rest Pin (wood) |

Note: The following three Parts not used

| | | |
|--------|-------|---------------------------------------|
| 228478 | ----- | Drip Pan with four 3/4 in. wire nails |
| 12361 | ----- | Machine Hinge Connection |
| 41400 | ----- | " Rest Pin (wood) |

18555 - 1/2

